

Data File : BM018170.D
Acq On : 14 Dec 2018 16:30
Operator : JU/SJ
Sample : J6297-02
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
F9E37

Quant Time: Dec 15 02:56:04 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121318MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Dec 15 02:53:13 2018
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.50	152	131016	20.00	ng/ul	0.00
18) Naphthalene-d8	10.27	136	583315	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.16	164	346152	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.92	188	758564	20.00	ng/ul	0.00
77) Chrysene-d12	21.14	240	702108	20.00	ng/ul	0.00
85) Perylene-d12	23.30	264	574330	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.10	96	12769	4.65	ng/uL	0.00
5) Phenol-d5	6.70	99	264787	21.03	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.86	67	153461	22.73	ng/ul	0.00
9) 2-Chlorophenol-d4	7.05	132	223100	22.41	ng/ul	0.00
13) 4-Methylphenol-d8	8.22	113	198198	19.41	ng/ul	0.00
19) Nitrobenzene-d5	8.66	128	109943	22.94	ng/ul	0.00
22) 2-Nitrophenol-d4	9.37	143	123243	21.73	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.91	165	209859	21.41	ng/ul	0.00
29) 4-Chloroaniline-d4	10.43	131	255031	29.43	ng/ul	0.00
43) Dimethylphthalate-d6	13.59	166	688088	22.47	ng/ul	0.00
46) Acenaphthylene-d8	13.85	160	860170	23.05	ng/ul	0.00
51) 4-Nitrophenol-d4	14.41	143	82846	14.99	ng/ul	0.00
57) Fluorene-d10	15.17	176	596711	23.46	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.32	200	80039	13.85	ng/ul	0.00
70) Anthracene-d10	17.02	188	897005	23.40	ng/ul	0.00
78) Pyrene-d10	19.33	212	986676	29.31	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.17	264	744667	23.41	ng/ul	0.00


Target Compounds					Qvalue
6) Phenol	6.73	94	49138	3.969 ng/ul	94
44) Dimethylphthalate	13.63	163	199164	6.831 ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BM018170.D
Acq On : 14 Dec 2018 16:30
Operator : JU/SJ
Sample : J6297-02
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
F9E37

Quant Time: Dec 15 02:56:04 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121318MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Dec 15 02:53:13 2018
Response via : Initial Calibration





#6

Phenol

Concen: 3.969 ng/ul

RT: 6.73 min Scan# 653

Delta R.T. 0.00 min

Lab File: BM018170.D

Acq: 14 Dec 2018 16:30

Instrument :

BNA_M

ClientSampleId :

F9E37


Tgt Ion: 94 Resp: 49138

Ion Ratio Lower Upper

94 100

65 26.3 22.0 33.0




66 43.5 30.3 45.5



Abundance Ion 94.00 (93.70 to 94.70): BM018170.D (-647) (-)

Ion 65.00 (64.70 to 65.70): BM018170.D (-647) (-)

Ion 66.00 (65.70 to 66.70): BM018170.D (-647) (-)



#44

Dimethylphthalate

Concen: 6.831 ng/ul

RT: 13.63 min Scan# 1827

Delta R.T. 0.00 min

Lab File: BM018170.D

Acq: 14 Dec 2018 16:30


Tgt Ion: 163 Resp: 199164

Ion Ratio Lower Upper

163 100

194 3.7 3.7 5.5

164 10.8 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): BM018170.D (-1793) (-)

Ion 194.00 (193.70 to 194.70): BM018170.D (-1793) (-)

Ion 164.00 (163.70 to 164.70): BM018170.D (-1793) (-)

