

Data File : BM018178.D
Acq On : 14 Dec 2018 21:21
Operator : JU/SJ
Sample : J6297-10
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
F9E43

Quant Time: Dec 15 02:57:05 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121318MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Dec 15 02:53:13 2018
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.50	152	144323	20.00	ng/ul	0.00
18) Naphthalene-d8	10.27	136	640547	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.16	164	379269	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.92	188	860304	20.00	ng/ul	0.00
77) Chrysene-d12	21.14	240	788702	20.00	ng/ul	0.00
85) Perylene-d12	23.30	264	664472	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.10	96	10651	3.52	ng/uL	0.00
5) Phenol-d5	6.70	99	252948	18.24	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.86	67	145438	19.55	ng/ul	0.00
9) 2-Chlorophenol-d4	7.05	132	206492	18.83	ng/ul	0.00
13) 4-Methylphenol-d8	8.22	113	212433	18.88	ng/ul	0.00
19) Nitrobenzene-d5	8.66	128	100026	19.01	ng/ul	0.00
22) 2-Nitrophenol-d4	9.37	143	116044	18.63	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.91	165	191721	17.81	ng/ul	0.00
29) 4-Chloroaniline-d4	10.43	131	226211	23.77	ng/ul	0.00
43) Dimethylphthalate-d6	13.59	166	664069	19.79	ng/ul	0.00
46) Acenaphthylene-d8	13.85	160	868620	21.25	ng/ul	0.00
51) 4-Nitrophenol-d4	14.41	143	100284	16.56	ng/ul	0.00
57) Fluorene-d10	15.16	176	610490	21.90	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.32	200	76292	11.64	ng/ul	0.00
70) Anthracene-d10	17.02	188	970868	22.33	ng/ul	0.00
78) Pyrene-d10	19.33	212	1036770	27.41	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.16	264	830402	22.56	ng/ul	0.00


Target Compounds				Qvalue		
6) Phenol	6.73	94	31507	2.310	ng/ul	94
44) Dimethylphthalate	13.63	163	143567	4.494	ng/ul#	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BM018178.D
Acq On : 14 Dec 2018 21:21
Operator : JU/SJ
Sample : J6297-10
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
F9E43

Quant Time: Dec 15 02:57:05 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121318MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Dec 15 02:53:13 2018
Response via : Initial Calibration





#6

Phenol

Concen: 2.310 ng/ul

RT: 6.73 min Scan# 653

Delta R.T. 0.00 min

Lab File: BM018178.D

Acq: 14 Dec 2018 21:21

Instrument :

BNA_M

ClientSampleId :

F9E43


Tgt Ion: 94 Resp: 31507

Ion Ratio Lower Upper

94 100

65 24.1 22.0 33.0




66 41.3 30.3 45.5



Abundance Ion 94.00 (93.70 to 94.70): BM018167.D (-647) (-)

Ion 65.00 (64.70 to 65.70): BM018167.D (-647) (-)

Ion 66.00 (65.70 to 66.70): BM018167.D (-647) (-)



#44

Dimethylphthalate

Concen: 4.494 ng/ul

RT: 13.63 min Scan# 1827

Delta R.T. 0.00 min

Lab File: BM018178.D

Acq: 14 Dec 2018 21:21


Tgt Ion: 163 Resp: 143567

Ion Ratio Lower Upper

163 100

194 3.6 3.7 5.5#

164 10.4 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): BM018167.D (-1821) (-)

Ion 194.00 (193.70 to 194.70): BM018167.D (-1821) (-)

Ion 164.00 (163.70 to 164.70): BM018167.D (-1821) (-)

