

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM121418\
 Data File : BM018171.D
 Acq On : 14 Dec 2018 17:07
 Operator : JU/SJ
 Sample : J6297-03
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 F9E38

Quant Time: Dec 15 02:56:12 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121318MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Dec 15 02:53:13 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.50	152	154025	20.00	ng/ul	0.00
18) Naphthalene-d8	10.27	136	655448	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.16	164	337899	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.92	188	705028	20.00	ng/ul	0.00
77) Chrysene-d12	21.14	240	559027	20.00	ng/ul	0.00
85) Perylene-d12	23.30	264	577720	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.10	96	14822	4.59	ng/uL	0.00
5) Phenol-d5	6.70	99	351114	23.72	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.86	67	209913	26.44	ng/ul	0.00
9) 2-Chlorophenol-d4	7.05	132	288458	24.65	ng/ul	0.00
13) 4-Methylphenol-d8	8.22	113	287591	23.95	ng/ul	0.00
19) Nitrobenzene-d5	8.66	128	144053	26.75	ng/ul	0.00
22) 2-Nitrophenol-d4	9.37	143	162913	25.56	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.91	165	274760	24.94	ng/ul	0.00
29) 4-Chloroaniline-d4	10.43	131	351685	36.12	ng/ul	0.00
43) Dimethylphthalate-d6	13.59	166	815823	27.29	ng/ul	0.00
46) Acenaphthylene-d8	13.85	160	997898	27.40	ng/ul	0.00
51) 4-Nitrophenol-d4	14.42	143	93578	17.35	ng/ul	0.00
57) Fluorene-d10	15.17	176	715083	28.80	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.32	200	88512	16.48	ng/ul	0.00
70) Anthracene-d10	17.02	188	973899	27.34	ng/ul	0.00
78) Pyrene-d10	19.33	212	928751	34.65	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.17	264	884623	27.64	ng/ul	0.00

Target Compounds				Ovalue		
6) Phenol	6.73	94	62001	4.259	ng/ul#	88
44) Dimethylphthalate	13.63	163	151575	5.326	ng/ul	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM121418\
Data File : BM018171.D
Acq On : 14 Dec 2018 17:07
Operator : JU/SJ
Sample : J6297-03
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
F9E38

Quant Time: Dec 15 02:56:12 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121318MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Dec 15 02:53:13 2018
Response via : Initial Calibration

