

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM121618\
 Data File : BM018226.D
 Acq On : 16 Dec 2018 14:50
 Operator : JU/SJ
 Sample : J6377-06
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Dec 17 03:54:48 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM121518.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Dec 15 21:39:37 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.50	152	121390	20.00	ng	0.00
21) Naphthalene-d8	10.26	136	458658	20.00	ng	0.00
39) Acenaphthene-d10	14.16	164	247701	20.00	ng	0.00
64) Phenanthrene-d10	16.92	188	496028	20.00	ng	0.00
76) Chrysene-d12	21.14	240	455349	20.00	ng	0.00
87) Perylene-d12	23.30	264	461643	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.13	112	455327	62.66	ng	0.00
7) Phenol-d6	6.69	99	351375	34.79	ng	-0.01
23) Nitrobenzene-d5	8.66	82	907779	101.52	ng	0.00
42) 2,4,6-Tribromophenol	15.66	330	480218	132.09	ng	0.00
45) 2-Fluorobiphenyl	12.76	172	1945426	101.73	ng	0.00
79) Terphenyl-d14	19.57	244	2329142	115.68	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM121618\
Data File : BM018226.D
Acq On : 16 Dec 2018 14:50
Operator : JU/SJ
Sample : J6377-06
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Dec 17 03:54:48 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM121518.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Dec 15 21:39:37 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.50 min Scan# 784
Delta R.T. -0.01 min
Lab File: BM018226.D
Acq: 16 Dec 2018 14:50

Instrument :
BNA_M
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
152	100		
150	152.8	116.1	174.1
115	63.6	44.6	67.0






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 62.659 ng
RT: 5.13 min Scan# 381
Delta R.T. 0.00 min
Lab File: BM018226.D
Acq: 16 Dec 2018 14:50

Tgt Ion	Ratio	Lower	Upper
112	100		
64	56.3	45.4	68.2
63	29.0	24.0	36.0






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 34.789 ng

RT: 6.69 min Scan# 647

Delta R.T. -0.01 min

Lab File: BM018226.D

Acq: 16 Dec 2018 14:50

Instrument :

BNA_M

ClientSampled :


Tot Ion: 99 Resp: 351375

Ion Ratio Lower Upper

99 100

42 15.4 12.3 18.5

71 38.3 30.2 45.2






Abundance

Ion 99.00 (98.70 to 99.70): BM018226.D (-632) (-)

Ion 42.00 (41.70 to 42.70): BM018226.D (-632) (-)

Ion 71.00 (70.70 to 71.70): BM018226.D (-632) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.26 min Scan# 1254

Delta R.T. -0.01 min

Lab File: BM018226.D

Acq: 16 Dec 2018 14:50

Tgt Ion: 136 Resp: 458658


Ion Ratio Lower Upper

136 100

137 10.9 9.2 13.8

54 6.5 5.2 7.8

68 6.2 5.0 7.6





Abundance


Ion 136.00 (135.70 to 136.70): BM018226.D (-1238) (-)

Ion 137.00 (136.70 to 137.70): BM018226.D (-1238) (-)

Ion 54.00 (53.70 to 54.70): BM018226.D (-1238) (-)

Ion 68.00 (67.70 to 68.70): BM018226.D (-1238) (-)









#23
Nitrobenzene-d5
Concen: 101.521 ng
RT: 8.66 min Scan# 981
Delta R.T. -0.01 min
Lab File: BM018226.D
Acq: 16 Dec 2018 14:50




Instrument :
BNA_M
ClientSampleId :


Tot Ion	82	Resp	907779
Ion Ratio	Lower	Upper	
82	100		
128	40.1	33.4	50.2
54	41.3	33.4	50.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.16 min Scan# 1916
Delta R.T. -0.01 min
Lab File: BM018226.D
Acq: 16 Dec 2018 14:50

Tgt Ion	164	Resp	247701
Ion Ratio	Lower	Upper	
164	100		
162	104.8	81.8	122.6
160	44.3	34.6	51.8






#42
 2,4,6-Tribromophenol
 Concen: 132.089 ng
 RT: 15.66 min Scan# 2172
 Delta R.T. -0.01 min
 Lab File: BM018226.D
 Acq: 16 Dec 2018 14:50

Instrument :
 BNA_M
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.2	78.6	118.0
141	36.8	27.1	40.7






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 101.727 ng
 RT: 12.76 min Scan# 1679
 Delta R.T. -0.01 min
 Lab File: BM018226.D
 Acq: 16 Dec 2018 14:50

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.9	28.3	42.5
170	22.5	18.1	27.1






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.92 min Scan# 2386
Delta R.T. 0.00 min
Lab File: BM018226.D
Acq: 16 Dec 2018 14:50




Instrument :
BNA_M
ClientSampleId :


Tot Ion:188 Resp: 496028
Ion Ratio Lower Upper
188 100
94 7.6 8.0 12.0#
80 11.2 9.0 13.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.14 min Scan# 3103
Delta R.T. -0.01 min
Lab File: BM018226.D
Acq: 16 Dec 2018 14:50

Tgt Ion:240 Resp: 455349
Ion Ratio Lower Upper
240 100
120 10.1 8.2 12.2
236 24.3 20.3 30.5





#79

Terphenyl-d14

Concen: 115.685 ng

RT: 19.57 min Scan# 2837

Delta R.T. 0.00 min

Lab File: BM018226.D

Acq: 16 Dec 2018 14:50

Instrument :

BNA_M

ClientSampleId :


Tot Ion:244 Resp: 2329142

Ion Ratio Lower Upper

244 100

212 7.2 5.8 8.8




122 10.0 9.0 13.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.30 min Scan# 3470

Delta R.T. -0.01 min

Lab File: BM018226.D

Acq: 16 Dec 2018 14:50


Tgt Ion:264 Resp: 461643

Ion Ratio Lower Upper

264 100

260 21.3 17.5 26.3

265 21.2 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

