

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM121718\
 Data File : BM018263.D
 Acq On : 18 Dec 2018 00:55
 Operator : JU/SJ
 Sample : J6417-03
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 121318-TIPC-F-U-B

Quant Time: Dec 18 02:49:40 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM121518.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Dec 15 21:39:37 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.49	152	162343	20.00	ng	-0.01
21) Naphthalene-d8	10.26	136	630948	20.00	ng	-0.01
39) Acenaphthene-d10	14.15	164	355780	20.00	ng	-0.01
64) Phenanthrene-d10	16.92	188	740088	20.00	ng	0.00
76) Chrysene-d12	21.13	240	600649	20.00	ng	-0.01
87) Perylene-d12	23.29	264	568809	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.12	112	445202	45.81	ng	0.00
7) Phenol-d6	6.69	99	366119	27.10	ng	-0.01
23) Nitrobenzene-d5	8.65	82	1402732	114.04	ng	-0.01
42) 2,4,6-Tribromophenol	15.66	330	506546	97.00	ng	-0.01
45) 2-Fluorobiphenyl	12.76	172	2990119	108.86	ng	-0.01
79) Terphenyl-d14	19.57	244	3442144	129.61	ng	0.00
Target Compounds						
10) Phenol	6.72	94	38300	2.677	ng	Qvalue 91
15) Benzyl Alcohol	7.80	79	23168	2.105	ng	# 50
50) Dimethylphthalate	13.63	163	65184	2.204	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM121718\
Data File : BM018263.D
Acq On : 18 Dec 2018 00:55
Operator : JU/SJ
Sample : J6417-03
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
121318-TIPC-F-U-B

Quant Time: Dec 18 02:49:40 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM121518.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Dec 15 21:39:37 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.49 min Scan# 783
Delta R.T. -0.01 min
Lab File: BM018263.D
Acq: 18 Dec 2018 00:55

Instrument :
BNA_M
ClientSampleId :
121318-TIPC-F-U-B

Tgt Ion:152 Resp: 162343
Ion Ratio Lower Upper
152 100
150 152.3 116.1 174.1
115 63.7 44.6 67.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 45.811 ng
RT: 5.12 min Scan# 380
Delta R.T. -0.01 min
Lab File: BM018263.D
Acq: 18 Dec 2018 00:55

Tgt Ion:112 Resp: 445202
Ion Ratio Lower Upper
112 100
64 60.6 45.4 68.2
63 33.3 24.0 36.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 27.104 ng

RT: 6.69 min Scan# 647

Delta R.T. -0.01 min

Lab File: BM018263.D

Acq: 18 Dec 2018 00:55

Instrument :

BNA_M

ClientSampleId :

121318-TIPC-F-U-B


Tgt Ion: 99 Resp: 366119

Ion Ratio Lower Upper

99 100

42 15.6 12.3 18.5


71 39.4 30.2 45.2





Abundance Ion 99.00 (98.70 to 99.70): BM018204.D (-640) (-)

Ion 42.00 (41.70 to 42.70): BM018204.D (-640) (-)

Ion 71.00 (70.70 to 71.70): BM018204.D (-640) (-)



Time-->



#10

Phenol

Concen: 2.677 ng

RT: 6.72 min Scan# 651

Delta R.T. -0.01 min

Lab File: BM018263.D

Acq: 18 Dec 2018 00:55


Tgt Ion: 94 Resp: 38300

Ion Ratio Lower Upper

94 100

65 32.2 9.5 49.5


66 48.2 21.3 61.3




Abundance Ion 94.00 (93.70 to 94.70): BM018204.D (-645) (-)


Ion 65.00 (64.70 to 65.70): BM018204.D (-645) (-)

Ion 66.00 (65.70 to 66.70): BM018204.D (-645) (-)



Time-->





#15

Benzyl Alcohol

Concen: 2.105 ng

RT: 7.80 min Scan# 836

Delta R.T. 0.05 min

Lab File: BM018263.D

Acq: 18 Dec 2018 00:55

Instrument :

BNA_M

ClientSampleId :

121318-TIPC-F-U-B





Tgt Ion: 79 Resp: 23168

Ion Ratio Lower Upper

79 100

108 43.6 59.3 88.9#

77 118.4 53.0 79.4#



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.26 min Scan# 1253

Delta R.T. -0.01 min

Lab File: BM018263.D

Acq: 18 Dec 2018 00:55

Tgt Ion: 136 Resp: 630948




Ion Ratio Lower Upper


136 100

137 10.5 9.2 13.8

54 6.0 5.2 7.8

68 5.6 5.0 7.6









#23
 Nitrobenzene-d5
 Concen: 114.036 ng
 RT: 8.65 min Scan# 980
 Delta R.T. -0.01 min
 Lab File: BM018263.D
 Acq: 18 Dec 2018 00:55




Instrument :
 BNA_M
 ClientSampleId :
 121318-TIPC-F-U-B


Tgt Ion: 82 Resp: 1402732
 Ion Ratio Lower Upper
 82 100
 128 38.3 33.4 50.2
 54 42.0 33.4 50.2



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.15 min Scan# 1915
 Delta R.T. -0.01 min
 Lab File: BM018263.D
 Acq: 18 Dec 2018 00:55

Tgt Ion: 164 Resp: 355780
 Ion Ratio Lower Upper
 164 100
 162 102.9 81.8 122.6
 160 45.4 34.6 51.8









#42
 2,4,6-Tribromophenol
 Concen: 97.005 ng
 RT: 15.66 min Scan# 2171
 Delta R.T. -0.01 min
 Lab File: BM018263.D
 Acq: 18 Dec 2018 00:55

Instrument :
 BNA_M
 ClientSampleId :
 121318-TIPC-F-U-B

Tgt Ion:330 Resp: 506546
 Ion Ratio Lower Upper
 330 100
 332 96.9 78.6 118.0
 141 37.2 27.1 40.7




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 108.857 ng
 RT: 12.76 min Scan# 1678
 Delta R.T. -0.01 min
 Lab File: BM018263.D
 Acq: 18 Dec 2018 00:55

Tgt Ion:172 Resp: 2990119
 Ion Ratio Lower Upper
 172 100
 171 35.6 28.3 42.5
 170 22.4 18.1 27.1



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 2.204 ng

RT: 13.63 min Scan# 1827

Delta R.T. -0.01 min

Lab File: BM018263.D

Acq: 18 Dec 2018 00:55

Instrument :

BNA_M

ClientSampleId :

121318-TIPC-F-U-B


Tgt Ion:163 Resp: 65184

Ion Ratio Lower Upper

163 100

194 4.3 3.1 4.7




164 11.1 7.9 11.9



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 16.92 min Scan# 2385

Delta R.T. -0.01 min

Lab File: BM018263.D

Acq: 18 Dec 2018 00:55


Tgt Ion:188 Resp: 740088

Ion Ratio Lower Upper

188 100

94 8.7 8.0 12.0



80 11.1 9.0 13.6




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.13 min Scan# 3102
Delta R.T. -0.01 min
Lab File: BM018263.D
Acq: 18 Dec 2018 00:55




Instrument :
BNA_M
ClientSampleId :
121318-TIPC-F-U-B


Tgt Ion:240 Resp: 600649
Ion Ratio Lower Upper
240 100
120 9.7 8.2 12.2
236 25.4 20.3 30.5



#79
Terphenyl-d14
Concen: 129.608 ng
RT: 19.57 min Scan# 2836
Delta R.T. -0.01 min
Lab File: BM018263.D
Acq: 18 Dec 2018 00:55

Tgt Ion:244 Resp: 3442144
Ion Ratio Lower Upper
244 100
212 7.4 5.8 8.8
122 10.5 9.0 13.6





#87
Perylene-d12
Concen: 20.000 ng
RT: 23.29 min Scan# 3469
Delta R.T. -0.01 min
Lab File: BM018263.D
Acq: 18 Dec 2018 00:55

Instrument :
BNA_M
ClientSampleId :
121318-TIPC-F-U-B

Tgt Ion	Ratio	Lower	Upper
264	100		
260	22.8	17.5	26.3
265	22.0	17.3	25.9

