

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM121820\
 Data File : BM028191.D
 Acq On : 19 Dec 2020 11:33
 Operator : JU/CG
 Sample : L5071-17
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A54L0

Quant Time: Dec 21 00:43:39 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121520MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Dec 21 00:33:02 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.20	152	138662	20.00	ng/ul	-0.01
18) Naphthalene-d8	11.03	136	557542	20.00	ng/ul	-0.01
36) Acenaphthene-d10	14.83	164	308032	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.55	188	580962	20.00	ng/ul	0.00
78) Chrysene-d12	21.66	240	498061	20.00	ng/ul	0.00
86) Perylene-d12	24.03	264	520403	20.00	ng/ul	-0.01

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.42	96	9732	2.79	ng/uL	0.00
5) Phenol-d5	7.34	99	181033	15.50	ng/ul	-0.01
7) Bis-(2-Chloroethyl)ether-d	7.52	67	114310	15.44	ng/ul	-0.01
9) 2-Chlorophenol-d4	7.72	132	157167	15.96	ng/ul	-0.02
13) 4-Methylphenol-d8	8.90	113	131787	13.83	ng/ul	-0.02
19) Nitrobenzene-d5	9.38	128	70726	16.17	ng/ul	-0.01
22) 2-Nitrophenol-d4	10.10	143	74846	16.81	ng/ul	-0.01
26) 2,4-Dichlorophenol-d3	10.65	165	141496	15.70	ng/ul	-0.01
29) 4-Chloroaniline-d4	11.16	131	139947	13.10	ng/ul	-0.01
44) Dimethylphthalate-d6	14.23	166	416063	17.53	ng/ul	-0.01
47) Acenaphthylene-d8	14.53	160	525083	17.64	ng/ul	-0.01
52) 4-Nitrophenol-d4	15.00	143	47111	10.92	ng/ul	-0.01
58) Fluorene-d10	15.81	176	356758	16.80	ng/ul	-0.01
63) 4,6-Dinitro-2-methylphenol	15.92	200	47882	13.84	ng/ul	0.00
71) Anthracene-d10	17.64	188	518798	17.99	ng/ul	-0.01
79) Pyrene-d10	19.90	212	531096	19.12	ng/ul	-0.01
90) Benzo(a)pyrene-d12	23.87	264	517387	18.05	ng/ul	-0.01


Target Compounds				Ovalue	
45) Dimethylphthalate	14.27	163	123425	5.090	ng/ul 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM121820\
Data File : BM028191.D
Acq On : 19 Dec 2020 11:33
Operator : JU/CG
Sample : L5071-17
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
A54L0

Quant Time: Dec 21 00:43:39 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121520MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Dec 21 00:33:02 2020
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 5.090 ng/ul

RT: 14.27 min Scan# 1885

Delta R.T. -0.01 min

Lab File: BM028191.D

Acq: 19 Dec 2020 11:33

Instrument :

BNA_M

ClientSampleId :

A54L0


Tot Ion:163 Resp: 123425

Ion Ratio Lower Upper

163 100

194 4.5 3.3 4.9

164 10.6 8.0 12.0



Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

