

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM121821\
 Data File : BM033517.D
 Acq On : 18 Dec 2021 13:47
 Operator : CG/JU
 Sample : PB141511BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB141511BL

Quant Time: Dec 20 07:06:56 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM121621.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 16 17:10:15 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.931	152	35640	20.000	ng	-0.01
21) Naphthalene-d8	10.742	136	144695	20.000	ng	-0.01
39) Acenaphthene-d10	14.577	164	97313	20.000	ng	-0.01
64) Phenanthrene-d10	17.324	188	188477	20.000	ng	-0.01
76) Chrysene-d12	21.501	240	114008	20.000	ng	-0.01
86) Perylene-d12	23.912	264	86587	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.496	112	314734	152.381	ng	0.00
7) Phenol-d6	7.101	99	411618	148.501	ng	-0.01
23) Nitrobenzene-d5	9.107	82	318677	94.566	ng	0.00
42) 2,4,6-Tribromophenol	16.072	330	139218	127.179	ng	0.00
45) 2-Fluorobiphenyl	13.201	172	645673	91.782	ng	-0.01
79) Terphenyl-d14	19.948	244	756345	104.443	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM121821\
Data File : BM033517.D
Acq On : 18 Dec 2021 13:47
Operator : CG/JU
Sample : PB141511BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB141511BL

Quant Time: Dec 20 07:06:56 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM121621.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 16 17:10:15 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.931 min Scan# 79
Delta R.T. -0.012 min
Lab File: BM033517.D
Acq: 18 Dec 2021 13:47




Instrument :
BNA_M
ClientSampleId :
PB141511BL


Tgt Ion:152 Resp: 35640
Ion Ratio Lower Upper
152 100
150 159.0 128.9 193.3
115 65.6 53.0 79.6



#5
2-Fluorophenol
Concen: 152.381 ng
RT: 5.496 min Scan# 384
Delta R.T. -0.006 min
Lab File: BM033517.D
Acq: 18 Dec 2021 13:47

Tgt Ion:112 Resp: 314734
Ion Ratio Lower Upper
112 100
64 74.1 55.5 83.3
63 46.1 31.3 46.9









#7
Phenol-d6
Concen: 148.501 ng
RT: 7.101 min Scan# 61
Delta R.T. -0.012 min
Lab File: BM033517.D
Acq: 18 Dec 2021 13:47




Instrument :
BNA_M
ClientSampleId :
PB141511BL


Tgt Ion: 99 Resp: 411618
Ion Ratio Lower Upper
99 100
42 30.3 20.3 30.5
71 53.1 34.5 51.7#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.742 min Scan# 1276
Delta R.T. -0.012 min
Lab File: BM033517.D
Acq: 18 Dec 2021 13:47

Tgt Ion: 136 Resp: 144695
Ion Ratio Lower Upper
136 100
137 10.5 8.6 13.0
54 10.8 8.3 12.5
68 5.4 5.0 7.6









#23
Nitrobenzene-d5
Concen: 94.566 ng
RT: 9.107 min Scan# 91
Delta R.T. -0.006 min
Lab File: BM033517.D
Acq: 18 Dec 2021 13:47




Instrument :
BNA_M
ClientSampleId :
PB141511BL


Tgt Ion: 82 Resp: 318677
Ion Ratio Lower Upper
82 100
128 34.2 28.1 42.1
54 64.6 46.1 69.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.577 min Scan# 1928
Delta R.T. -0.012 min
Lab File: BM033517.D
Acq: 18 Dec 2021 13:47


Tgt Ion: 164 Resp: 97313
Ion Ratio Lower Upper
164 100
162 99.6 79.7 119.5
160 47.1 34.2 51.4








#42
2,4,6-Tribromophenol
Concen: 127.179 ng
RT: 16.072 min Scan# 2183
Delta R.T. -0.006 min
Lab File: BM033517.D
Acq: 18 Dec 2021 13:47

Instrument :
BNA_M
ClientSampleId :
PB141511BL







Tgt Ion:330 Resp: 139218
Ion Ratio Lower Upper
330 100
332 97.5 76.5 114.7
141 54.7 35.9 53.9#



#45
2-Fluorobiphenyl
Concen: 91.782 ng
RT: 13.201 min Scan# 1694
Delta R.T. -0.012 min
Lab File: BM033517.D
Acq: 18 Dec 2021 13:47

Tgt Ion:172 Resp: 645673
Ion Ratio Lower Upper
172 100
171 36.3 27.2 40.8
170 24.0 18.7 28.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.324 min Scan# 21
Delta R.T. -0.012 min
Lab File: BM033517.D
Acq: 18 Dec 2021 13:47




Instrument :
BNA_M
ClientSampleId :
PB141511BL


Tgt Ion:188 Resp: 188477
Ion Ratio Lower Upper
188 100
94 7.8 7.5 11.3
80 9.2 8.9 13.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.501 min Scan# 3105
Delta R.T. -0.011 min
Lab File: BM033517.D
Acq: 18 Dec 2021 13:47

Tgt Ion:240 Resp: 114008
Ion Ratio Lower Upper
240 100
120 8.1 7.8 11.6
236 23.9 20.3 30.5









#79
 Terphenyl-d14
 Concen: 104.443 ng
 RT: 19.948 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BM033517.D
 Acq: 18 Dec 2021 13:47

Instrument :
 BNA_M
 ClientSampleId :
 PB141511BL

Tgt Ion:244 Resp: 756345
 Ion Ratio Lower Upper
 244 100
 212 8.3 5.9 8.9
 122 8.8 8.4 12.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.912 min Scan# 3515
 Delta R.T. -0.024 min
 Lab File: BM033517.D
 Acq: 18 Dec 2021 13:47

Tgt Ion:264 Resp: 86587
 Ion Ratio Lower Upper
 264 100
 260 23.7 17.7 26.5
 265 23.0 17.7 26.5

