

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM121918\
 Data File : BM018293.D
 Acq On : 19 Dec 2018 12:06
 Operator : JU/SJ
 Sample : PB115752BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB115752BL

Quant Time: Dec 19 13:33:17 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM121518.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Dec 15 21:39:37 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.49	152	86040	20.00	ng	-0.02
21) Naphthalene-d8	10.25	136	300048	20.00	ng	-0.02
39) Acenaphthene-d10	14.15	164	157165	20.00	ng	-0.02
64) Phenanthrene-d10	16.91	188	338705	20.00	ng	-0.01
76) Chrysene-d12	21.13	240	400074	20.00	ng	-0.02
87) Perylene-d12	23.29	264	457078	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.12	112	576911	112.01	ng	0.00
7) Phenol-d6	6.69	99	746436	104.27	ng	-0.02
23) Nitrobenzene-d5	8.65	82	468819	80.15	ng	-0.02
42) 2,4,6-Tribromophenol	15.66	330	237581	102.99	ng	-0.01
45) 2-Fluorobiphenyl	12.75	172	917510	75.61	ng	-0.02
79) Terphenyl-d14	19.56	244	1348361	76.22	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM121918\
Data File : BM018293.D
Acq On : 19 Dec 2018 12:06
Operator : JU/SJ
Sample : PB115752BL
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB115752BL

Quant Time: Dec 19 13:33:17 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM121518.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Dec 15 21:39:37 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.49 min Scan# 782
Delta R.T. -0.02 min
Lab File: BM018293.D
Acq: 19 Dec 2018 12:06

Instrument :
BNA_M
ClientSampleId :
PB115752BL

Tot Ion:152 Resp: 86040
Ion Ratio Lower Upper
152 100
150 152.0 116.1 174.1
115 62.4 44.6 67.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 112.008 ng
RT: 5.12 min Scan# 380
Delta R.T. -0.01 min
Lab File: BM018293.D
Acq: 19 Dec 2018 12:06

Tgt Ion:112 Resp: 576911
Ion Ratio Lower Upper
112 100
64 58.8 45.4 68.2
63 32.6 24.0 36.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 104.266 ng

RT: 6.69 min Scan# 646

Delta R.T. -0.02 min

Lab File: BM018293.D

Acq: 19 Dec 2018 12:06

Instrument :

BNA_M

ClientSampleId :

PB115752BL





Tot Ion: 99 Resp: 746436

Ion Ratio Lower Upper

99 100

42 15.9 12.3 18.5

71 39.7 30.2 45.2



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.25 min Scan# 1252

Delta R.T. -0.02 min

Lab File: BM018293.D

Acq: 19 Dec 2018 12:06

Tgt Ion: 136 Resp: 300048




Ion Ratio Lower Upper


136 100

137 10.3 9.2 13.8

54 7.1 5.2 7.8

68 6.1 5.0 7.6









#23
Nitrobenzene-d5
Concen: 80.145 ng
RT: 8.65 min Scan# 979
Delta R.T. -0.02 min
Lab File: BM018293.D
Acq: 19 Dec 2018 12:06




Instrument :
BNA_M
ClientSampleId :
PB115752BL


Tot Ion	82	Resp	468819
Ion Ratio	Lower	Upper	
82	100		
128	36.8	33.4	50.2
54	42.4	33.4	50.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.15 min Scan# 1914
Delta R.T. -0.02 min
Lab File: BM018293.D
Acq: 19 Dec 2018 12:06

Tgt Ion	164	Resp	157165
Ion Ratio	Lower	Upper	
164	100		
162	104.5	81.8	122.6
160	47.3	34.6	51.8









#42
 2,4,6-Tribromophenol
 Concen: 102.994 ng
 RT: 15.66 min Scan# 2171
 Delta R.T. -0.01 min
 Lab File: BM018293.D
 Acq: 19 Dec 2018 12:06

Instrument :
 BNA_M
 ClientSampleId :
 PB115752BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.5	78.6	118.0
141	38.5	27.1	40.7




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 75.614 ng
 RT: 12.75 min Scan# 1677
 Delta R.T. -0.02 min
 Lab File: BM018293.D
 Acq: 19 Dec 2018 12:06

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.9	28.3	42.5
170	22.4	18.1	27.1



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.91 min Scan# 2384
Delta R.T. -0.01 min
Lab File: BM018293.D
Acq: 19 Dec 2018 12:06




Instrument :
BNA_M
ClientSampleId :
PB115752BL


Tot Ion	Ratio	Lower	Upper
188	100		
94	9.3	8.0	12.0
80	10.7	9.0	13.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.13 min Scan# 3101
Delta R.T. -0.02 min
Lab File: BM018293.D
Acq: 19 Dec 2018 12:06

Tgt Ion	Ratio	Lower	Upper
240	100		
120	10.3	8.2	12.2
236	24.7	20.3	30.5





#79

Terphenyl-d14

Concen: 76.224 ng

RT: 19.56 min Scan# 2835

Delta R.T. -0.01 min

Lab File: BM018293.D

Acq: 19 Dec 2018 12:06

Instrument :

BNA_M

ClientSampleId :

PB115752BL


Tot Ion:244 Resp: 1348361

Ion Ratio Lower Upper

244 100

212 7.2 5.8 8.8




122 10.0 9.0 13.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.29 min Scan# 3468

Delta R.T. -0.02 min

Lab File: BM018293.D

Acq: 19 Dec 2018 12:06


Tgt Ion:264 Resp: 457078

Ion Ratio Lower Upper

264 100

260 22.5 17.5 26.3

265 21.9 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

