

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM122718\
 Data File : BM018399.D
 Acq On : 27 Dec 2018 16:53
 Operator : JU/SJ
 Sample : PB116036BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB116036BL

Quant Time: Dec 28 04:22:42 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM122718.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 27 14:18:47 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.78	152	298509	20.00	ng	0.00
21) Naphthalene-d8	10.57	136	1335975	20.00	ng	0.00
39) Acenaphthene-d10	14.43	164	850978	20.00	ng	0.00
64) Phenanthrene-d10	17.17	188	2054960	20.00	ng	0.00
76) Chrysene-d12	21.37	240	2309459	20.00	ng	0.00
87) Perylene-d12	23.67	264	2491717	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.36	112	109754	6.93	ng	0.00
7) Phenol-d6	6.93	99	105800	4.81	ng	0.00
23) Nitrobenzene-d5	8.95	82	325460	13.98	ng	0.00
42) 2,4,6-Tribromophenol	15.92	330	145031	13.41	ng	0.00
45) 2-Fluorobiphenyl	13.05	172	899959	14.32	ng	0.00
79) Terphenyl-d14	19.81	244	3384378	31.23	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM122718\
Data File : BM018399.D
Acq On : 27 Dec 2018 16:53
Operator : JU/SJ
Sample : PB116036BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB116036BL

Quant Time: Dec 28 04:22:42 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM122718.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 27 14:18:47 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.78 min Scan# 832
Delta R.T. -0.01 min
Lab File: BM018399.D
Acq: 27 Dec 2018 16:53

Instrument :
BNA_M
ClientSampleId :
PB116036BL

Tot Ion	Ratio	Lower	Upper
152	100		
150	153.3	126.9	190.3
115	58.7	45.5	68.3






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 6.932 ng
RT: 5.36 min Scan# 420
Delta R.T. 0.00 min
Lab File: BM018399.D
Acq: 27 Dec 2018 16:53

Tgt Ion	Ratio	Lower	Upper
112	100		
64	59.3	46.5	69.7
63	30.8	25.2	37.8






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 4.812 ng

RT: 6.93 min Scan# 688

Delta R.T. -0.01 min

Lab File: BM018399.D

Acq: 27 Dec 2018 16:53

Instrument :

BNA_M

ClientSampleId :

PB116036BL


Tot Ion: 99 Resp: 105800

Ion Ratio Lower Upper

99 100

42 22.3 17.3 25.9




71 33.0 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BM018399.D (-672) (-)

Ion 42.00 (41.70 to 42.70): BM018399.D (-672) (-)

Ion 71.00 (70.70 to 71.70): BM018399.D (-672) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.57 min Scan# 1307

Delta R.T. -0.01 min

Lab File: BM018399.D

Acq: 27 Dec 2018 16:53

Tgt Ion: 136 Resp: 1335975


Ion Ratio Lower Upper

136 100

137 10.9 8.5 12.7

54 7.4 6.0 9.0

68 5.0 4.5 6.7






Abundance Ion 136.00 (135.70 to 136.70): BM018399.D (-1291) (-)

Ion 137.00 (136.70 to 137.70): BM018399.D (-1291) (-)

Ion 54.00 (53.70 to 54.70): BM018399.D (-1291) (-)

Ion 68.00 (67.70 to 68.70): BM018399.D (-1291) (-)









#23
Nitrobenzene-d5
Concen: 13.982 ng
RT: 8.95 min Scan# 1030
Delta R.T. -0.01 min
Lab File: BM018399.D
Acq: 27 Dec 2018 16:53




Instrument :
BNA_M
ClientSampleId :
PB116036BL


Tot Ion	82	Resp	325460
Ion	Ratio	Lower	Upper
82	100		
128	45.7	36.3	54.5
54	53.0	41.7	62.5



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.43 min Scan# 1962
Delta R.T. -0.01 min
Lab File: BM018399.D
Acq: 27 Dec 2018 16:53

Tgt Ion	164	Resp	850978
Ion	Ratio	Lower	Upper
164	100		
162	103.3	83.0	124.4
160	45.6	37.1	55.7





#42

2,4,6-Tribromophenol

Concen: 13.413 ng

RT: 15.92 min Scan# 2215

Delta R.T. -0.01 min

Lab File: BM018399.D

Acq: 27 Dec 2018 16:53

Instrument :

BNA_M

ClientSampleId :

PB116036BL


Tot Ion:330 Resp: 145031

Ion Ratio Lower Upper

330 100

332 95.7 77.6 116.4




141 38.6 31.7 47.5



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 14.323 ng

RT: 13.05 min Scan# 1727

Delta R.T. -0.01 min

Lab File: BM018399.D

Acq: 27 Dec 2018 16:53


Tgt Ion:172 Resp: 899959

Ion Ratio Lower Upper

172 100

171 35.2 28.2 42.4



170 23.8 18.9 28.3




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.17 min Scan# 2429

Delta R.T. -0.01 min

Lab File: BM018399.D

Acq: 27 Dec 2018 16:53

Instrument :





BNA_M

ClientSampleId :

PB116036BL

Tot Ion:188 Resp: 2054960

Ion	Ratio	Lower	Upper
188	100		
94	8.5	7.1	10.7
80	9.4	7.6	11.4



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.37 min Scan# 3142




Delta R.T. -0.01 min


Lab File: BM018399.D

Acq: 27 Dec 2018 16:53

Tgt Ion:240 Resp: 2309459

Ion	Ratio	Lower	Upper
240	100		
120	10.9	8.4	12.6
236	25.9	20.7	31.1





#79

Terphenyl-d14

Concen: 31.227 ng

RT: 19.81 min Scan# 2877

Delta R.T. -0.01 min

Lab File: BM018399.D

Acq: 27 Dec 2018 16:53

Instrument :

BNA_M

ClientSampleId :

PB116036BL


Tot Ion:244 Resp: 3384378

Ion Ratio Lower Upper

244 100

212 7.7 5.9 8.9




122 11.1 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.67 min Scan# 3533

Delta R.T. 0.00 min

Lab File: BM018399.D

Acq: 27 Dec 2018 16:53


Tgt Ion:264 Resp: 2491717

Ion Ratio Lower Upper

264 100

260 24.1 18.9 28.3

265 21.5 16.8 25.2



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

