

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM010920\
 Data File : BM024438.D
 Acq On : 09 Jan 2020 23:16
 Operator : JU
 Sample : K6466-01
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 H0BP0

Quant Time: Jan 10 06:54:38 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM010820MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jan 10 06:51:26 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.49	152	282873	20.00	ng/ul	0.00
18) Naphthalene-d8	10.26	136	1068963	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.14	164	608073	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.89	188	1241755	20.00	ng/ul	0.00
78) Chrysene-d12	21.09	240	1214458	20.00	ng/ul	0.00
86) Perylene-d12	23.23	264	1496342	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.10	96	34313	5.23	ng/uL	0.00
5) Phenol-d5	6.68	99	131434	5.95	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.84	67	381896	29.48	ng/ul	0.00
9) 2-Chlorophenol-d4	7.03	132	430357	23.05	ng/ul	0.00
13) 4-Methylphenol-d8	8.20	113	246450	13.89	ng/ul	0.00
19) Nitrobenzene-d5	8.63	128	268281	33.47	ng/ul	0.00
22) 2-Nitrophenol-d4	9.35	143	225240	29.31	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.88	165	461113	27.35	ng/ul	0.00
29) 4-Chloroaniline-d4	10.39	131	27268	1.43	ng/ul	0.00
44) Dimethylphthalate-d6	13.56	166	1622945	37.16	ng/ul	0.00
47) Acenaphthylene-d8	13.82	160	1883725	33.40	ng/ul	0.00
52) 4-Nitrophenol-d4	14.34	143	40598	5.27	ng/ul	0.00
58) Fluorene-d10	15.14	176	1340269	34.62	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.26	200	148099	26.62	ng/ul	0.00
71) Anthracene-d10	16.99	188	2123058	36.51	ng/ul	0.00
79) Pyrene-d10	19.29	212	2519389	38.83	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.09	264	2951931	38.64	ng/ul	0.00


Target Compounds				Ovalue	
45) Dimethylphthalate	13.60	163	64100	1.430	ng/ul# 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM010920\
Data File : BM024438.D
Acq On : 09 Jan 2020 23:16
Operator : JU
Sample : K6466-01
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
H0BP0

Quant Time: Jan 10 06:54:38 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM010820MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Jan 10 06:51:26 2020
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 1.430 ng/ul

RT: 13.60 min Scan# 1822

Delta R.T. -0.01 min

Lab File: BM024438.D

Acq: 09 Jan 2020 23:16

Instrument :

BNA_M

ClientSampleId :

H0BP0


Tot Ion:163 Resp: 64100

Ion Ratio Lower Upper

163 100

194 4.9 3.2 4.8#

164 11.0 8.2 12.4



Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

