

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM020323\
 Data File : BM038691.D
 Acq On : 03 Feb 2023 22:25
 Operator : CG/JU
 Sample : 01414-02MSD
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SASP2-123-2(20-30)MSD

Quant Time: Feb 04 05:23:09 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM020123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Feb 04 05:17:53 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.922	152	65479	20.000	ng	0.00
21) Naphthalene-d8	10.734	136	226322	20.000	ng	0.00
39) Acenaphthene-d10	14.563	164	164598	20.000	ng	0.00
64) Phenanthrene-d10	17.310	188	346957	20.000	ng	0.00
76) Chrysene-d12	21.486	240	295749	20.000	ng	0.00
86) Perylene-d12	23.880	264	367492	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.487	112	373413	111.713	ng	0.00
7) Phenol-d6	7.104	99	437888	114.860	ng	0.00
23) Nitrobenzene-d5	9.098	82	265384	66.604	ng	0.00
42) 2,4,6-Tribromophenol	16.057	330	265684	118.755	ng	0.00
45) 2-Fluorobiphenyl	13.186	172	835054	64.588	ng	0.00
79) Terphenyl-d14	19.921	244	1049062	62.595	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.340	88	54818	37.200	ng	97
3) Pyridine	3.752	79	133591	38.124	ng	98
4) n-Nitrosodimethylamine	3.663	42	64213	40.592	ng	94
6) Aniline	7.257	93	91749	19.293	ng	97
8) 2-Chlorophenol	7.487	128	181663	49.806	ng	97
9) Benzaldehyde	7.069	77	91336	54.357	ng	96
10) Phenol	7.128	94	192227	49.910	ng	94
11) bis(2-Chloroethyl)ether	7.351	93	143155	45.897	ng	98
12) 1,3-Dichlorobenzene	7.810	146	228580	49.049	ng	97
13) 1,4-Dichlorobenzene	7.957	146	233246	49.593	ng	99
14) 1,2-Dichlorobenzene	8.275	146	224166	49.752	ng	98
15) Benzyl Alcohol	8.175	79	136841	48.767	ng	99
16) 2,2'-oxybis(1-Chloropr...	8.457	45	126337	42.763	ng	97
17) 2-Methylphenol	8.381	107	136247	46.120	ng	98
18) Hexachloroethane	8.998	117	75385	49.632	ng	98
19) n-Nitroso-di-n-propyla...	8.740	70	109935	47.840	ng	98
20) 3+4-Methylphenols	8.716	107	183358	46.552	ng	98
22) Acetophenone	8.757	105	243760	45.163	ng	97
24) Nitrobenzene	9.140	77	173953	43.012	ng	95
25) Isophorone	9.669	82	304476	43.621	ng	98
26) 2-Nitrophenol	9.851	139	109116	48.486	ng	99
27) 2,4-Dimethylphenol	9.916	122	159515	49.128	ng	98
28) bis(2-Chloroethoxy)met...	10.151	93	191717	44.944	ng	98
29) 2,4-Dichlorophenol	10.387	162	225552	48.895	ng	99
30) 1,2,4-Trichlorobenzene	10.592	180	230710	47.017	ng	99
31) Naphthalene	10.787	128	537034	46.241	ng	99
32) Benzoic acid	10.075	122	127267	48.420	ng	96
33) 4-Chloroaniline	10.910	127	46103	9.058	ng	93
34) Hexachlorobutadiene	11.057	225	115028	46.795	ng	98
35) Caprolactam	11.710	113	36250	36.488	ng	99
36) 4-Chloro-3-methylphenol	12.039	107	161756	47.422	ng	96
37) 2-Methylnaphthalene	12.392	142	423754	45.151	ng	100
38) 1-Methylnaphthalene	12.610	142	396430	44.827	ng	99
40) 1,2,4,5-Tetrachloroben...	12.757	216	195548	45.649	ng	98
41) Hexachlorocyclopentadiene	12.728	237	103460	38.921	ng	96
43) 2,4,6-Trichlorophenol	13.004	196	162122	48.174	ng	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM020323\
 Data File : BM038691.D
 Acq On : 03 Feb 2023 22:25
 Operator : CG/JU
 Sample : 01414-02MSD
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SASP2-123-2(20-30)MSD

Quant Time: Feb 04 05:23:09 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM020123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Feb 04 05:17:53 2023
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	13.080	196	178175	44.991	ng	97
46) 1,1'-Biphenyl	13.398	154	611133	46.872	ng	100
47) 2-Chloronaphthalene	13.445	162	495134	48.259	ng	99
48) 2-Nitroaniline	13.663	65	98747	42.889	ng	96
49) Acenaphthylene	14.286	152	758653	46.946	ng	99
50) Dimethylphthalate	14.027	163	617260	45.954	ng	100
51) 2,6-Dinitrotoluene	14.157	165	130548	47.819	ng	97
52) Acenaphthene	14.627	154	449963	46.633	ng	100
53) 3-Nitroaniline	14.486	138	66816	24.221	ng	94
54) 2,4-Dinitrophenol	14.698	184	153807	86.556	ng	93
55) Dibenzofuran	14.963	168	763801	45.968	ng	98
56) 4-Nitrophenol	14.810	139	218430	99.761	ng	94
57) 2,4-Dinitrotoluene	14.939	165	184333	45.835	ng	95
58) Fluorene	15.610	166	616252	46.873	ng	100
59) 2,3,4,6-Tetrachlorophenol	15.192	232	134219	48.695	ng	99
60) Diethylphthalate	15.380	149	604046	47.470	ng	98
61) 4-Chlorophenyl-phenyle...	15.604	204	259638	46.550	ng	98
62) 4-Nitroaniline	15.651	138	110509	38.075	ng	100
63) Azobenzene	15.892	77	447512	45.710	ng	99
65) 4,6-Dinitro-2-methylph...	15.704	198	91491	41.888	ng	99
66) n-Nitrosodiphenylamine	15.821	169	517903	45.716	ng	99
67) 4-Bromophenyl-phenylether	16.498	248	155442	46.399	ng	98
68) Hexachlorobenzene	16.610	284	201971	49.330	ng	99
69) Atrazine	16.774	200	170285	51.861	ng	98
70) Pentachlorophenol	16.963	266	253563	84.957	ng	99
71) Phenanthrene	17.351	178	963396	46.764	ng	99
72) Anthracene	17.439	178	993714	47.150	ng	99
73) Carbazole	17.715	167	935587	47.599	ng	99
74) Di-n-butylphthalate	18.268	149	1130429	50.905	ng	100
75) Fluoranthene	19.362	202	1022431	47.268	ng	100
77) Benzidine	19.557	184	493260	55.026	ng	99
78) Pyrene	19.727	202	1083418	47.581	ng	99
80) Butylbenzylphthalate	20.615	149	535656	47.284	ng	97
81) Benzo(a)anthracene	21.468	228	1005229	48.050	ng	99
82) 3,3'-Dichlorobenzidine	21.403	252	251245	34.908	ng	99
83) Chrysene	21.521	228	930085	46.143	ng	99
84) Bis(2-ethylhexyl)phtha...	21.380	149	807070	48.900	ng	100
85) Di-n-octyl phthalate	22.303	149	1390809	51.892	ng	99
87) Indeno(1,2,3-cd)pyrene	26.374	276	1396176	48.234	ng	100
88) Benzo(b)fluoranthene	23.150	252	1141649	51.866	ng	100
89) Benzo(k)fluoranthene	23.197	252	1095668	49.019	ng	100
90) Benzo(a)pyrene	23.774	252	982931	45.156	ng	100
91) Dibenzo(a,h)anthracene	26.385	278	1172289	48.137	ng	99
92) Benzo(g,h,i)perylene	27.138	276	1134570	46.089	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM020323\
 Data File : BM038691.D
 Acq On : 03 Feb 2023 22:25
 Operator : CG/JU
 Sample : 01414-02MSD
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SASP2-123-2(20-30)MSD

Quant Time: Feb 04 05:23:09 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM020123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Feb 04 05:17:53 2023
 Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.922 min Scan# 80
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion:152 Resp: 65479
Ion Ratio Lower Upper
152 100
150 153.5 119.5 179.3
115 45.3 37.6 56.4



#2
1,4-Dioxane
Concen: 37.200 ng
RT: 3.340 min Scan# 26
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion: 88 Resp: 54818
Ion Ratio Lower Upper
88 100
58 56.8 47.0 70.4
43 26.3 22.6 33.8









#3
 Pyridine
 Concen: 38.124 ng
 RT: 3.752 min Scan# 90
 Delta R.T. -0.000 min
 Lab File: BM038691.D
 Acq: 03 Feb 2023 22:25




Instrument :
 BNA_M
 ClientSampleId :
 SASP2-123-2(20-30)MSD


Tgt Ion: 79 Resp: 133591
 Ion Ratio Lower Upper
 79 100
 52 53.1 43.7 65.5
 51 32.0 26.6 40.0



#4
 n-Nitrosodimethylamine
 Concen: 40.592 ng
 RT: 3.663 min Scan# 81
 Delta R.T. -0.000 min
 Lab File: BM038691.D
 Acq: 03 Feb 2023 22:25

Tgt Ion: 42 Resp: 64213
 Ion Ratio Lower Upper
 42 100
 74 129.5 98.4 147.6
 44 4.2 3.5 5.3









#5
2-Fluorophenol
Concen: 111.713 ng
RT: 5.487 min Scan# 391
Delta R.T. 0.006 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion:112 Resp: 373413
Ion Ratio Lower Upper
112 100
64 44.8 37.9 56.9
63 27.7 23.3 34.9



#6
Aniline
Concen: 19.293 ng
RT: 7.257 min Scan# 692
Delta R.T. 0.006 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion: 93 Resp: 91749
Ion Ratio Lower Upper
93 100
66 35.9 29.8 44.8
65 19.4 16.9 25.3









#7
Phenol-d6
Concen: 114.860 ng
RT: 7.104 min Scan# 666
Delta R.T. 0.006 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion: 99 Resp: 437888
Ion Ratio Lower Upper
99 100
42 16.4 14.6 22.0
71 37.9 31.0 46.4



#8
2-Chlorophenol
Concen: 49.806 ng
RT: 7.487 min Scan# 731
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion:128 Resp: 181663
Ion Ratio Lower Upper
128 100
130 32.4 13.2 53.2
64 34.9 17.3 57.3









#9
Benzaldehyde
Concen: 54.357 ng
RT: 7.069 min Scan# 60
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion: 77 Resp: 91336
Ion Ratio Lower Upper
77 100
105 104.5 80.8 120.8
106 98.1 73.8 113.8



#10
Phenol
Concen: 49.910 ng
RT: 7.128 min Scan# 670
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion: 94 Resp: 192227
Ion Ratio Lower Upper
94 100
65 27.9 12.3 52.3
66 41.1 24.2 64.2









#11
bis(2-Chloroethyl)ether
Concen: 45.897 ng
RT: 7.351 min Scan# 708
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion: 93 Resp: 143155
Ion Ratio Lower Upper
93 100
63 66.4 48.5 88.5
95 33.0 13.8 53.8



#12
1,3-Dichlorobenzene
Concen: 49.049 ng
RT: 7.810 min Scan# 786
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion:146 Resp: 228580
Ion Ratio Lower Upper
146 100
148 66.0 51.5 77.3
75 24.2 21.1 31.7





#13

1,4-Dichlorobenzene

Concen: 49.593 ng

RT: 7.957 min Scan# 81

Delta R.T. -0.000 min

Lab File: BM038691.D


Acq: 03 Feb 2023 22:25

Instrument :

BNA_M

ClientSampleId :

SASP2-123-2(20-30)MSD






Tgt Ion:146 Resp: 233246

Ion Ratio Lower Upper

146 100

148 67.2 53.1 79.7

111 31.5 25.9 38.9



#14

1,2-Dichlorobenzene

Concen: 49.752 ng

RT: 8.275 min Scan# 865

Delta R.T. -0.000 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25




Tgt Ion:146 Resp: 224166


Ion Ratio Lower Upper

146 100

148 63.7 52.9 79.3

111 33.3 26.2 39.2









#15
Benzyl Alcohol
Concen: 48.767 ng
RT: 8.175 min Scan# 84
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion: 79 Resp: 136841
Ion Ratio Lower Upper
79 100
108 75.8 61.9 92.9
77 70.4 55.8 83.8



#16
2,2'-oxybis(1-Chloropropane)
Concen: 42.763 ng
RT: 8.457 min Scan# 896
Delta R.T. -0.006 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion: 45 Resp: 126337
Ion Ratio Lower Upper
45 100
77 21.1 1.1 41.1
79 17.9 0.0 34.6









#17
2-Methylphenol
Concen: 46.120 ng
RT: 8.381 min Scan# 885
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion:	107	Resp:	136247
Ion	Ratio	Lower	Upper
107	100		
108	109.9	89.6	134.4
77	50.4	40.7	61.1
79	47.2	39.5	59.3



#18
Hexachloroethane
Concen: 49.632 ng
RT: 8.998 min Scan# 988
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion:	117	Resp:	75385
Ion	Ratio	Lower	Upper
117	100		
119	95.4	78.6	117.8
201	113.7	90.2	135.2









#19
n-Nitroso-di-n-propylamine
Concen: 47.840 ng
RT: 8.740 min Scan# 947
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion: 70 Resp: 109935
Ion Ratio Lower Upper
70 100
42 53.5 43.4 65.2
101 10.3 8.2 12.2
130 25.6 18.8 28.2



#20
3+4-Methylphenols
Concen: 46.552 ng
RT: 8.716 min Scan# 940
Delta R.T. 0.006 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion: 107 Resp: 183358
Ion Ratio Lower Upper
107 100
108 88.3 67.2 107.2
77 35.4 17.5 57.5
79 31.1 10.8 50.8









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.734 min Scan# 11
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion:	136	Resp:	226322
Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.8	13.2
54	4.9	4.2	6.4
68	3.8	2.9	4.3



#22
Acetophenone
Concen: 45.163 ng
RT: 8.757 min Scan# 947
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion:	105	Resp:	243760
Ion	Ratio	Lower	Upper
105	100		
71	1.2	0.9	1.3
51	22.6	19.3	28.9
120	23.5	18.0	27.0









#23
Nitrobenzene-d5
Concen: 66.604 ng
RT: 9.098 min Scan# 1005
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion: 82 Resp: 265384
Ion Ratio Lower Upper
82 100
128 48.5 36.0 54.0
54 42.4 36.8 55.2



#24
Nitrobenzene
Concen: 43.012 ng
RT: 9.140 min Scan# 1012
Delta R.T. -0.006 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion: 77 Resp: 173953
Ion Ratio Lower Upper
77 100
123 49.4 36.5 54.7
65 13.1 10.7 16.1





#25

Isophorone

Concen: 43.621 ng

RT: 9.669 min Scan# 1102

Delta R.T. 0.006 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25

Instrument :

BNA_M

ClientSampleId :

SASP2-123-2(20-30)MSD





Tgt Ion: 82 Resp: 304476

Ion Ratio Lower Upper

82 100

95 8.0 6.4 9.6

138 22.5 17.0 25.6



#26

2-Nitrophenol

Concen: 48.486 ng

RT: 9.851 min Scan# 1133

Delta R.T. -0.000 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25




Tgt Ion: 139 Resp: 109116


Ion Ratio Lower Upper

139 100

109 32.2 24.5 36.7

65 40.7 32.6 49.0









#27
2,4-Dimethylphenol
Concen: 49.128 ng
RT: 9.916 min Scan# 1144
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion:122 Resp: 159515
Ion Ratio Lower Upper
122 100
107 116.5 94.9 142.3
121 58.0 45.5 68.3



#28
bis(2-Chloroethoxy)methane
Concen: 44.944 ng
RT: 10.151 min Scan# 1184
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion: 93 Resp: 191717
Ion Ratio Lower Upper
93 100
95 32.2 26.6 40.0
123 12.8 9.6 14.4





#29

2,4-Dichlorophenol

Concen: 48.895 ng

RT: 10.387 min Scan# 11

Delta R.T. -0.006 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25

Instrument :

BNA_M

ClientSampleId :

SASP2-123-2(20-30)MSD





Tgt Ion:162 Resp: 225552

Ion Ratio Lower Upper

162 100

164 64.1 44.3 84.3

98 23.9 3.1 43.1



#30

1,2,4-Trichlorobenzene

Concen: 47.017 ng

RT: 10.592 min Scan# 1259

Delta R.T. -0.000 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25




Tgt Ion:180 Resp: 230710


Ion Ratio Lower Upper

180 100

182 94.0 76.2 114.2

145 27.0 20.8 31.2









#31
Naphthalene
Concen: 46.241 ng
RT: 10.787 min Scan# 1178
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion:128 Resp: 537034
Ion Ratio Lower Upper
128 100
129 11.2 9.1 13.7
127 13.1 9.9 14.9



#32
Benzoic acid
Concen: 48.420 ng
RT: 10.075 min Scan# 1171
Delta R.T. 0.006 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion:122 Resp: 127267
Ion Ratio Lower Upper
122 100
105 115.0 99.2 139.2
77 88.4 72.3 112.3





#33

4-Chloroaniline

Concen: 9.058 ng

RT: 10.910 min Scan# 1

Delta R.T. 0.006 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25

Instrument :

BNA_M

ClientSampleId :

SASP2-123-2(20-30)MSD

Tgt Ion:127 Resp: 46103





Ion Ratio Lower Upper

127 100

129 29.1 27.1 40.7

65 22.4 22.2 33.4

92 16.8 13.6 20.4



#34

Hexachlorobutadiene

Concen: 46.795 ng

RT: 11.057 min Scan# 1338

Delta R.T. -0.000 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25




Tgt Ion:225 Resp: 115028


Ion Ratio Lower Upper

225 100

223 63.5 51.0 76.4

227 64.3 49.2 73.8









#35
Caprolactam
Concen: 36.488 ng
RT: 11.710 min Scan# 1452
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion:113 Resp: 36250
Ion Ratio Lower Upper
113 100
55 132.5 111.2 151.2
56 102.6 82.0 122.0



#36
4-Chloro-3-methylphenol
Concen: 47.422 ng
RT: 12.039 min Scan# 1505
Delta R.T. 0.006 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion:107 Resp: 161756
Ion Ratio Lower Upper
107 100
144 34.1 26.5 39.7
142 101.4 77.0 115.6









#37
2-Methylnaphthalene
Concen: 45.151 ng
RT: 12.392 min Scan# 11
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion:142 Resp: 423754
Ion Ratio Lower Upper
142 100
141 89.9 71.8 107.8
115 35.7 28.7 43.1



#38
1-Methylnaphthalene
Concen: 44.827 ng
RT: 12.610 min Scan# 1602
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion:142 Resp: 396430
Ion Ratio Lower Upper
142 100
141 93.2 75.5 113.3
116 3.6 3.1 4.7





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.563 min Scan# 1934

Delta R.T. -0.000 min

Lab File: BM038691.D


Acq: 03 Feb 2023 22:25

Instrument :

BNA_M

ClientSampleId :

SASP2-123-2(20-30)MSD






Tgt Ion:164 Resp: 164598

Ion Ratio Lower Upper

164 100

162 98.7 81.4 122.0

160 45.1 36.5 54.7



#40

1,2,4,5-Tetrachlorobenzene

Concen: 45.649 ng

RT: 12.757 min Scan# 1627

Delta R.T. -0.000 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25

Tgt Ion:216 Resp: 195548




Ion Ratio Lower Upper


216 100

214 80.7 63.4 95.0

179 26.8 21.0 31.4


108 20.0 16.8 25.2








#41
Hexachlorocyclopentadiene
Concen: 38.921 ng
RT: 12.728 min Scan# 1
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25


Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD





Tgt Ion:237 Resp: 103460
Ion Ratio Lower Upper
237 100
235 59.8 43.8 83.8
272 13.8 0.0 33.8




#42
2,4,6-Tribromophenol
Concen: 118.755 ng
RT: 16.057 min Scan# 2188
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25



Tgt Ion:330 Resp: 265684
Ion Ratio Lower Upper
330 100
332 96.7 77.8 116.6
141 38.5 31.0 46.6









#43
2,4,6-Trichlorophenol
Concen: 48.174 ng
RT: 13.004 min Scan# 1669
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion:196 Resp: 162122
Ion Ratio Lower Upper
196 100
198 94.6 73.7 110.5
200 29.4 24.3 36.5



#44
2,4,5-Trichlorophenol
Concen: 44.991 ng
RT: 13.080 min Scan# 1682
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion:196 Resp: 178175
Ion Ratio Lower Upper
196 100
198 94.8 73.1 109.7
97 43.6 35.5 53.3
132 23.4 18.2 27.4









#45
2-Fluorobiphenyl
Concen: 64.588 ng
RT: 13.186 min Scan# 1700
Delta R.T. -0.006 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion:172 Resp: 835054
Ion Ratio Lower Upper
172 100
171 35.3 28.7 43.1
170 24.6 20.0 30.0



#46
1,1'-Biphenyl
Concen: 46.872 ng
RT: 13.398 min Scan# 1736
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion:154 Resp: 611133
Ion Ratio Lower Upper
154 100
153 39.6 19.9 59.9
76 8.0 0.0 27.9









#47
2-Chloronaphthalene
Concen: 48.259 ng
RT: 13.445 min Scan# 11
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion:162 Resp: 495134
Ion Ratio Lower Upper
162 100
127 29.7 23.6 35.4
164 33.0 26.7 40.1



#48
2-Nitroaniline
Concen: 42.889 ng
RT: 13.663 min Scan# 1781
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion: 65 Resp: 98747
Ion Ratio Lower Upper
65 100
92 73.0 55.9 83.9
138 143.8 110.6 166.0









#49
Acenaphthylene
Concen: 46.946 ng
RT: 14.286 min Scan# 11
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion:152 Resp: 758653
Ion Ratio Lower Upper
152 100
151 20.2 16.1 24.1
153 13.3 10.0 15.0



#50
Dimethylphthalate
Concen: 45.954 ng
RT: 14.027 min Scan# 1843
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion:163 Resp: 617260
Ion Ratio Lower Upper
163 100
194 3.5 2.6 4.0
164 10.1 8.2 12.4









#51
2,6-Dinitrotoluene
Concen: 47.819 ng
RT: 14.157 min Scan# 1865
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion:165 Resp: 130548
Ion Ratio Lower Upper
165 100
63 42.8 35.8 53.8
89 47.4 39.3 58.9



#52
Acenaphthene
Concen: 46.633 ng
RT: 14.627 min Scan# 1945
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion:154 Resp: 449963
Ion Ratio Lower Upper
154 100
153 116.7 93.7 140.5
152 56.1 44.6 67.0









#53
3-Nitroaniline
Concen: 24.221 ng
RT: 14.486 min Scan# 1921
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion:138 Resp: 66816
Ion Ratio Lower Upper
138 100
108 7.6 5.8 8.8
92 86.4 73.9 110.9



#54
2,4-Dinitrophenol
Concen: 86.556 ng
RT: 14.698 min Scan# 1957
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion:184 Resp: 153807
Ion Ratio Lower Upper
184 100
63 48.9 45.9 68.9
154 70.9 54.9 82.3









#55
Dibenzenofuran
Concen: 45.968 ng
RT: 14.963 min Scan# 2002
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion:168 Resp: 763801
Ion Ratio Lower Upper
168 100
139 33.7 27.8 41.6
169 13.2 10.9 16.3



#56
4-Nitrophenol
Concen: 99.761 ng
RT: 14.810 min Scan# 1976
Delta R.T. 0.006 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion:139 Resp: 218430
Ion Ratio Lower Upper
139 100
109 85.6 63.8 103.8
65 73.6 62.5 102.5





#57

2,4-Dinitrotoluene

Concen: 45.835 ng

RT: 14.939 min Scan# 11

Delta R.T. -0.006 min

Lab File: BM038691.D


Acq: 03 Feb 2023 22:25

Instrument :

BNA_M

ClientSampleId :

SASP2-123-2(20-30)MSD



Tgt Ion:165 Resp: 184333




Ion Ratio Lower Upper

165 100

63 33.0 29.4 44.0

89 61.1 51.8 77.6

182 2.0 1.4 2.2



#58

Fluorene

Concen: 46.873 ng

RT: 15.610 min Scan# 2112

Delta R.T. -0.000 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25




Tgt Ion:166 Resp: 616252


Ion Ratio Lower Upper

166 100

165 100.6 80.2 120.4

167 13.3 10.7 16.1









#59
2,3,4,6-Tetrachlorophenol
Concen: 48.695 ng
RT: 15.192 min Scan# 2041
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion:232 Resp: 134219
Ion Ratio Lower Upper
232 100
131 51.6 41.2 61.8
130 3.0 2.4 3.6
166 38.8 31.8 47.6



#60
Diethylphthalate
Concen: 47.470 ng
RT: 15.380 min Scan# 2073
Delta R.T. -0.006 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion:149 Resp: 604046
Ion Ratio Lower Upper
149 100
177 21.5 18.1 27.1
150 12.0 10.0 15.0









#61
4-Chlorophenyl-phenylether
Concen: 46.550 ng
RT: 15.604 min Scan# 2111
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion:204 Resp: 259638
Ion Ratio Lower Upper
204 100
206 31.9 25.3 37.9
141 61.9 51.3 76.9



#62
4-Nitroaniline
Concen: 38.075 ng
RT: 15.651 min Scan# 2119
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion:138 Resp: 110509
Ion Ratio Lower Upper
138 100
92 43.1 23.4 63.4
108 94.9 75.1 115.1









#63
Azobenzene
Concen: 45.710 ng
RT: 15.892 min Scan# 2160
Delta R.T. -0.006 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion: 77	Resp: 447512
Ion Ratio	Lower Upper
77 100	
182 31.8	12.0 52.0
105 19.0	0.0 37.5
51 29.0	8.9 48.9



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.310 min Scan# 2401
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion:188	Resp: 346957
Ion Ratio	Lower Upper
188 100	
94 5.1	4.2 6.4
80 5.6	4.6 7.0









#65
4,6-Dinitro-2-methylphenol
Concen: 41.888 ng
RT: 15.704 min Scan# 2148
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion:198 Resp: 91491
Ion Ratio Lower Upper
198 100
51 31.6 13.0 53.0
105 38.2 17.9 57.9



#66
n-Nitrosodiphenylamine
Concen: 45.716 ng
RT: 15.821 min Scan# 2148
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion:169 Resp: 517903
Ion Ratio Lower Upper
169 100
168 71.0 57.6 86.4
167 39.9 32.3 48.5









#67
4-Bromophenyl-phenylether
Concen: 46.399 ng
RT: 16.498 min Scan# 21
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion:248 Resp: 155442
Ion Ratio Lower Upper
248 100
250 95.2 79.4 119.2
141 76.5 61.0 91.6



#68
Hexachlorobenzene
Concen: 49.330 ng
RT: 16.610 min Scan# 2282
Delta R.T. -0.000 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion:284 Resp: 201971
Ion Ratio Lower Upper
284 100
142 36.7 29.8 44.6
249 28.6 22.2 33.4





#69

Atrazine

Concen: 51.861 ng

RT: 16.774 min Scan# 21

Delta R.T. -0.000 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25

Instrument :

BNA_M

ClientSampleId :

SASP2-123-2(20-30)MSD





Tgt Ion:200 Resp: 170285

Ion Ratio Lower Upper

200 100

173 28.0 7.9 47.9

215 38.6 20.8 60.8



#70

Pentachlorophenol

Concen: 84.957 ng

RT: 16.963 min Scan# 2342

Delta R.T. -0.000 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25




Tgt Ion:266 Resp: 253563


Ion Ratio Lower Upper

266 100

268 64.6 51.8 77.6

264 62.4 50.6 76.0





#71

Phenanthrene

Concen: 46.764 ng

RT: 17.351 min Scan# 2410

Delta R.T. -0.000 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25

Instrument :

BNA_M

ClientSampleId :

SASP2-123-2(20-30)MSD





Tgt Ion:178 Resp: 963396

Ion Ratio Lower Upper

178 100

176 20.4 16.7 25.1

179 15.6 12.5 18.7



#72

Anthracene

Concen: 47.150 ng

RT: 17.439 min Scan# 2423

Delta R.T. -0.006 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25




Tgt Ion:178 Resp: 993714


Ion Ratio Lower Upper

178 100

176 19.8 15.6 23.4

179 15.3 12.4 18.6









#73
 Carbazole
 Concen: 47.599 ng
 RT: 17.715 min Scan# 2472
 Delta R.T. -0.006 min
 Lab File: BM038691.D
 Acq: 03 Feb 2023 22:25




Instrument :
 BNA_M
 ClientSampleId :
 SASP2-123-2(20-30)MSD


Tgt Ion:167 Resp: 935587
 Ion Ratio Lower Upper
 167 100
 166 22.8 17.8 26.6
 139 11.7 9.4 14.2



#74
 Di-n-butylphthalate
 Concen: 50.905 ng
 RT: 18.268 min Scan# 2564
 Delta R.T. -0.000 min
 Lab File: BM038691.D
 Acq: 03 Feb 2023 22:25

Tgt Ion:149 Resp: 1130429
 Ion Ratio Lower Upper
 149 100
 150 9.1 7.4 11.0
 104 4.5 3.8 5.6





#75

Fluoranthene

Concen: 47.268 ng

RT: 19.362 min Scan# 21

Delta R.T. -0.006 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25

Instrument :

BNA_M

ClientSampleId :

SASP2-123-2(20-30)MSD





Tgt Ion:202 Resp: 1022431

Ion Ratio Lower Upper

202 100

101 7.7 0.0 27.4

203 17.3 0.0 37.3



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.486 min Scan# 3111

Delta R.T. -0.006 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25




Tgt Ion:240 Resp: 295749


Ion Ratio Lower Upper

240 100

120 8.2 7.0 10.4

236 27.2 20.9 31.3





#77

Benzidine

Concen: 55.026 ng

RT: 19.557 min Scan# 21

Delta R.T. -0.000 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25

Instrument :

BNA_M

ClientSampleId :

SASP2-123-2(20-30)MSD





Tgt Ion:184 Resp: 493260

Ion Ratio Lower Upper

184 100

185 14.0 10.8 16.2

183 11.6 8.8 13.2



#78

Pyrene

Concen: 47.581 ng

RT: 19.727 min Scan# 2812

Delta R.T. -0.000 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25




Tgt Ion:202 Resp: 1083418


Ion Ratio Lower Upper

202 100

200 22.5 17.8 26.6

203 16.7 13.5 20.3









#79
 Terphenyl-d14
 Concen: 62.595 ng
 RT: 19.921 min Scan# 2845
 Delta R.T. -0.006 min
 Lab File: BM038691.D
 Acq: 03 Feb 2023 22:25




Instrument :
 BNA_M
 ClientSampleId :
 SASP2-123-2(20-30)MSD


Tgt Ion:244 Resp: 1049062
 Ion Ratio Lower Upper
 244 100
 212 8.0 6.6 9.8
 122 9.6 7.8 11.8



#80
 Butylbenzylphthalate
 Concen: 47.284 ng
 RT: 20.615 min Scan# 2963
 Delta R.T. -0.006 min
 Lab File: BM038691.D
 Acq: 03 Feb 2023 22:25

Tgt Ion:149 Resp: 535656
 Ion Ratio Lower Upper
 149 100
 91 54.8 45.6 68.4
 206 16.1 12.5 18.7





#81

Benzo(a)anthracene

Concen: 48.050 ng

RT: 21.468 min Scan# 3110

Delta R.T. -0.006 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25

Instrument :

BNA_M

ClientSampleId :

SASP2-123-2(20-30)MSD





Tgt Ion:228 Resp: 1005229

Ion Ratio Lower Upper

228 100

226 27.2 22.2 33.4

229 19.9 15.5 23.3



#82

3,3'-Dichlorobenzidine

Concen: 34.908 ng

RT: 21.403 min Scan# 3097

Delta R.T. -0.006 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25




Tgt Ion:252 Resp: 251245


Ion Ratio Lower Upper

252 100

254 65.1 52.8 79.2

126 9.9 8.2 12.2





#83

Chrysene

Concen: 46.143 ng

RT: 21.521 min Scan# 3117

Delta R.T. -0.006 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25

Instrument :

BNA_M

ClientSampleId :

SASP2-123-2(20-30)MSD





Tgt Ion:228 Resp: 930085

Ion Ratio Lower Upper

228 100

226 30.6 24.7 37.1

229 19.6 15.5 23.3



#84

Bis(2-ethylhexyl)phthalate

Concen: 48.900 ng

RT: 21.380 min Scan# 3093

Delta R.T. -0.006 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25




Tgt Ion:149 Resp: 807070


Ion Ratio Lower Upper

149 100

167 26.1 20.8 31.2

279 3.3 2.5 3.7





#85

Di-n-octyl phthalate

Concen: 51.892 ng

RT: 22.303 min Scan# 31

Delta R.T. -0.006 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25

Instrument :

BNA_M

ClientSampleId :

SASP2-123-2(20-30)MSD





Tgt Ion:149 Resp: 1390809

Ion Ratio Lower Upper

149 100

167 1.6 1.3 1.9

43 5.3 4.6 6.8



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.880 min Scan# 3518

Delta R.T. -0.006 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25




Tgt Ion:264 Resp: 367492


Ion Ratio Lower Upper

264 100

260 25.2 19.6 29.4

265 22.6 17.9 26.9





#87

Indeno(1,2,3-cd)pyrene

Concen: 48.234 ng

RT: 26.374 min Scan# 3942

Delta R.T. -0.006 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25

Instrument :

BNA_M

ClientSampleId :

SASP2-123-2(20-30)MSD





Tgt Ion:276 Resp: 1396176

Ion Ratio Lower Upper

276 100

138 21.3 17.2 25.8

277 25.1 20.2 30.4



#88

Benzo(b)fluoranthene

Concen: 51.866 ng

RT: 23.150 min Scan# 3394

Delta R.T. -0.006 min

Lab File: BM038691.D

Acq: 03 Feb 2023 22:25




Tgt Ion:252 Resp: 1141649


Ion Ratio Lower Upper

252 100

253 21.9 17.4 26.2

125 8.4 7.0 10.6









#89
Benzo(k)fluoranthene
Concen: 49.019 ng
RT: 23.197 min Scan# 34
Delta R.T. -0.006 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25




Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD


Tgt Ion:252 Resp: 1095668
Ion Ratio Lower Upper
252 100
253 21.7 17.4 26.0
125 8.2 6.6 9.8



#90
Benzo(a)pyrene
Concen: 45.156 ng
RT: 23.774 min Scan# 3500
Delta R.T. -0.006 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion:252 Resp: 982931
Ion Ratio Lower Upper
252 100
253 22.0 17.7 26.5
125 9.7 7.8 11.8









#91
Dibenzo(a,h)anthracene
Concen: 48.137 ng
RT: 26.385 min Scan# 3944
Delta R.T. -0.012 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Instrument :
BNA_M
ClientSampleId :
SASP2-123-2(20-30)MSD

Tgt Ion:278 Resp: 1172289
Ion Ratio Lower Upper
278 100
139 13.0 10.5 15.7
279 23.7 18.7 28.1



#92
Benzo(g,h,i)perylene
Concen: 46.089 ng
RT: 27.138 min Scan# 4072
Delta R.T. -0.012 min
Lab File: BM038691.D
Acq: 03 Feb 2023 22:25

Tgt Ion:276 Resp: 1134570
Ion Ratio Lower Upper
276 100
277 24.4 19.1 28.7
138 18.2 15.3 22.9

