

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM020921\
 Data File : BM028691.D
 Acq On : 09 Feb 2021 19:06
 Operator : CG/JU
 Sample : M1310-09
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0AA7

Quant Time: Feb 10 00:54:42 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM011621MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Feb 09 23:51:34 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.89	152	25522	20.00	ng/ul	0.00
18) Naphthalene-d8	10.70	136	101532	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.55	164	57409	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.28	188	111942	20.00	ng/ul	0.00
78) Chrysene-d12	21.43	240	104471	20.00	ng/ul	0.00
86) Perylene-d12	23.67	264	107680	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.20	96	1683	2.78	ng/uL	0.00
5) Phenol-d5	7.06	99	33262	15.26	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.23	67	20916	15.34	ng/ul	0.00
9) 2-Chlorophenol-d4	7.42	132	30923	16.37	ng/ul	0.00
13) 4-Methylphenol-d8	8.62	113	26704	15.17	ng/ul	0.00
19) Nitrobenzene-d5	9.07	128	14241	16.39	ng/ul	0.00
22) 2-Nitrophenol-d4	9.79	143	16002	16.87	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.33	165	28242	16.33	ng/ul	0.00
29) 4-Chloroaniline-d4	10.85	131	34599	17.19	ng/ul	0.00
44) Dimethylphthalate-d6	13.96	166	80635	17.69	ng/ul	0.00
47) Acenaphthylene-d8	14.24	160	105074	18.04	ng/ul	0.00
52) 4-Nitrophenol-d4	14.76	143	9439	11.05	ng/ul	0.00
58) Fluorene-d10	15.54	176	69375	17.61	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.67	200	7532	9.78	ng/ul	0.00
71) Anthracene-d10	17.38	188	104120	18.07	ng/ul	0.00
79) Pyrene-d10	19.66	212	112604	18.45	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.53	264	117156	19.17	ng/ul	0.00


Target Compounds					Ovalue	
6) Phenol	7.09	94	3542	1.634	ng/ul	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM020921\
Data File : BM028691.D
Acq On : 09 Feb 2021 19:06
Operator : CG/JU
Sample : M1310-09
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0AA7

Quant Time: Feb 10 00:54:42 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM011621MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Feb 09 23:51:34 2021
Response via : Initial Calibration





#6

Phenol

Concen: 1.634 ng/ul

RT: 7.09 min Scan# 698

Delta R.T. 0.00 min

Lab File: BM028691.D

Acq: 09 Feb 2021 19:06

Instrument :

BNA_M

ClientSampleId :

C0AA7



Tot Ion: 94 Resp: 3542

Ion Ratio Lower Upper

94 100

65 33.6 25.6 38.4

66 36.2 33.0 49.4



Abundance Ion 94.00 (93.70 to 94.70): BM0

Ion 65.00 (64.70 to 65.70): BM0

Ion 66.00 (65.70 to 66.70): BM0

