

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM021320\
 Data File : BM024898.D
 Acq On : 14 Feb 2020 18:21
 Operator : CG/JU
 Sample : L1422-19
 Misc :
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C5AX8

Quant Time: Feb 15 04:06:50 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM020620MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Feb 15 03:52:31 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.39	152	417734	20.00	ng/ul	0.00
18) Naphthalene-d8	10.15	136	1507345	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.04	164	907911	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.80	188	1881203	20.00	ng/ul	0.00
78) Chrysene-d12	21.01	240	1869921	20.00	ng/ul	0.00
86) Perylene-d12	23.10	264	1949699	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.04	96	25834	2.97	ng/uL	0.00
5) Phenol-d5	6.59	99	415762	14.98	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.75	67	266494	17.00	ng/ul	0.00
9) 2-Chlorophenol-d4	6.93	132	361308	14.53	ng/ul	0.00
13) 4-Methylphenol-d8	8.10	113	270871	11.57	ng/ul	0.00
19) Nitrobenzene-d5	8.53	128	169310	15.53	ng/ul	0.00
22) 2-Nitrophenol-d4	9.25	143	195814	15.20	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.78	165	343057	13.20	ng/ul	0.00
29) 4-Chloroaniline-d4	10.29	131	398151	16.38	ng/ul	0.00
44) Dimethylphthalate-d6	13.46	166	997872	14.56	ng/ul	0.00
47) Acenaphthylene-d8	13.73	160	1206189	15.07	ng/ul	0.00
52) 4-Nitrophenol-d4	14.27	143	102565	9.21	ng/ul	0.00
58) Fluorene-d10	15.04	176	856275	14.11	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.18	200	125189	10.21	ng/ul	0.00
71) Anthracene-d10	16.89	188	1252235	14.58	ng/ul	0.00
79) Pyrene-d10	19.20	212	1459723	15.61	ng/ul	0.00
90) Benzo(a)pyrene-d12	22.97	264	1516474	15.49	ng/ul	0.00


Target Compounds					Ovalue	
45) Dimethylphthalate	13.51	163	141495	1.979	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM021320\
Data File : BM024898.D
Acq On : 14 Feb 2020 18:21
Operator : CG/JU
Sample : L1422-19
Misc :
ALS Vial : 42 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C5AX8

Quant Time: Feb 15 04:06:50 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM020620MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Feb 15 03:52:31 2020
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 1.979 ng/ul

RT: 13.51 min Scan# 1806

Delta R.T. -0.01 min

Lab File: BM024898.D

Acq: 14 Feb 2020 18:21

Instrument :

BNA_M

ClientSampleId :

C5AX8


Tot Ion:163 Resp: 141495

Ion Ratio Lower Upper

163 100

194 4.3 3.5 5.3

164 9.9 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

