

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM021523\
 Data File : BM038751.D
 Acq On : 15 Feb 2023 16:58
 Operator : CG/JU
 Sample : 01538-08
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TEST-PIT-5-(TP5)-COMP-5

Quant Time: Feb 16 02:17:42 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM020123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Feb 15 02:07:17 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.892	152	59963	20.000	ng	0.00
21) Naphthalene-d8	10.704	136	229392	20.000	ng	0.00
39) Acenaphthene-d10	14.533	164	155127	20.000	ng	-0.01
64) Phenanthrene-d10	17.280	188	323885	20.000	ng	# 0.00
76) Chrysene-d12	21.456	240	299551	20.000	ng	0.00
86) Perylene-d12	23.838	264	338880	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.451	112	343220	112.125	ng	0.00
7) Phenol-d6	7.069	99	418480	119.867	ng	-0.01
23) Nitrobenzene-d5	9.069	82	237315	58.762	ng	-0.01
42) 2,4,6-Tribromophenol	16.027	330	214291	101.631	ng	0.00
45) 2-Fluorobiphenyl	13.163	172	703249	57.714	ng	0.00
79) Terphenyl-d14	19.903	244	1192621	70.258	ng	0.00
Target Compounds						
11) bis(2-Chloroethyl)ether	7.310	93	7676	2.687	ng	# 26
80) Butylbenzylphthalate	20.586	149	710	2.004	ng	# 71
84) Bis(2-ethylhexyl)phtha...	21.356	149	15602	2.400	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM021523\
Data File : BM038751.D
Acq On : 15 Feb 2023 16:58
Operator : CG/JU
Sample : 01538-08
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TEST-PIT-5-(TP5)-COMP-5

Quant Time: Feb 16 02:17:42 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM020123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Feb 15 02:07:17 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.892 min Scan# 808
Delta R.T. -0.006 min
Lab File: BM038751.D
Acq: 15 Feb 2023 16:58




Instrument :
BNA_M
ClientSampleId :
TEST-PIT-5-(TP5)-COMP-5


Tgt Ion:152 Resp: 59963
Ion Ratio Lower Upper
152 100
150 154.8 119.5 179.3
115 49.6 37.6 56.4



#5
2-Fluorophenol
Concen: 112.125 ng
RT: 5.451 min Scan# 385
Delta R.T. -0.006 min
Lab File: BM038751.D
Acq: 15 Feb 2023 16:58

Tgt Ion:112 Resp: 343220
Ion Ratio Lower Upper
112 100
64 42.8 37.9 56.9
63 26.4 23.3 34.9









#7
Phenol-d6
Concen: 119.867 ng
RT: 7.069 min Scan# 60
Delta R.T. -0.012 min
Lab File: BM038751.D
Acq: 15 Feb 2023 16:58




Instrument :
BNA_M
ClientSampleId :
TEST-PIT-5-(TP5)-COMP-5


Tgt Ion: 99 Resp: 418480
Ion Ratio Lower Upper
99 100
42 15.6 14.6 22.0
71 35.5 31.0 46.4



#11
bis(2-Chloroethyl)ether
Concen: 2.687 ng
RT: 7.310 min Scan# 701
Delta R.T. -0.024 min
Lab File: BM038751.D
Acq: 15 Feb 2023 16:58

Tgt Ion: 93 Resp: 7676
Ion Ratio Lower Upper
93 100
63 0.0 48.5 88.5#
95 3.6 13.8 53.8#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.704 min Scan# 11
Delta R.T. -0.006 min
Lab File: BM038751.D
Acq: 15 Feb 2023 16:58




Instrument :
BNA_M
ClientSampleId :
TEST-PIT-5-(TP5)-COMP-5


Tgt Ion:136 Resp: 229392
Ion Ratio Lower Upper
136 100
137 11.0 8.8 13.2
54 5.0 4.2 6.4
68 3.5 2.9 4.3



#23
Nitrobenzene-d5
Concen: 58.762 ng
RT: 9.069 min Scan# 1000
Delta R.T. -0.012 min
Lab File: BM038751.D
Acq: 15 Feb 2023 16:58

Tgt Ion: 82 Resp: 237315
Ion Ratio Lower Upper
82 100
128 50.1 36.0 54.0
54 42.3 36.8 55.2





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.533 min Scan# 1929

Delta R.T. -0.012 min

Lab File: BM038751.D

Acq: 15 Feb 2023 16:58

Instrument :

BNA_M

ClientSampleId :

TEST-PIT-5-(TP5)-COMP-5





Tgt Ion:164 Resp: 155127

Ion Ratio Lower Upper

164 100

162 106.3 81.4 122.0

160 47.6 36.5 54.7



#42

2,4,6-Tribromophenol

Concen: 101.631 ng

RT: 16.027 min Scan# 2183

Delta R.T. -0.006 min

Lab File: BM038751.D

Acq: 15 Feb 2023 16:58




Tgt Ion:330 Resp: 214291


Ion Ratio Lower Upper

330 100

332 96.2 77.8 116.6

141 44.1 31.0 46.6









#45
2-Fluorobiphenyl
Concen: 57.714 ng
RT: 13.163 min Scan# 1
Delta R.T. -0.006 min
Lab File: BM038751.D
Acq: 15 Feb 2023 16:58




Instrument :
BNA_M
ClientSampleId :
TEST-PIT-5-(TP5)-COMP-5


Tgt Ion:172 Resp: 703249
Ion Ratio Lower Upper
172 100
171 36.8 28.7 43.1
170 24.9 20.0 30.0



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.280 min Scan# 2396
Delta R.T. -0.006 min
Lab File: BM038751.D
Acq: 15 Feb 2023 16:58

Tgt Ion:188 Resp: 323885
Ion Ratio Lower Upper
188 100
94 6.6 4.2 6.4#
80 5.9 4.6 7.0









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.456 min Scan# 3113
Delta R.T. -0.006 min
Lab File: BM038751.D
Acq: 15 Feb 2023 16:58




Instrument :
BNA_M
ClientSampleId :
TEST-PIT-5-(TP5)-COMP-5


Tgt Ion:240 Resp: 299551
Ion Ratio Lower Upper
240 100
120 9.7 7.0 10.4
236 26.9 20.9 31.3



#79
Terphenyl-d14
Concen: 70.258 ng
RT: 19.903 min Scan# 2842
Delta R.T. 0.000 min
Lab File: BM038751.D
Acq: 15 Feb 2023 16:58

Tgt Ion:244 Resp: 1192621
Ion Ratio Lower Upper
244 100
212 8.0 6.6 9.8
122 7.6 7.8 11.8#





#80

Butylbenzylphthalate

Concen: 2.004 ng

RT: 20.586 min Scan# 2965

Delta R.T. -0.006 min

Lab File: BM038751.D

Acq: 15 Feb 2023 16:58

Instrument :

BNA_M

ClientSampleId :

TEST-PIT-5-(TP5)-COMP-5





Tgt Ion:149 Resp: 710

Ion Ratio Lower Upper

149 100

91 80.8 45.6 68.4#

206 22.0 12.5 18.7#



#84

Bis(2-ethylhexyl)phthalate

Concen: 2.400 ng

RT: 21.356 min Scan# 3089

Delta R.T. -0.006 min

Lab File: BM038751.D

Acq: 15 Feb 2023 16:58




Tgt Ion:149 Resp: 15602


Ion Ratio Lower Upper

149 100

167 25.6 20.8 31.2

279 2.9 2.5 3.7





#86
Perylene-d12
Concen: 20.000 ng
RT: 23.838 min Scan# 311
Delta R.T. 0.000 min
Lab File: BM038751.D
Acq: 15 Feb 2023 16:58

Instrument :
BNA_M
ClientSampleId :
TEST-PIT-5-(TP5)-COMP-5

Tgt Ion:264 Resp: 338880

Ion	Ratio	Lower	Upper
264	100		
260	24.2	19.6	29.4
265	21.3	17.9	26.9

