

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM021723\
 Data File : BM038780.D
 Acq On : 17 Feb 2023 18:36
 Operator : CG/JU
 Sample : 01570-01
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 AU-6-021523

Quant Time: Feb 17 23:23:33 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM020123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 17 23:12:31 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.881	152	81576	20.000	ng	-0.03
21) Naphthalene-d8	10.692	136	307431	20.000	ng	-0.03
39) Acenaphthene-d10	14.533	164	191004	20.000	ng	-0.03
64) Phenanthrene-d10	17.286	188	367486	20.000	ng	#-0.02
76) Chrysene-d12	21.468	240	244255	20.000	ng	-0.02
86) Perylene-d12	23.856	264	253787	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.440	112	347788	83.515	ng	-0.02
7) Phenol-d6	7.063	99	432942	91.154	ng	-0.02
23) Nitrobenzene-d5	9.057	82	260564	48.141	ng	-0.04
42) 2,4,6-Tribromophenol	16.033	330	209430	80.669	ng	-0.02
45) 2-Fluorobiphenyl	13.157	172	760329	50.678	ng	-0.03
79) Terphenyl-d14	19.909	244	987996	71.380	ng	-0.02
Target Compounds						
						Qvalue
48) 2-Nitroaniline	13.639	65	138	2.220	ng	# 6
63) Azobenzene	15.898	77	97706	8.600	ng	# 1
75) Fluoranthene	19.339	202	66724	2.912	ng	97
77) Benzidine	19.556	184	614	3.192	ng	# 1
78) Pyrene	19.703	202	64022	3.404	ng	97
80) Butylbenzylphthalate	20.592	149	1538	2.102	ng	# 25
83) Chrysene	21.503	228	38971	2.341	ng	# 92
84) Bis(2-ethylhexyl)phtha...	21.368	149	12017	2.350	ng	# 84
88) Benzo(b)fluoranthene	23.127	252	41982	2.762	ng	# 76


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM021723\
Data File : BM038780.D
Acq On : 17 Feb 2023 18:36
Operator : CG/JU
Sample : 01570-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
AU-6-021523

Quant Time: Feb 17 23:23:33 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM020123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Feb 17 23:12:31 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.881 min Scan# 79
Delta R.T. -0.029 min
Lab File: BM038780.D
Acq: 17 Feb 2023 18:36




Instrument :
BNA_M
ClientSampleId :
AU-6-021523


Tgt Ion:152 Resp: 81576
Ion Ratio Lower Upper
152 100
150 158.1 119.5 179.3
115 49.1 37.6 56.4



#5
2-Fluorophenol
Concen: 83.515 ng
RT: 5.440 min Scan# 383
Delta R.T. -0.024 min
Lab File: BM038780.D
Acq: 17 Feb 2023 18:36

Tgt Ion:112 Resp: 347788
Ion Ratio Lower Upper
112 100
64 42.0 37.9 56.9
63 25.6 23.3 34.9









#7
Phenol-d6
Concen: 91.154 ng
RT: 7.063 min Scan# 611
Delta R.T. -0.024 min
Lab File: BM038780.D
Acq: 17 Feb 2023 18:36




Instrument :
BNA_M
ClientSampleId :
AU-6-021523


Tgt Ion: 99 Resp: 432942
Ion Ratio Lower Upper
99 100
42 15.0 14.6 22.0
71 34.7 31.0 46.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.692 min Scan# 1276
Delta R.T. -0.030 min
Lab File: BM038780.D
Acq: 17 Feb 2023 18:36

Tgt Ion: 136 Resp: 307431
Ion Ratio Lower Upper
136 100
137 10.9 8.8 13.2
54 5.0 4.2 6.4
68 4.1 2.9 4.3





#23

Nitrobenzene-d5

Concen: 48.141 ng

RT: 9.057 min Scan# 91

Delta R.T. -0.035 min

Lab File: BM038780.D

Acq: 17 Feb 2023 18:36

Instrument :





BNA_M

ClientSampleId :

AU-6-021523

Tgt Ion: 82 Resp: 260564

Ion	Ratio	Lower	Upper
82	100		
128	49.0	36.0	54.0
54	40.9	36.8	55.2



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.533 min Scan# 1929




Delta R.T. -0.029 min


Lab File: BM038780.D

Acq: 17 Feb 2023 18:36

Tgt Ion: 164 Resp: 191004

Ion	Ratio	Lower	Upper
164	100		
162	104.6	81.4	122.0
160	46.8	36.5	54.7









#42
2,4,6-Tribromophenol
Concen: 80.669 ng
RT: 16.033 min Scan# 2190
Delta R.T. -0.024 min
Lab File: BM038780.D
Acq: 17 Feb 2023 18:36




Instrument :
BNA_M
ClientSampleId :
AU-6-021523


Tgt Ion:330 Resp: 209430
Ion Ratio Lower Upper
330 100
332 98.0 77.8 116.6
141 41.9 31.0 46.6



#45
2-Fluorobiphenyl
Concen: 50.678 ng
RT: 13.157 min Scan# 1695
Delta R.T. -0.030 min
Lab File: BM038780.D
Acq: 17 Feb 2023 18:36

Tgt Ion:172 Resp: 760329
Ion Ratio Lower Upper
172 100
171 36.5 28.7 43.1
170 24.8 20.0 30.0









#48
2-Nitroaniline
Concen: 2.220 ng
RT: 13.639 min Scan# 1
Delta R.T. -0.018 min
Lab File: BM038780.D
Acq: 17 Feb 2023 18:36




Instrument :
BNA_M
ClientSampleId :
AU-6-021523


Tgt Ion: 65 Resp: 138
Ion Ratio Lower Upper
65 100
92 113.7 55.9 83.9#
138 0.0 110.6 166.0#



#63
Azobenzene
Concen: 8.600 ng
RT: 15.898 min Scan# 2161
Delta R.T. 0.006 min
Lab File: BM038780.D
Acq: 17 Feb 2023 18:36

Tgt Ion: 77 Resp: 97706
Ion Ratio Lower Upper
77 100
182 91.8 12.0 52.0#
105 141.8 0.0 37.5#
51 34.7 8.9 48.9





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.286 min Scan# 21

Delta R.T. -0.018 min

Lab File: BM038780.D

Acq: 17 Feb 2023 18:36

Instrument :

BNA_M

ClientSampleId :

AU-6-021523





Tgt Ion:188 Resp: 367486

Ion Ratio Lower Upper

188 100

94 6.4 4.2 6.4#

80 6.3 4.6 7.0



#75

Fluoranthene

Concen: 2.912 ng

RT: 19.339 min Scan# 2746

Delta R.T. -0.024 min

Lab File: BM038780.D

Acq: 17 Feb 2023 18:36




Tgt Ion:202 Resp: 66724


Ion Ratio Lower Upper

202 100

101 10.2 0.0 27.4

203 17.5 0.0 37.3





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.468 min Scan# 3113

Delta R.T. -0.024 min

Lab File: BM038780.D

Acq: 17 Feb 2023 18:36

Instrument :

BNA_M

ClientSampleId :

AU-6-021523





Tgt Ion:240 Resp: 244255

Ion Ratio Lower Upper

240 100

120 8.6 7.0 10.4

236 26.8 20.9 31.3



#77

Benzidine

Concen: 3.192 ng

RT: 19.556 min Scan# 2783

Delta R.T. -0.000 min

Lab File: BM038780.D

Acq: 17 Feb 2023 18:36




Tgt Ion:184 Resp: 614


Ion Ratio Lower Upper

184 100

185 145.6 10.8 16.2#

183 139.6 8.8 13.2#





#78

Pyrene

Concen: 3.404 ng

RT: 19.703 min Scan# 21

Delta R.T. -0.024 min

Lab File: BM038780.D

Acq: 17 Feb 2023 18:36

Instrument :

BNA_M

ClientSampleId :

AU-6-021523





Tgt Ion:202 Resp: 64022

Ion Ratio Lower Upper

202 100

200 22.7 17.8 26.6

203 19.1 13.5 20.3



#79

Terphenyl-d14

Concen: 71.380 ng

RT: 19.909 min Scan# 2843

Delta R.T. -0.018 min

Lab File: BM038780.D

Acq: 17 Feb 2023 18:36




Tgt Ion:244 Resp: 987996


Ion Ratio Lower Upper

244 100

212 7.9 6.6 9.8

122 7.4 7.8 11.8#





#80

Butylbenzylphthalate

Concen: 2.102 ng

RT: 20.592 min Scan# 2965

Delta R.T. -0.029 min

Lab File: BM038780.D

Acq: 17 Feb 2023 18:36

Instrument :

BNA_M

ClientSampleId :

AU-6-021523





Tgt Ion:149 Resp: 1538

Ion Ratio Lower Upper

149 100

91 122.7 45.6 68.4#

206 25.5 12.5 18.7#



#83

Chrysene

Concen: 2.341 ng

RT: 21.503 min Scan# 3114

Delta R.T. -0.024 min

Lab File: BM038780.D

Acq: 17 Feb 2023 18:36




Tgt Ion:228 Resp: 38971


Ion Ratio Lower Upper

228 100

226 33.4 24.7 37.1

229 25.9 15.5 23.3#









#84
Bis(2-ethylhexyl)phthalate
Concen: 2.350 ng
RT: 21.368 min Scan# 3091
Delta R.T. -0.018 min
Lab File: BM038780.D
Acq: 17 Feb 2023 18:36




Instrument :
BNA_M
ClientSampleId :
AU-6-021523


Tgt Ion:149 Resp: 12017
Ion Ratio Lower Upper
149 100
167 34.3 20.8 31.2#
279 8.3 2.5 3.7#



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.856 min Scan# 3514
Delta R.T. -0.018 min
Lab File: BM038780.D
Acq: 17 Feb 2023 18:36

Tgt Ion:264 Resp: 253787
Ion Ratio Lower Upper
264 100
260 25.1 19.6 29.4
265 23.1 17.9 26.9





#88

Benzo(b)fluoranthene

Concen: 2.762 ng

RT: 23.127 min Scan# 31

Delta R.T. -0.024 min

Lab File: BM038780.D


Acq: 17 Feb 2023 18:36

Instrument :

BNA_M

ClientSampleId :

AU-6-021523



Tgt Ion:252 Resp: 41982

Ion Ratio Lower Upper

252 100

253 31.6 17.4 26.2#

125 20.8 7.0 10.6#

