

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM031621\
 Data File : BM029149.D
 Acq On : 16 Mar 2021 14:44
 Operator : CG/JU
 Sample : PB135174BSD
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB135174BSD

Manual Integrations
 APPROVED

mohammad
 3/17/2021 10:51:48 AM

Quant Time: Mar 16 15:14:51 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM022321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 12 12:30:15 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.616	152	9854	20.00	ng	0.00
21) Naphthalene-d8	10.404	136	36332	20.00	ng	#-0.01
39) Acenaphthene-d10	14.286	164	19088	20.00	ng	-0.01
64) Phenanthrene-d10	17.039	188	33208	20.00	ng	0.00
76) Chrysene-d12	21.215	240	28685	20.00	ng	#-0.01
86) Perylene-d12	23.350	264	28089	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.204	112	52322	88.01	ng	0.00
7) Phenol-d6	6.834	99	61032	77.72	ng	0.01
23) Nitrobenzene-d5	8.792	82	51014	75.75	ng	0.00
42) 2,4,6-Tribromophenol	15.792	330	16503	72.95	ng	0.00
45) 2-Fluorobiphenyl	12.898	172	104800	73.09	ng	0.00
79) Terphenyl-d14	19.662	244	105577	67.96	ng	-0.01
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.052	88	10288	46.03	ng	# 58
3) Pyridine	3.463	79	26002	44.08	ng	# 31
4) n-Nitrosodimethylamine	3.387	42	20661	62.69	ng	# 36
6) Aniline	6.957	93	25781	30.70	ng	98
8) 2-Chlorophenol	7.187	128	30439	43.11	ng	95
9) Benzaldehyde	6.769	77	7982	18.65	ng	81
10) Phenol	6.857	94	32994	42.28	ng	98
11) bis(2-Chloroethyl)ether	7.057	93	25841	43.65	ng	90
12) 1,3-Dichlorobenzene	7.498	146	34404	44.67	ng	# 92
13) 1,4-Dichlorobenzene	7.645	146	35585	45.56	ng	95
14) 1,2-Dichlorobenzene	7.957	146	33069	44.00	ng	99
15) Benzyl Alcohol	7.881	79	23884	42.53	ng	# 91
16) 2,2'-oxybis(1-Chloropr...	8.157	45	46681	51.21	ng	70
17) 2-Methylphenol	8.098	107	22403	42.28	ng	92
18) Hexachloroethane	8.675	117	13782	48.56	ng	92
19) n-Nitroso-di-n-propyla...	8.439	70	19950	43.19	ng	# 51
20) 3+4-Methylphenols	8.428	107	30178	42.33	ng	95
22) Acetophenone	8.451	105	42440	47.90	ng	# 80
24) Nitrobenzene	8.834	77	30544	44.61	ng	# 85
25) Isophorone	9.351	82	50405	42.54	ng	95
26) 2-Nitrophenol	9.539	139	15237	44.06	ng	91
27) 2,4-Dimethylphenol	9.616	122	23106	44.52	ng	93
28) bis(2-Chloroethoxy)met...	9.839	93	31717	47.11	ng	98
29) 2,4-Dichlorophenol	10.080	162	25733	43.34	ng	99
30) 1,2,4-Trichlorobenzene	10.269	180	29694	45.61	ng	96
31) Naphthalene	10.451	128	86041	42.95	ng	98
32) Benzoic acid	9.822	122	16004	43.02	ng	# 86
33) 4-Chloroaniline	10.592	127	18312	22.75	ng	94
34) Hexachlorobutadiene	10.716	225	18223	46.68	ng	99
35) Caprolactam	11.404	113	6156	37.90	ng	# 46
36) 4-Chloro-3-methylphenol	11.751	107	24425	40.82	ng	94
37) 2-Methylnaphthalene	12.074	142	58503	41.51	ng	99
38) 1-Methylnaphthalene	12.298	142	54927	41.15	ng	98
40) 1,2,4,5-Tetrachloroben...	12.457	216	28582	47.89	ng	99
41) Hexachlorocyclopentadiene	12.416	237	24029	105.62	ng	97
43) 2,4,6-Trichlorophenol	12.721	196	17825	42.61	ng	96

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM031621\
 Data File : BM029149.D
 Acq On : 16 Mar 2021 14:44
 Operator : CG/JU
 Sample : PB135174BSD
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB135174BSD

Manual Integrations
 APPROVED

mohammad
 3/17/2021 10:51:48 AM

Quant Time: Mar 16 15:14:51 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM022321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 12 12:30:15 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)	
44) 2,4,5-Trichlorophenol	12.804	196	18493	41.19	ng	#	94
46) 1,1'-Biphenyl	13.110	154	68761	44.92	ng		99
47) 2-Chloronaphthalene	13.157	162	55159	44.14	ng		96
48) 2-Nitroaniline	13.392	65	15385	45.77	ng		91
49) Acenaphthylene	14.010	152	82176	42.82	ng		100
50) Dimethylphthalate	13.763	163	62277	43.05	ng		99
51) 2,6-Dinitrotoluene	13.898	165	13354	39.59	ng		94
52) Acenaphthene	14.351	154	48863	41.52	ng		96
53) 3-Nitroaniline	14.233	138	8718	26.53	ng		85
54) 2,4-Dinitrophenol	14.457	184	13230	76.69	ng	#	85
55) Dibenzofuran	14.692	168	77411	41.89	ng		98
56) 4-Nitrophenol	14.580	139	18599	69.00	ng		94
57) 2,4-Dinitrotoluene	14.698	165	18505	42.00	ng	#	87
58) Fluorene	15.345	166	61711	41.67	ng		97
59) 2,3,4,6-Tetrachlorophenol	14.933	232	14145m	39.20	ng		
60) Diethylphthalate	15.127	149	62459	42.92	ng		97
61) 4-Chlorophenyl-phenyle...	15.339	204	30314	42.90	ng	#	89
62) 4-Nitroaniline	15.404	138	11292	35.54	ng		95
63) Azobenzene	15.633	77	58303	43.41	ng	#	82
65) 4,6-Dinitro-2-methylph...	15.468	198	9136	39.07	ng	#	70
66) n-Nitrosodiphenylamine	15.562	169	50105	44.11	ng		99
67) 4-Bromophenyl-phenylether	16.233	248	16624	44.61	ng	#	87
68) Hexachlorobenzene	16.339	284	18099	43.59	ng	#	86
69) Atrazine	16.521	200	13767	38.95	ng		97
70) Pentachlorophenol	16.704	266	18709	84.23	ng		99
71) Phenanthrene	17.080	178	82589	41.76	ng		99
72) Anthracene	17.168	178	84452	43.11	ng		100
73) Carbazole	17.456	167	73316	39.01	ng		98
74) Di-n-butylphthalate	18.003	149	96877	45.33	ng		99
75) Fluoranthene	19.098	202	88641	40.79	ng		98
77) Benzidine	19.298	184	31613	33.44	ng		99
78) Pyrene	19.462	202	89085	42.28	ng		99
80) Butylbenzylphthalate	20.362	149	42273	46.60	ng	#	94
81) Benzo(a)anthracene	21.203	228	83017	41.70	ng		99
82) 3,3'-Dichlorobenzidine	21.144	252	19769	28.75	ng	#	97
83) Chrysene	21.256	228	80029	41.25	ng		100
84) Bis(2-ethylhexyl)phtha...	21.127	149	62856	48.15	ng	#	96
85) Di-n-octyl phthalate	21.980	149	107992	48.76	ng	#	86
87) Indeno(1,2,3-cd)pyrene	25.485	276	96049	45.31	ng	#	92
88) Benzo(b)fluoranthene	22.721	252	83141	41.90	ng	#	98
89) Benzo(k)fluoranthene	22.762	252	81503	43.24	ng	#	97
90) Benzo(a)pyrene	23.262	252	75640	41.78	ng	#	97
91) Dibenzo(a,h)anthracene	25.491	278	82025	44.53	ng	#	95
92) Benzo(g,h,i)perylene	26.138	276	79083	44.46	ng	#	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM031621\
 Data File : BM029149.D
 Acq On : 16 Mar 2021 14:44
 Operator : CG/JU
 Sample : PB135174BSD
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB135174BSD

Manual Integrations
 APPROVED


mohammad
 3/17/2021 10:51:48 AM

Quant Time: Mar 16 15:14:51 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM022321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 12 12:30:15 2021
 Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.616 min Scan# 787
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44





Tgt Ion:152 Resp: 9854
Ion Ratio Lower Upper
152 100
150 151.7 120.6 181.0
115 61.4 47.2 70.8



#2
1,4-Dioxane
Concen: 46.03 ng
RT: 3.052 min Scan# 11
Delta R.T. -0.000 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44



Tgt Ion: 88 Resp: 10288
Ion Ratio Lower Upper
88 100
58 87.7 46.2 69.2#
43 45.5 19.0 28.6#



Instrument :
BNA_M
ClientSampleId :
PB135174BSD

Manual Integrations
APPROVED

mohammad
3/17/2021 10:51:48 AM







#3
Pyridine
Concen: 44.08 ng
RT: 3.463 min Scan# 81
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion: 79	Resp: 26002
Ion Ratio	Lower Upper
79 100	
52 95.4	35.8 53.8#
51 53.5	21.0 31.6#

Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Manual Integrations
APPROVED

mohammad
3/17/2021 10:51:48 AM



#4
n-Nitrosodimethylamine
Concen: 62.69 ng
RT: 3.387 min Scan# 68
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion: 42	Resp: 20661
Ion Ratio	Lower Upper
42 100	
74 73.2	127.8 191.6#
44 5.2	4.1 6.1









#5
2-Fluorophenol
Concen: 88.01 ng
RT: 5.204 min Scan# 377
Delta R.T. 0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion: 112 Resp: 52322
Ion Ratio Lower Upper
112 100
64 60.7 50.6 76.0
63 36.1 31.0 46.6

Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Manual Integrations
APPROVED


mohammad
3/17/2021 10:51:48 AM



#6
Aniline
Concen: 30.70 ng
RT: 6.957 min Scan# 675
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion: 93 Resp: 25781
Ion Ratio Lower Upper
93 100
66 39.8 33.3 49.9
65 20.9 17.4 26.0









#7
Phenol-d6
Concen: 77.72 ng
RT: 6.834 min Scan# 654
Delta R.T. 0.012 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion: 99 Resp: 61032
Ion Ratio Lower Upper
99 100
42 29.3 13.5 20.3#
71 40.7 39.4 59.0

Instrument :
BNA_M
ClientSampled :
PB135174BSD




Manual Integrations
APPROVED


mohammad
3/17/2021 10:51:48 AM




#8
2-Chlorophenol
Concen: 43.11 ng
RT: 7.187 min Scan# 714
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion: 128 Resp: 30439
Ion Ratio Lower Upper
128 100
130 32.6 11.5 51.5
64 45.6 30.1 70.1









#9
Benzaldehyde
Concen: 18.65 ng
RT: 6.769 min Scan# 643
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44





Tgt Ion: 77 Resp: 7982
Ion Ratio Lower Upper
77 100
105 98.7 64.7 104.7
106 97.4 57.5 97.5



#10
Phenol
Concen: 42.28 ng
RT: 6.857 min Scan# 658
Delta R.T. 0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44




Tgt Ion: 94 Resp: 32994
Ion Ratio Lower Upper
94 100
65 35.4 16.4 56.4
66 49.3 30.2 70.2



Instrument :
BNA_M
ClientSampleId :
PB135174BSD

Manual Integrations
APPROVED

mohammad
3/17/2021 10:51:48 AM







#11
bis(2-Chloroethyl)ether
Concen: 43.65 ng
RT: 7.057 min Scan# 692
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion: 93	Resp: 25841
Ion Ratio	Lower Upper
93 100	
63 84.6	53.1 93.1
95 31.8	12.1 52.1

Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Manual Integrations
APPROVED


mohammad
3/17/2021 10:51:48 AM



#12
1,3-Dichlorobenzene
Concen: 44.67 ng
RT: 7.498 min Scan# 767
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:146	Resp:	34404	
Ion Ratio	Lower	Upper	
146	100		
148	61.6	51.6	77.4
75	32.4	33.0	49.6#





#13

1,4-Dichlorobenzene

Concen: 45.56 ng

RT: 7.645 min Scan# 792

Delta R.T. -0.012 min

Lab File: BM029149.D

Acq: 16 Mar 2021 14:44

Tgt Ion:146	Resp:	35585
Ion Ratio	Lower	Upper
146	100	
148	61.4	51.4 77.0
111	39.1	34.4 51.6

Instrument :





BNA_M

ClientSampleId :

PB135174BSD

Manual Integrations
APPROVED

mohammad
3/17/2021 10:51:48 AM



#14

1,2-Dichlorobenzene

Concen: 44.00 ng




RT: 7.957 min Scan# 845

Delta R.T. -0.012 min

Lab File: BM029149.D

Acq: 16 Mar 2021 14:44


Tgt Ion:146	Resp:	33069
Ion Ratio	Lower	Upper
146	100	
148	65.5	51.3 76.9
111	44.2	35.4 53.0





#15
Benzyl Alcohol
Concen: 42.53 ng
RT: 7.881 min Scan# 832
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44




Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Tgt Ion: 79 Resp: 23884
Ion Ratio Lower Upper
79 100
108 74.7 49.0 73.4#
77 67.8 55.2 82.8

Manual Integrations
APPROVED



mohammad
3/17/2021 10:51:48 AM



#16
2,2'-oxybis(1-Chloropropane)
Concen: 51.21 ng
RT: 8.157 min Scan# 879
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44




Tgt Ion: 45 Resp: 46681
Ion Ratio Lower Upper
45 100
77 11.9 9.5 49.5
79 8.9 1.8 41.8





#17
2-Methylphenol
Concen: 42.28 ng
RT: 8.098 min Scan# 869
Delta R.T. 0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44



Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Tgt Ion	Ratio	Lower	Upper
107	100		
108	112.2	87.8	131.6
77	50.9	50.9	76.3
79	49.9	46.6	69.8

Manual Integrations
APPROVED



mohammad
3/17/2021 10:51:48 AM




#18
Hexachloroethane
Concen: 48.56 ng
RT: 8.675 min Scan# 967
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44



Tgt Ion	Ratio	Lower	Upper
117	100		
119	91.7	73.1	109.7
201	95.0	88.7	133.1









#19
n-Nitroso-di-n-propylamine
Concen: 43.19 ng
RT: 8.439 min Scan# 927
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:	70	Resp:	19950
Ion Ratio	Lower	Upper	
70	100		
42	84.1	31.9	47.9#
101	10.6	7.0	10.4#
130	23.9	13.4	20.0#

Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Manual Integrations
APPROVED


mohammad
3/17/2021 10:51:48 AM



#20
3+4-Methylphenols
Concen: 42.33 ng
RT: 8.428 min Scan# 925
Delta R.T. -0.000 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:	107	Resp:	30178
Ion Ratio	Lower	Upper	
107	100		
108	84.1	64.5	104.5
77	40.2	24.2	64.2
79	29.4	17.8	57.8









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.404 min Scan# 1261
Delta R.T. -0.012 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:	136	Resp:	36332
Ion Ratio	Lower	Upper	
136	100		
137	10.7	8.6	12.8
54	10.0	4.6	7.0#
68	4.3	4.1	6.1

Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Manual Integrations
APPROVED


mohammad
3/17/2021 10:51:48 AM



#22
Acetophenone
Concen: 47.90 ng
RT: 8.451 min Scan# 929
Delta R.T. -0.012 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:	105	Resp:	42440
Ion Ratio	Lower	Upper	
105	100		
71	2.4	7.6	11.4#
51	41.4	18.6	28.0#
120	22.0	17.3	25.9









#23
Nitrobenzene-d5
Concen: 75.75 ng
RT: 8.792 min Scan# 987
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion	Ratio	Lower	Upper
82	100		
128	42.5	27.4	41.0#
54	67.4	31.4	47.0#

Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Manual Integrations
APPROVED


mohammad
3/17/2021 10:51:48 AM



#24
Nitrobenzene
Concen: 44.61 ng
RT: 8.834 min Scan# 994
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion	Ratio	Lower	Upper
77	100		
123	47.8	29.1	43.7#
65	15.7	11.3	16.9









#25
Isophorone
Concen: 42.54 ng
RT: 9.351 min Scan# 1082
Delta R.T. -0.012 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:	82	Resp:	50405
Ion Ratio	Lower	Upper	
82	100		
95	8.8	6.8	10.2
138	19.3	13.1	19.7

Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Manual Integrations
APPROVED

mohammad
3/17/2021 10:51:48 AM



#26
2-Nitrophenol
Concen: 44.06 ng
RT: 9.539 min Scan# 1114
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:	139	Resp:	15237
Ion Ratio	Lower	Upper	
139	100		
109	37.5	33.8	50.8
65	55.4	51.0	76.6









#27
2,4-Dimethylphenol
Concen: 44.52 ng
RT: 9.616 min Scan# 1127
Delta R.T. -0.000 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:122 Resp: 23106
Ion Ratio Lower Upper
122 100
107 121.5 106.6 159.8
121 60.3 48.8 73.2

Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Manual Integrations
APPROVED


mohammad
3/17/2021 10:51:48 AM




#28
bis(2-Chloroethoxy)methane
Concen: 47.11 ng
RT: 9.839 min Scan# 1165
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion: 93 Resp: 31717
Ion Ratio Lower Upper
93 100
95 34.0 26.5 39.7
123 12.5 8.6 12.8









#29
2,4-Dichlorophenol
Concen: 43.34 ng
RT: 10.080 min Scan# 1206
Delta R.T. -0.000 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44





Tgt Ion:162 Resp: 25733
Ion Ratio Lower Upper
162 100
164 63.5 43.2 83.2
98 34.0 15.7 55.7



#30
1,2,4-Trichlorobenzene
Concen: 45.61 ng
RT: 10.269 min Scan# 1238
Delta R.T. -0.012 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44



Tgt Ion:180 Resp: 29694
Ion Ratio Lower Upper
180 100
182 93.0 77.7 116.5
145 31.6 23.4 35.0



Instrument :
BNA_M
ClientSampleId :
PB135174BSD


Manual Integrations
APPROVED

mohammad
3/17/2021 10:51:48 AM



#31
Naphthalene
Concen: 42.95 ng
RT: 10.451 min Scan# 1269
Delta R.T. -0.012 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44




Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Tgt Ion:128 Resp: 86041
Ion Ratio Lower Upper
128 100
129 10.7 9.0 13.4
127 12.3 10.6 15.8

Manual Integrations
APPROVED



mohammad
3/17/2021 10:51:48 AM



#32
Benzoic acid
Concen: 43.02 ng
RT: 9.822 min Scan# 1162
Delta R.T. 0.012 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44




Tgt Ion:122 Resp: 16004
Ion Ratio Lower Upper
122 100
105 124.1 114.0 154.0
77 98.4 101.8 141.8#









#33
4-Chloroaniline
Concen: 22.75 ng
RT: 10.592 min Scan# 1293
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44





Tgt Ion:	127	Resp:	18312
Ion Ratio	Lower	Upper	
127	100		
129	32.5	24.7	37.1
65	33.0	30.2	45.4
92	19.6	17.8	26.8



#34
Hexachlorobutadiene
Concen: 46.68 ng
RT: 10.716 min Scan# 1314
Delta R.T. -0.012 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44




Tgt Ion:	225	Resp:	18223
Ion Ratio	Lower	Upper	
225	100		
223	62.7	51.0	76.4
227	64.3	50.6	75.8



Instrument :
BNA_M
ClientSampleId :
PB135174BSD

Manual Integrations
APPROVED

mohammad
3/17/2021 10:51:48 AM







#35
Caprolactam
Concen: 37.90 ng
RT: 11.404 min Scan# 1431
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:113 Resp: 6156
Ion Ratio Lower Upper
113 100
55 197.0 103.2 143.2#
56 144.9 84.2 124.2#

Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Manual Integrations
APPROVED


mohammad
3/17/2021 10:51:48 AM




#36
4-Chloro-3-methylphenol
Concen: 40.82 ng
RT: 11.751 min Scan# 1490
Delta R.T. 0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:107 Resp: 24425
Ion Ratio Lower Upper
107 100
144 25.4 20.1 30.1
142 81.8 60.3 90.5





#37
2-Methylnaphthalene
Concen: 41.51 ng
RT: 12.074 min Scan# 1545
Delta R.T. -0.012 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44






Tgt Ion:142 Resp: 58503
Ion Ratio Lower Upper
142 100
141 87.9 70.3 105.5
115 39.1 32.2 48.4


Instrument :
BNA_M
ClientSampleId :
PB135174BSD

Manual Integrations
APPROVED



mohammad
3/17/2021 10:51:48 AM




#38
1-Methylnaphthalene
Concen: 41.15 ng
RT: 12.298 min Scan# 1583
Delta R.T. -0.012 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44




Tgt Ion:142 Resp: 54927
Ion Ratio Lower Upper
142 100
141 90.0 73.8 110.6
116 4.4 3.5 5.3





#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.286 min Scan# 1921
Delta R.T. -0.012 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44




Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Tgt Ion:164 Resp: 19088
Ion Ratio Lower Upper
164 100
162 104.0 80.4 120.6
160 43.2 35.9 53.9

Manual Integrations
APPROVED



mohammad
3/17/2021 10:51:48 AM




#40
1,2,4,5-Tetrachlorobenzene
Concen: 47.89 ng
RT: 12.457 min Scan# 1610
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44



Tgt Ion:216 Resp: 28582
Ion Ratio Lower Upper
216 100
214 78.9 62.1 93.1
179 21.7 17.2 25.8
108 19.3 14.9 22.3









#41
Hexachlorocyclopentadiene
Concen: 105.62 ng
RT: 12.416 min Scan# 1603
Delta R.T. -0.012 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:	237	Resp:	24029
Ion Ratio	Lower	Upper	
237	100		
235	60.5	43.1	83.1
272	12.0	0.0	33.0

Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Manual Integrations
APPROVED

mohammad
3/17/2021 10:51:48 AM



#42
2,4,6-Tribromophenol
Concen: 72.95 ng
RT: 15.792 min Scan# 2177
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:	330	Resp:	16503
Ion Ratio	Lower	Upper	
330	100		
332	95.8	77.8	116.8
141	47.4	28.4	42.6#









#43
2,4,6-Trichlorophenol
Concen: 42.61 ng
RT: 12.721 min Scan# 1655
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:196 Resp: 17825
Ion Ratio Lower Upper
196 100
198 98.2 74.9 112.3
200 31.1 23.7 35.5

Instrument :
BNA_M
ClientSampled :
PB135174BSD




Manual Integrations
APPROVED

mohammad
3/17/2021 10:51:48 AM



#44
2,4,5-Trichlorophenol
Concen: 41.19 ng
RT: 12.804 min Scan# 1669
Delta R.T. -0.000 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44


Tgt Ion:196 Resp: 18493
Ion Ratio Lower Upper
196 100
198 94.2 79.0 118.6
97 56.0 40.5 60.7
132 29.3 19.3 28.9#





#45
2-Fluorobiphenyl
Concen: 73.09 ng
RT: 12.898 min Scan# 1685
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44




Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Tgt Ion:172 Resp: 104800
Ion Ratio Lower Upper
172 100
171 35.3 27.8 41.8
170 23.4 18.6 27.8

Manual Integrations
APPROVED



mohammad
3/17/2021 10:51:48 AM



#46
1,1'-Biphenyl
Concen: 44.92 ng
RT: 13.110 min Scan# 1721
Delta R.T. -0.012 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44




Tgt Ion:154 Resp: 68761
Ion Ratio Lower Upper
154 100
153 40.0 20.0 60.0
76 10.6 0.0 32.0





#47
2-Chloronaphthalene
Concen: 44.14 ng
RT: 13.157 min Scan# 1729
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44




Instrument :
BNA_M
ClientSampled :
PB135174BSD




Tgt Ion:162 Resp: 55159
Ion Ratio Lower Upper
162 100
127 40.3 29.6 44.4
164 32.0 26.2 39.4

Manual Integrations
APPROVED



mohammad
3/17/2021 10:51:48 AM




#48
2-Nitroaniline
Concen: 45.77 ng
RT: 13.392 min Scan# 1769
Delta R.T. -0.000 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44




Tgt Ion: 65 Resp: 15385
Ion Ratio Lower Upper
65 100
92 64.9 51.5 77.3
138 105.7 72.7 109.1









#49
Acenaphthylene
Concen: 42.82 ng
RT: 14.010 min Scan# 1874
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44





Tgt Ion:152 Resp: 82176
Ion Ratio Lower Upper
152 100
151 19.7 15.8 23.6
153 13.4 10.4 15.6



#50
Dimethylphthalate
Concen: 43.05 ng
RT: 13.763 min Scan# 1832
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44



Tgt Ion:163 Resp: 62277
Ion Ratio Lower Upper
163 100
194 4.3 3.4 5.2
164 10.6 8.1 12.1



Instrument :
BNA_M
ClientSampleId :
PB135174BSD

Manual Integrations
APPROVED

mohammad
3/17/2021 10:51:48 AM







#51
2,6-Dinitrotoluene
Concen: 39.59 ng
RT: 13.898 min Scan# 1855
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:	165	Resp:	13354
Ion Ratio	Lower	Upper	
165	100		
63	68.8	51.1	76.7
89	61.3	53.3	79.9

Instrument :
BNA_M
ClientSampled :
PB135174BSD




Manual Integrations
APPROVED


mohammad
3/17/2021 10:51:48 AM



#52
Acenaphthene
Concen: 41.52 ng
RT: 14.351 min Scan# 1932
Delta R.T. -0.012 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:	154	Resp:	48863
Ion Ratio	Lower	Upper	
154	100		
153	115.1	88.3	132.5
152	54.6	41.4	62.2









#53
3-Nitroaniline
Concen: 26.53 ng
RT: 14.233 min Scan# 1912
Delta R.T. -0.000 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:138 Resp: 8718
Ion Ratio Lower Upper
138 100
108 11.5 8.6 13.0
92 108.6 102.1 153.1

Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Manual Integrations
APPROVED


mohammad
3/17/2021 10:51:48 AM



#54
2,4-Dinitrophenol
Concen: 76.69 ng
RT: 14.457 min Scan# 1950
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:184 Resp: 13230
Ion Ratio Lower Upper
184 100
63 91.6 60.2 90.2#
154 74.5 52.9 79.3









#55
Dibenzenofuran
Concen: 41.89 ng
RT: 14.692 min Scan# 1990
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:168 Resp: 77411
Ion Ratio Lower Upper
168 100
139 39.2 30.2 45.4
169 12.4 10.6 16.0

Instrument :
BNA_M
ClientSampled :
PB135174BSD




Manual Integrations
APPROVED

mohammad
3/17/2021 10:51:48 AM




#56
4-Nitrophenol
Concen: 69.00 ng
RT: 14.580 min Scan# 1971
Delta R.T. 0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:139 Resp: 18599
Ion Ratio Lower Upper
139 100
109 96.6 77.0 117.0
65 112.2 103.4 143.4









#57
2,4-Dinitrotoluene
Concen: 42.00 ng
RT: 14.698 min Scan# 1991
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44





Tgt Ion:165 Resp: 18505
Ion Ratio Lower Upper
165 100
63 67.8 38.8 58.2#
89 81.6 62.6 94.0
182 2.8 2.3 3.5



#58
Fluorene
Concen: 41.67 ng
RT: 15.345 min Scan# 2101
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44



Tgt Ion:166 Resp: 61711
Ion Ratio Lower Upper
166 100
165 98.5 76.2 114.2
167 12.8 10.7 16.1




Instrument :
BNA_M
ClientSampleId :
PB135174BSD

Manual Integrations
APPROVED




mohammad
3/17/2021 10:51:48 AM




#59
2,3,4,6-Tetrachlorophenol
Concen: 39.20 ng m
RT: 14.933 min Scan# 2031
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44





Tgt Ion:232 Resp: 14145
Ion Ratio Lower Upper
232 100
131 47.6 32.2 48.2
130 2.3 1.8 2.8
166 26.8 24.5 36.7



#60
Diethylphthalate
Concen: 42.92 ng
RT: 15.127 min Scan# 2064
Delta R.T. -0.012 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44




Tgt Ion:149 Resp: 62459
Ion Ratio Lower Upper
149 100
177 21.0 18.2 27.4
150 12.0 10.2 15.4



Instrument :
BNA_M
ClientSampleId :
PB135174BSD

Manual Integrations
APPROVED

mohammad
3/17/2021 10:51:48 AM







#61
4-Chlorophenyl-phenylether
Concen: 42.90 ng
RT: 15.339 min Scan# 2100
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:204 Resp: 30314
Ion Ratio Lower Upper
204 100
206 33.6 26.1 39.1
141 66.9 43.7 65.5#

Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Manual Integrations
APPROVED


mohammad
3/17/2021 10:51:48 AM



#62
4-Nitroaniline
Concen: 35.54 ng
RT: 15.404 min Scan# 2111
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:138 Resp: 11292
Ion Ratio Lower Upper
138 100
92 49.5 35.5 75.5
108 103.3 80.5 120.5









#63
Azobenzene
Concen: 43.41 ng
RT: 15.633 min Scan# 2150
Delta R.T. -0.012 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion: 77	Resp: 58303
Ion Ratio	Lower Upper
77 100	
182 25.0	5.8 45.8
105 19.4	0.0 37.2
51 45.4	3.6 43.6#

Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Manual Integrations
APPROVED

mohammad
3/17/2021 10:51:48 AM



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.039 min Scan# 2389
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44


Tgt Ion: 188	Resp: 33208
Ion Ratio	Lower Upper
188 100	
94 7.1	6.2 9.4
80 8.4	7.5 11.3





#65
4,6-Dinitro-2-methylphenol
Concen: 39.07 ng
RT: 15.468 min Scan# 2122
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44




Instrument :
BNA_M
ClientSampled :
PB135174BSD




Tgt Ion:198 Resp: 9136
Ion Ratio Lower Upper
198 100
51 63.0 13.0 53.0#
105 44.9 18.7 58.7

Manual Integrations
APPROVED



mohammad
3/17/2021 10:51:48 AM



#66
n-Nitrosodiphenylamine
Concen: 44.11 ng
RT: 15.562 min Scan# 2138
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44



Tgt Ion:169 Resp: 50105
Ion Ratio Lower Upper
169 100
168 66.8 53.8 80.8
167 35.2 29.0 43.4









#67
4-Bromophenyl-phenylether
Concen: 44.61 ng
RT: 16.233 min Scan# 2252
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:248 Resp: 16624
Ion Ratio Lower Upper
248 100
250 94.6 79.1 118.7
141 85.5 51.8 77.8#

Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Manual Integrations
APPROVED

mohammad
3/17/2021 10:51:48 AM



#68
Hexachlorobenzene
Concen: 43.59 ng
RT: 16.339 min Scan# 2270
Delta R.T. -0.012 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:284 Resp: 18099
Ion Ratio Lower Upper
284 100
142 43.7 26.1 39.1#
249 36.1 25.6 38.4









#69
Atrazine
Concen: 38.95 ng
RT: 16.521 min Scan# 2301
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:200 Resp: 13767
Ion Ratio Lower Upper
200 100
173 26.7 4.9 44.9
215 46.8 29.0 69.0

Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Manual Integrations
APPROVED


mohammad
3/17/2021 10:51:48 AM



#70
Pentachlorophenol
Concen: 84.23 ng
RT: 16.704 min Scan# 2332
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44


Tgt Ion:266 Resp: 18709
Ion Ratio Lower Upper
266 100
268 61.1 49.9 74.9
264 63.0 50.6 76.0





#71
Phenanthrene
Concen: 41.76 ng
RT: 17.080 min Scan# 2396
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44




Instrument :
BNA_M
ClientSampleId :
PB135174BSD



Tgt Ion:178 Resp: 82589
Ion Ratio Lower Upper
178 100
176 18.2 15.0 22.6
179 15.7 12.2 18.4




Manual Integrations
APPROVED

mohammad
3/17/2021 10:51:48 AM



#72
Anthracene
Concen: 43.11 ng
RT: 17.168 min Scan# 2411
Delta R.T. -0.012 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44


Tgt Ion:178 Resp: 84452
Ion Ratio Lower Upper
178 100
176 18.4 15.0 22.4
179 15.7 12.5 18.7





#73
Carbazole
Concen: 39.01 ng
RT: 17.456 min Scan# 2460
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44




Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Tgt Ion:167 Resp: 73316
Ion Ratio Lower Upper
167 100
166 21.1 16.9 25.3
139 14.1 9.9 14.9

Manual Integrations
APPROVED



mohammad
3/17/2021 10:51:48 AM




#74
Di-n-butylphthalate
Concen: 45.33 ng
RT: 18.003 min Scan# 2553
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44




Tgt Ion:149 Resp: 96877
Ion Ratio Lower Upper
149 100
150 8.9 7.4 11.0
104 5.7 4.7 7.1









#75
Fluoranthene
Concen: 40.79 ng
RT: 19.098 min Scan# 2739
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44





Tgt Ion:202 Resp: 88641
Ion Ratio Lower Upper
202 100
101 9.7 0.0 28.5
203 17.6 0.0 37.3



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.215 min Scan# 3099
Delta R.T. -0.012 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44




Tgt Ion:240 Resp: 28685
Ion Ratio Lower Upper
240 100
120 10.4 6.4 9.6#
236 24.4 20.1 30.1



Instrument :
BNA_M
ClientSampleId :
PB135174BSD

Manual Integrations
APPROVED

mohammad
3/17/2021 10:51:48 AM







#77
Benzidine
Concen: 33.44 ng
RT: 19.298 min Scan# 2773
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:184 Resp: 31613
Ion Ratio Lower Upper
184 100
185 14.1 11.0 16.6
183 11.6 9.7 14.5

Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Manual Integrations
APPROVED


mohammad
3/17/2021 10:51:48 AM




#78
Pyrene
Concen: 42.28 ng
RT: 19.462 min Scan# 2801
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:202 Resp: 89085
Ion Ratio Lower Upper
202 100
200 19.8 16.6 24.8
203 17.3 13.8 20.6









#79
Terphenyl-d14
Concen: 67.96 ng
RT: 19.662 min Scan# 2835
Delta R.T. -0.012 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44





Tgt Ion:244 Resp: 105577
Ion Ratio Lower Upper
244 100
212 7.8 5.8 8.8
122 10.5 6.5 9.7#



#80
Butylbenzylphthalate
Concen: 46.60 ng
RT: 20.362 min Scan# 2954
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44




Tgt Ion:149 Resp: 42273
Ion Ratio Lower Upper
149 100
91 68.4 58.1 87.1
206 18.5 18.7 28.1#



Instrument :
BNA_M
ClientSampleId :
PB135174BSD

Manual Integrations
APPROVED

mohammad
3/17/2021 10:51:48 AM







#81
Benzo(a)anthracene
Concen: 41.70 ng
RT: 21.203 min Scan# 3097
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:228 Resp: 83017
Ion Ratio Lower Upper
228 100
226 25.5 21.1 31.7
229 19.4 15.7 23.5

Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Manual Integrations
APPROVED


mohammad
3/17/2021 10:51:48 AM



#82
3,3'-Dichlorobenzidine
Concen: 28.75 ng
RT: 21.144 min Scan# 3087
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:252 Resp: 19769
Ion Ratio Lower Upper
252 100
254 66.2 51.4 77.0
126 11.4 6.8 10.2#









#83
Chrysene
Concen: 41.25 ng
RT: 21.256 min Scan# 3106
Delta R.T. -0.006 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:228 Resp: 80029
Ion Ratio Lower Upper
228 100
226 28.9 23.4 35.0
229 19.6 15.7 23.5

Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Manual Integrations
APPROVED


mohammad
3/17/2021 10:51:48 AM




#84
Bis(2-ethylhexyl)phthalate
Concen: 48.15 ng
RT: 21.127 min Scan# 3084
Delta R.T. -0.012 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:149 Resp: 62856
Ion Ratio Lower Upper
149 100
167 26.1 22.7 34.1
279 3.3 4.0 6.0#









#85
Di-n-octyl phthalate
Concen: 48.76 ng
RT: 21.980 min Scan# 3229
Delta R.T. -0.012 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44





Tgt Ion:149 Resp: 107992
Ion Ratio Lower Upper
149 100
167 1.5 1.3 1.9
43 13.1 5.8 8.6#



#86
Perylene-d12
Concen: 20.00 ng
RT: 23.350 min Scan# 3462
Delta R.T. -0.018 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44




Tgt Ion:264 Resp: 28089
Ion Ratio Lower Upper
264 100
260 24.0 19.0 28.4
265 23.5 17.7 26.5



Instrument :
BNA_M
ClientSampleId :
PB135174BSD


Manual Integrations
APPROVED

mohammad
3/17/2021 10:51:48 AM



#87
 Indeno(1,2,3-cd)pyrene
 Concen: 45.31 ng
 RT: 25.485 min Scan# 3825
 Delta R.T. -0.024 min
 Lab File: BM029149.D
 Acq: 16 Mar 2021 14:44




Instrument :
 BNA_M
 ClientSampleId :
 PB135174BSD




Tgt Ion:276 Resp: 96049
 Ion Ratio Lower Upper
 276 100
 138 25.9 14.2 21.4#
 277 25.5 19.8 29.8

Manual Integrations
 APPROVED



mohammad
 3/17/2021 10:51:48 AM




#88
 Benzo(b)fluoranthene
 Concen: 41.90 ng
 RT: 22.721 min Scan# 3355
 Delta R.T. -0.012 min
 Lab File: BM029149.D
 Acq: 16 Mar 2021 14:44



Tgt Ion:252 Resp: 83141
 Ion Ratio Lower Upper
 252 100
 253 21.9 17.4 26.0
 125 9.0 5.7 8.5#









#89
Benzo(k)fluoranthene
Concen: 43.24 ng
RT: 22.762 min Scan# 3362
Delta R.T. -0.012 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44

Tgt Ion:252 Resp: 81503
Ion Ratio Lower Upper
252 100
253 22.3 17.4 26.0
125 9.6 5.6 8.4#

Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Manual Integrations
APPROVED


mohammad
3/17/2021 10:51:48 AM



#90
Benzo(a)pyrene
Concen: 41.78 ng
RT: 23.262 min Scan# 3447
Delta R.T. -0.018 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44


Tgt Ion:252 Resp: 75640
Ion Ratio Lower Upper
252 100
253 21.9 17.4 26.2
125 11.5 6.6 9.8#





#91
Dibenzo(a,h)anthracene
Concen: 44.53 ng
RT: 25.491 min Scan# 3826
Delta R.T. -0.018 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44




Instrument :
BNA_M
ClientSampleId :
PB135174BSD




Tgt Ion:278 Resp: 82025
Ion Ratio Lower Upper
278 100
139 15.7 9.0 13.6#
279 22.5 19.0 28.4

Manual Integrations
APPROVED

mohammad
3/17/2021 10:51:48 AM



#92
Benzo(g,h,i)perylene
Concen: 44.46 ng
RT: 26.138 min Scan# 3936
Delta R.T. -0.018 min
Lab File: BM029149.D
Acq: 16 Mar 2021 14:44



Tgt Ion:276 Resp: 79083
Ion Ratio Lower Upper
276 100
277 23.2 18.6 28.0
138 22.2 12.2 18.2#

