

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM080122\
 Data File : BM036041.D
 Acq On : 01 Aug 2022 21:43
 Operator : CG/JU
 Sample : PB146577BL
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB146577BL

Quant Time: Aug 02 07:45:43 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM080122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 01 17:50:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.869	152	268057	20.000	ng	0.00
21) Naphthalene-d8	10.675	136	1093211	20.000	ng	0.00
39) Acenaphthene-d10	14.504	164	630342	20.000	ng	0.00
64) Phenanthrene-d10	17.245	188	1245431	20.000	ng	0.00
76) Chrysene-d12	21.421	240	1015621	20.000	ng	0.00
86) Perylene-d12	23.786	264	949231	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.434	112	2341523	141.620	ng	0.00
7) Phenol-d6	7.040	99	2846031	135.280	ng	0.00
23) Nitrobenzene-d5	9.039	82	1779403	91.113	ng	0.00
42) 2,4,6-Tribromophenol	15.992	330	979608	132.474	ng	0.00
45) 2-Fluorobiphenyl	13.139	172	3963095	92.829	ng	0.00
79) Terphenyl-d14	19.868	244	5420675	105.275	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM080122\
Data File : BM036041.D
Acq On : 01 Aug 2022 21:43
Operator : CG/JU
Sample : PB146577BL
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB146577BL

Quant Time: Aug 02 07:45:43 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM080122.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 01 17:50:14 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.869 min Scan# 813
Delta R.T. -0.000 min
Lab File: BM036041.D
Acq: 01 Aug 2022 21:43




Instrument :
BNA_M
ClientSampleId :
PB146577BL


Tgt Ion:152 Resp: 268057
Ion Ratio Lower Upper
152 100
150 154.2 124.9 187.3
115 59.1 47.9 71.9



#5
2-Fluorophenol
Concen: 141.620 ng
RT: 5.434 min Scan# 399
Delta R.T. 0.006 min
Lab File: BM036041.D
Acq: 01 Aug 2022 21:43

Tgt Ion:112 Resp: 2341523
Ion Ratio Lower Upper
112 100
64 54.6 47.8 71.6
63 29.1 26.6 40.0









#7
Phenol-d6
Concen: 135.280 ng
RT: 7.040 min Scan# 61
Delta R.T. 0.000 min
Lab File: BM036041.D
Acq: 01 Aug 2022 21:43




Instrument :
BNA_M
ClientSampleId :
PB146577BL


Tgt Ion: 99 Resp: 2846031
Ion Ratio Lower Upper
99 100
42 17.2 18.8 28.2#
71 32.5 30.2 45.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.675 min Scan# 1290
Delta R.T. -0.000 min
Lab File: BM036041.D
Acq: 01 Aug 2022 21:43

Tgt Ion: 136 Resp: 1093211
Ion Ratio Lower Upper
136 100
137 10.9 8.9 13.3
54 7.3 7.0 10.4
68 5.6 4.3 6.5









#23
Nitrobenzene-d5
Concen: 91.113 ng
RT: 9.039 min Scan# 1012
Delta R.T. -0.000 min
Lab File: BM036041.D
Acq: 01 Aug 2022 21:43




Instrument :
BNA_M
ClientSampleId :
PB146577BL


Tgt Ion: 82 Resp: 1779403
Ion Ratio Lower Upper
82 100
128 45.8 33.7 50.5
54 47.4 43.2 64.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.504 min Scan# 1941
Delta R.T. -0.006 min
Lab File: BM036041.D
Acq: 01 Aug 2022 21:43

Tgt Ion:164 Resp: 630342
Ion Ratio Lower Upper
164 100
162 100.0 83.0 124.6
160 44.9 37.0 55.4









#42
2,4,6-Tribromophenol
Concen: 132.474 ng
RT: 15.992 min Scan# 2195
Delta R.T. -0.006 min
Lab File: BM036041.D
Acq: 01 Aug 2022 21:43




Instrument :
BNA_M
ClientSampleId :
PB146577BL


Tgt Ion:330 Resp: 979608
Ion Ratio Lower Upper
330 100
332 96.4 77.0 115.4
141 37.6 35.3 52.9



#45
2-Fluorobiphenyl
Concen: 92.829 ng
RT: 13.139 min Scan# 1709
Delta R.T. -0.000 min
Lab File: BM036041.D
Acq: 01 Aug 2022 21:43

Tgt Ion:172 Resp: 3963095
Ion Ratio Lower Upper
172 100
171 35.5 28.5 42.7
170 24.5 18.7 28.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.245 min Scan# 2408
Delta R.T. -0.006 min
Lab File: BM036041.D
Acq: 01 Aug 2022 21:43




Instrument :
BNA_M
ClientSampleId :
PB146577BL


Tgt Ion:188 Resp: 1245431
Ion Ratio Lower Upper
188 100
94 9.6 7.0 10.4
80 10.7 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.421 min Scan# 3117
Delta R.T. -0.006 min
Lab File: BM036041.D
Acq: 01 Aug 2022 21:43

Tgt Ion:240 Resp: 1015621
Ion Ratio Lower Upper
240 100
120 12.4 9.4 14.0
236 25.8 20.6 30.8









#79
 Terphenyl-d14
 Concen: 105.275 ng
 RT: 19.868 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BM036041.D
 Acq: 01 Aug 2022 21:43

Instrument :
 BNA_M
 ClientSampleId :
 PB146577BL

Tgt Ion:244 Resp: 5420675
 Ion Ratio Lower Upper
 244 100
 212 7.2 6.2 9.4
 122 12.0 8.3 12.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.786 min Scan# 3519
 Delta R.T. -0.006 min
 Lab File: BM036041.D
 Acq: 01 Aug 2022 21:43

Tgt Ion:264 Resp: 949231
 Ion Ratio Lower Upper
 264 100
 260 24.0 18.9 28.3
 265 21.5 17.5 26.3

