

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM081621\
 Data File : BM031754.D
 Acq On : 16 Aug 2021 17:09
 Operator : CG/JU
 Sample : PB138419TB
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB138419TB

Quant Time: Aug 16 17:51:07 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM081621.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 16 16:42:38 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.551	152	47974	20.000	ng	0.00
21) Naphthalene-d8	10.310	136	195095	20.000	ng	# 0.00
39) Acenaphthene-d10	14.186	164	131222	20.000	ng	0.00
64) Phenanthrene-d10	16.939	188	287887	20.000	ng	0.00
76) Chrysene-d12	21.144	240	289852	20.000	ng	0.00
86) Perylene-d12	23.291	264	280092	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.187	112	298860	99.985	ng	0.00
7) Phenol-d6	6.745	99	382446	88.300	ng	0.00
23) Nitrobenzene-d5	8.704	82	418626	89.845	ng	0.00
42) 2,4,6-Tribromophenol	15.692	330	134737	83.368	ng	0.00
45) 2-Fluorobiphenyl	12.804	172	887122	89.983	ng	0.00
79) Terphenyl-d14	19.592	244	1816133	105.569	ng	0.00
Target Compounds						
15) Benzyl Alcohol	7.863	79	7699	2.064	ng	# 52


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM081621\
Data File : BM031754.D
Acq On : 16 Aug 2021 17:09
Operator : CG/JU
Sample : PB138419TB
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB138419TB

Quant Time: Aug 16 17:51:07 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM081621.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 16 16:42:38 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.551 min Scan# 759
Delta R.T. 0.000 min
Lab File: BM031754.D
Acq: 16 Aug 2021 17:09




Instrument :
BNA_M
ClientSampleId :
PB138419TB


Tgt Ion:152 Resp: 47974
Ion Ratio Lower Upper
152 100
150 154.4 125.9 188.9
115 63.3 44.6 67.0



#5
2-Fluorophenol
Concen: 99.985 ng
RT: 5.187 min Scan# 357
Delta R.T. 0.000 min
Lab File: BM031754.D
Acq: 16 Aug 2021 17:09

Tgt Ion:112 Resp: 298860
Ion Ratio Lower Upper
112 100
64 63.2 47.1 70.7
63 38.7 27.3 40.9









#7
Phenol-d6
Concen: 88.300 ng
RT: 6.745 min Scan# 622
Delta R.T. -0.006 min
Lab File: BM031754.D
Acq: 16 Aug 2021 17:09




Instrument :
BNA_M
ClientSampleId :
PB138419TB


Tgt Ion: 99 Resp: 382446
Ion Ratio Lower Upper
99 100
42 26.3 18.0 27.0
71 46.0 30.9 46.3



#15
Benzyl Alcohol
Concen: 2.064 ng
RT: 7.863 min Scan# 812
Delta R.T. 0.059 min
Lab File: BM031754.D
Acq: 16 Aug 2021 17:09

Tgt Ion: 79 Resp: 7699
Ion Ratio Lower Upper
79 100
108 48.2 57.0 85.4#
77 123.9 54.6 81.8#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.310 min Scan# 1228
Delta R.T. -0.006 min
Lab File: BM031754.D
Acq: 16 Aug 2021 17:09




Instrument :
BNA_M
ClientSampleId :
PB138419TB


Tgt Ion:136	Resp:	195095
Ion Ratio	Lower	Upper
136	100	
137	10.6	8.4 12.6
54	8.9	5.5 8.3#
68	5.0	4.2 6.2



#23
Nitrobenzene-d5
Concen: 89.845 ng
RT: 8.704 min Scan# 955
Delta R.T. 0.000 min
Lab File: BM031754.D
Acq: 16 Aug 2021 17:09

Tgt Ion: 82	Resp:	418626
Ion Ratio	Lower	Upper
82	100	
128	36.8	31.1 46.7
54	55.9	37.3 55.9









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.186 min Scan# 1887
Delta R.T. -0.006 min
Lab File: BM031754.D
Acq: 16 Aug 2021 17:09




Instrument :
BNA_M
ClientSampleId :
PB138419TB


Tgt Ion:164 Resp: 131222
Ion Ratio Lower Upper
164 100
162 103.7 83.4 125.0
160 45.3 37.2 55.8



#42
2,4,6-Tribromophenol
Concen: 83.368 ng
RT: 15.692 min Scan# 2143
Delta R.T. 0.000 min
Lab File: BM031754.D
Acq: 16 Aug 2021 17:09


Tgt Ion:330 Resp: 134737
Ion Ratio Lower Upper
330 100
332 96.6 77.0 115.4
141 60.2 30.2 45.2#








#45
2-Fluorobiphenyl
Concen: 89.983 ng
RT: 12.804 min Scan# 1652
Delta R.T. 0.000 min
Lab File: BM031754.D
Acq: 16 Aug 2021 17:09

Instrument :
BNA_M
ClientSampleId :
PB138419TB







Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.2	28.6	43.0
170	22.7	18.4	27.6



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.939 min Scan# 2355
Delta R.T. -0.006 min
Lab File: BM031754.D
Acq: 16 Aug 2021 17:09

Tgt Ion	Ratio	Lower	Upper
188	100		
94	7.6	6.0	9.0
80	8.9	6.6	9.8









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.144 min Scan# 3070
Delta R.T. 0.000 min
Lab File: BM031754.D
Acq: 16 Aug 2021 17:09




Instrument :
BNA_M
ClientSampleId :
PB138419TB


Tgt Ion:240 Resp: 289852
Ion Ratio Lower Upper
240 100
120 8.3 7.0 10.6
236 26.3 21.0 31.4



#79
Terphenyl-d14
Concen: 105.569 ng
RT: 19.592 min Scan# 2806
Delta R.T. 0.000 min
Lab File: BM031754.D
Acq: 16 Aug 2021 17:09

Tgt Ion:244 Resp: 1816133
Ion Ratio Lower Upper
244 100
212 7.8 6.3 9.5
122 10.3 6.9 10.3





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.291 min Scan# 3435
 Delta R.T. -0.006 min
 Lab File: BM031754.D
 Acq: 16 Aug 2021 17:09

Instrument :
 BNA_M
 ClientSampleId :
 PB138419TB

Tgt Ion:264 Resp: 280092
 Ion Ratio Lower Upper
 264 100
 260 23.6 19.8 29.8
 265 21.3 17.7 26.5

