

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM081621\
 Data File : BM031768.D
 Acq On : 17 Aug 2021 01:49
 Operator : CG/JU
 Sample : M3408-09
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 33S

Quant Time: Aug 17 03:11:38 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM081621.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 16 16:42:38 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.551	152	33177	20.000	ng	0.00
21) Naphthalene-d8	10.310	136	132884	20.000	ng	# 0.00
39) Acenaphthene-d10	14.186	164	86905	20.000	ng	0.00
64) Phenanthrene-d10	16.939	188	192149	20.000	ng	0.00
76) Chrysene-d12	21.139	240	202498	20.000	ng	0.00
86) Perylene-d12	23.286	264	203780	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.187	112	274595	132.840	ng	0.00
7) Phenol-d6	6.745	99	322045	107.517	ng	0.00
23) Nitrobenzene-d5	8.704	82	267516	84.293	ng	0.00
42) 2,4,6-Tribromophenol	15.692	330	144749	135.235	ng	0.00
45) 2-Fluorobiphenyl	12.798	172	524088	80.268	ng	0.00
79) Terphenyl-d14	19.586	244	1128708	93.913	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM081621\
Data File : BM031768.D
Acq On : 17 Aug 2021 01:49
Operator : CG/JU
Sample : M3408-09
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
33S

Quant Time: Aug 17 03:11:38 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM081621.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 16 16:42:38 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.551 min Scan# 759
Delta R.T. 0.000 min
Lab File: BM031768.D
Acq: 17 Aug 2021 01:49




Instrument :
BNA_M
ClientSampled :
33S


Tgt Ion:152 Resp: 33177
Ion Ratio Lower Upper
152 100
150 154.3 125.9 188.9
115 65.9 44.6 67.0



#5
2-Fluorophenol
Concen: 132.840 ng
RT: 5.187 min Scan# 357
Delta R.T. 0.000 min
Lab File: BM031768.D
Acq: 17 Aug 2021 01:49

Tgt Ion:112 Resp: 274595
Ion Ratio Lower Upper
112 100
64 63.8 47.1 70.7
63 40.8 27.3 40.9









#7
Phenol-d6
Concen: 107.517 ng
RT: 6.745 min Scan# 622
Delta R.T. -0.006 min
Lab File: BM031768.D
Acq: 17 Aug 2021 01:49

Instrument :
BNA_M
ClientSampleId :
33S

Tgt Ion: 99 Resp: 322045




Ion	Ratio	Lower	Upper
99	100		
42	29.1	18.0	27.0#
71	49.2	30.9	46.3#




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.310 min Scan# 1228
Delta R.T. -0.006 min
Lab File: BM031768.D
Acq: 17 Aug 2021 01:49

Tgt Ion: 136 Resp: 132884

Ion	Ratio	Lower	Upper
136	100		
137	10.6	8.4	12.6
54	8.8	5.5	8.3#
68	4.6	4.2	6.2









#23
Nitrobenzene-d5
Concen: 84.293 ng
RT: 8.704 min Scan# 955
Delta R.T. 0.000 min
Lab File: BM031768.D
Acq: 17 Aug 2021 01:49




Instrument :
BNA_M
ClientSampled :
33S


Tgt Ion: 82 Resp: 267516
Ion Ratio Lower Upper
82 100
128 36.9 31.1 46.7
54 57.4 37.3 55.9#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.186 min Scan# 1887
Delta R.T. -0.006 min
Lab File: BM031768.D
Acq: 17 Aug 2021 01:49

Tgt Ion: 164 Resp: 86905
Ion Ratio Lower Upper
164 100
162 103.9 83.4 125.0
160 43.7 37.2 55.8









#42
2,4,6-Tribromophenol
Concen: 135.235 ng
RT: 15.692 min Scan# 2143
Delta R.T. 0.000 min
Lab File: BM031768.D
Acq: 17 Aug 2021 01:49




Instrument :
BNA_M
ClientSampled :
33S


Tgt Ion:330 Resp: 144749
Ion Ratio Lower Upper
330 100
332 96.0 77.0 115.4
141 60.9 30.2 45.2#



#45
2-Fluorobiphenyl
Concen: 80.268 ng
RT: 12.798 min Scan# 1651
Delta R.T. -0.006 min
Lab File: BM031768.D
Acq: 17 Aug 2021 01:49

Tgt Ion:172 Resp: 524088
Ion Ratio Lower Upper
172 100
171 34.2 28.6 43.0
170 23.6 18.4 27.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.939 min Scan# 2355
Delta R.T. -0.006 min
Lab File: BM031768.D
Acq: 17 Aug 2021 01:49

Instrument :
BNA_M
ClientSampled :
33S

Tgt Ion:188 Resp: 192149




Ion	Ratio	Lower	Upper
188	100		
94	7.6	6.0	9.0
80	8.3	6.6	9.8




#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.139 min Scan# 3069
Delta R.T. -0.006 min
Lab File: BM031768.D
Acq: 17 Aug 2021 01:49

Tgt Ion:240 Resp: 202498

Ion	Ratio	Lower	Upper
240	100		
120	8.0	7.0	10.6
236	24.8	21.0	31.4









#79
Terphenyl-d14
Concen: 93.913 ng
RT: 19.586 min Scan# 2805
Delta R.T. -0.006 min
Lab File: BM031768.D
Acq: 17 Aug 2021 01:49

Instrument :
BNA_M
ClientSampled :
33S

Tgt Ion:244 Resp: 1128708
Ion Ratio Lower Upper
244 100
212 8.4 6.3 9.5
122 10.4 6.9 10.3#



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.286 min Scan# 3434
Delta R.T. -0.012 min
Lab File: BM031768.D
Acq: 17 Aug 2021 01:49

Tgt Ion:264 Resp: 203780
Ion Ratio Lower Upper
264 100
260 24.4 19.8 29.8
265 22.6 17.7 26.5

