

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM081721\
 Data File : BM031786.D
 Acq On : 17 Aug 2021 17:56
 Operator : CG/JU
 Sample : M3424-03
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 18N

Quant Time: Aug 18 02:24:00 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM081621.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 16 16:42:38 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.545	152	34627	20.000	ng	# 0.00
21) Naphthalene-d8	10.310	136	139055	20.000	ng	# 0.00
39) Acenaphthene-d10	14.186	164	88297	20.000	ng	0.00
64) Phenanthrene-d10	16.939	188	192293	20.000	ng	0.00
76) Chrysene-d12	21.133	240	208005	20.000	ng	-0.01
86) Perylene-d12	23.286	264	191286	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.187	112	315003	146.007	ng	0.00
7) Phenol-d6	6.745	99	355437	113.696	ng	0.00
23) Nitrobenzene-d5	8.698	82	302565	91.106	ng	0.00
42) 2,4,6-Tribromophenol	15.686	330	150364	138.266	ng	0.00
45) 2-Fluorobiphenyl	12.798	172	596428	89.907	ng	0.00
79) Terphenyl-d14	19.586	244	1194447	96.752	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM081721\
Data File : BM031786.D
Acq On : 17 Aug 2021 17:56
Operator : CG/JU
Sample : M3424-03
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
18N

Quant Time: Aug 18 02:24:00 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM081621.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 16 16:42:38 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.545 min Scan# 758
Delta R.T. -0.006 min
Lab File: BM031786.D
Acq: 17 Aug 2021 17:56




Instrument :
BNA_M
ClientSampleId :
18N


Tgt Ion:152 Resp: 34627
Ion Ratio Lower Upper
152 100
150 154.1 125.9 188.9
115 68.0 44.6 67.0#



#5
2-Fluorophenol
Concen: 146.007 ng
RT: 5.187 min Scan# 357
Delta R.T. 0.000 min
Lab File: BM031786.D
Acq: 17 Aug 2021 17:56

Tgt Ion:112 Resp: 315003
Ion Ratio Lower Upper
112 100
64 61.3 47.1 70.7
63 39.0 27.3 40.9









#7
Phenol-d6
Concen: 113.696 ng
RT: 6.745 min Scan# 622
Delta R.T. -0.006 min
Lab File: BM031786.D
Acq: 17 Aug 2021 17:56




Instrument :
BNA_M
ClientSampled :
18N

Tgt Ion: 99 Resp: 355437
Ion Ratio Lower Upper
99 100
42 28.1 18.0 27.0#
71 47.1 30.9 46.3#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.310 min Scan# 1228
Delta R.T. -0.006 min
Lab File: BM031786.D
Acq: 17 Aug 2021 17:56

Tgt Ion: 136 Resp: 139055
Ion Ratio Lower Upper
136 100
137 10.9 8.4 12.6
54 8.4 5.5 8.3#
68 4.2 4.2 6.2









#23
Nitrobenzene-d5
Concen: 91.106 ng
RT: 8.698 min Scan# 954
Delta R.T. -0.006 min
Lab File: BM031786.D
Acq: 17 Aug 2021 17:56




Instrument :
BNA_M
ClientSampled :
18N


Tgt Ion: 82 Resp: 302565
Ion Ratio Lower Upper
82 100
128 36.7 31.1 46.7
54 57.1 37.3 55.9#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.186 min Scan# 1887
Delta R.T. -0.006 min
Lab File: BM031786.D
Acq: 17 Aug 2021 17:56

Tgt Ion: 164 Resp: 88297
Ion Ratio Lower Upper
164 100
162 104.2 83.4 125.0
160 43.5 37.2 55.8









#42
2,4,6-Tribromophenol
Concen: 138.266 ng
RT: 15.686 min Scan# 2142
Delta R.T. -0.006 min
Lab File: BM031786.D
Acq: 17 Aug 2021 17:56




Instrument :
BNA_M
ClientSampled :
18N


Tgt Ion:330 Resp: 150364
Ion Ratio Lower Upper
330 100
332 96.6 77.0 115.4
141 60.5 30.2 45.2#



#45
2-Fluorobiphenyl
Concen: 89.907 ng
RT: 12.798 min Scan# 1651
Delta R.T. -0.006 min
Lab File: BM031786.D
Acq: 17 Aug 2021 17:56

Tgt Ion:172 Resp: 596428
Ion Ratio Lower Upper
172 100
171 35.4 28.6 43.0
170 23.4 18.4 27.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.939 min Scan# 2355
Delta R.T. -0.006 min
Lab File: BM031786.D
Acq: 17 Aug 2021 17:56




Instrument :
BNA_M
ClientSampled :
18N


Tgt Ion:188 Resp: 192293
Ion Ratio Lower Upper
188 100
94 6.5 6.0 9.0
80 8.0 6.6 9.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.133 min Scan# 3068
Delta R.T. -0.012 min
Lab File: BM031786.D
Acq: 17 Aug 2021 17:56

Tgt Ion:240 Resp: 208005
Ion Ratio Lower Upper
240 100
120 9.1 7.0 10.6
236 26.1 21.0 31.4









#79
 Terphenyl-d14
 Concen: 96.752 ng
 RT: 19.586 min Scan# 2805
 Delta R.T. -0.006 min
 Lab File: BM031786.D
 Acq: 17 Aug 2021 17:56

Instrument :
 BNA_M
 ClientSampled :
 18N

Tgt Ion:244 Resp: 1194447
 Ion Ratio Lower Upper
 244 100
 212 8.1 6.3 9.5
 122 10.1 6.9 10.3



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.286 min Scan# 3434
 Delta R.T. -0.012 min
 Lab File: BM031786.D
 Acq: 17 Aug 2021 17:56

Tgt Ion:264 Resp: 191286
 Ion Ratio Lower Upper
 264 100
 260 23.4 19.8 29.8
 265 21.9 17.7 26.5

