

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM081721\
 Data File : BM031797.D
 Acq On : 18 Aug 2021 00:45
 Operator : CG/JU
 Sample : M3425-21
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 23S

Quant Time: Aug 18 02:49:31 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM081621.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 16 16:42:38 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.545	152	29484	20.000	ng	# 0.00
21) Naphthalene-d8	10.304	136	111574	20.000	ng	#-0.01
39) Acenaphthene-d10	14.180	164	70957	20.000	ng	-0.01
64) Phenanthrene-d10	16.933	188	153991	20.000	ng	-0.01
76) Chrysene-d12	21.133	240	146184	20.000	ng	-0.01
86) Perylene-d12	23.280	264	135165	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.187	112	333676	181.641	ng	0.00
7) Phenol-d6	6.745	99	377681	141.885	ng	0.00
23) Nitrobenzene-d5	8.698	82	301903	113.297	ng	0.00
42) 2,4,6-Tribromophenol	15.686	330	146067	167.138	ng	0.00
45) 2-Fluorobiphenyl	12.798	172	602463	113.010	ng	0.00
79) Terphenyl-d14	19.586	244	1144761	131.941	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM081721\
Data File : BM031797.D
Acq On : 18 Aug 2021 00:45
Operator : CG/JU
Sample : M3425-21
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
23S

Quant Time: Aug 18 02:49:31 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM081621.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 16 16:42:38 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.545 min Scan# 758
Delta R.T. -0.006 min
Lab File: BM031797.D
Acq: 18 Aug 2021 00:45




Instrument :
BNA_M
ClientSampleId :
23S


Tgt Ion:152 Resp: 29484
Ion Ratio Lower Upper
152 100
150 157.7 125.9 188.9
115 67.1 44.6 67.0#



#5
2-Fluorophenol
Concen: 181.641 ng
RT: 5.187 min Scan# 357
Delta R.T. -0.000 min
Lab File: BM031797.D
Acq: 18 Aug 2021 00:45

Tgt Ion:112 Resp: 333676
Ion Ratio Lower Upper
112 100
64 61.8 47.1 70.7
63 41.1 27.3 40.9#









#7
Phenol-d6
Concen: 141.885 ng
RT: 6.745 min Scan# 622
Delta R.T. -0.006 min
Lab File: BM031797.D
Acq: 18 Aug 2021 00:45




Instrument :
BNA_M
ClientSampleId :
23S


Tgt Ion: 99 Resp: 377681
Ion Ratio Lower Upper
99 100
42 29.8 18.0 27.0#
71 51.5 30.9 46.3#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.304 min Scan# 1227
Delta R.T. -0.012 min
Lab File: BM031797.D
Acq: 18 Aug 2021 00:45

Tgt Ion: 136 Resp: 111574
Ion Ratio Lower Upper
136 100
137 11.3 8.4 12.6
54 7.7 5.5 8.3
68 4.0 4.2 6.2#









#23
Nitrobenzene-d5
Concen: 113.297 ng
RT: 8.698 min Scan# 954
Delta R.T. -0.006 min
Lab File: BM031797.D
Acq: 18 Aug 2021 00:45




Instrument :
BNA_M
ClientSampled :
23S


Tgt Ion: 82 Resp: 301903
Ion Ratio Lower Upper
82 100
128 35.5 31.1 46.7
54 59.2 37.3 55.9#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.180 min Scan# 1886
Delta R.T. -0.012 min
Lab File: BM031797.D
Acq: 18 Aug 2021 00:45

Tgt Ion: 164 Resp: 70957
Ion Ratio Lower Upper
164 100
162 97.2 83.4 125.0
160 44.7 37.2 55.8









#42
2,4,6-Tribromophenol
Concen: 167.138 ng
RT: 15.686 min Scan# 2142
Delta R.T. -0.006 min
Lab File: BM031797.D
Acq: 18 Aug 2021 00:45




Instrument :
BNA_M
ClientSampled :
23S


Tgt Ion:330 Resp: 146067
Ion Ratio Lower Upper
330 100
332 95.0 77.0 115.4
141 64.1 30.2 45.2#



#45
2-Fluorobiphenyl
Concen: 113.010 ng
RT: 12.798 min Scan# 1651
Delta R.T. -0.006 min
Lab File: BM031797.D
Acq: 18 Aug 2021 00:45

Tgt Ion:172 Resp: 602463
Ion Ratio Lower Upper
172 100
171 35.0 28.6 43.0
170 23.7 18.4 27.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.933 min Scan# 2354
Delta R.T. -0.012 min
Lab File: BM031797.D
Acq: 18 Aug 2021 00:45




Instrument :
BNA_M
ClientSampled :
23S


Tgt Ion:188	Resp: 153991
Ion Ratio	Lower Upper
188 100	
94 6.0	6.0 9.0
80 7.7	6.6 9.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.133 min Scan# 3068
Delta R.T. -0.012 min
Lab File: BM031797.D
Acq: 18 Aug 2021 00:45

Tgt Ion:240	Resp: 146184
Ion Ratio	Lower Upper
240 100	
120 7.3	7.0 10.6
236 24.7	21.0 31.4









#79
Terphenyl-d14
Concen: 131.941 ng
RT: 19.586 min Scan# 2805
Delta R.T. -0.006 min
Lab File: BM031797.D
Acq: 18 Aug 2021 00:45

Instrument :
BNA_M
ClientSampled :
23S

Tgt Ion:244 Resp: 1144761
Ion Ratio Lower Upper
244 100
212 8.2 6.3 9.5
122 9.0 6.9 10.3



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.280 min Scan# 3433
Delta R.T. -0.018 min
Lab File: BM031797.D
Acq: 18 Aug 2021 00:45

Tgt Ion:264 Resp: 135165
Ion Ratio Lower Upper
264 100
260 22.7 19.8 29.8
265 21.7 17.7 26.5

