

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082218\
 Data File : BM016527.D
 Acq On : 22 Aug 2018 20:21
 Operator : SJ/JU
 Sample : J4545-02
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Aug 23 02:40:12 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM082118.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 21 16:31:22 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.02	152	104672	20.00	ng	0.00
21) Naphthalene-d8	10.83	136	312335	20.00	ng	0.00
38) Acenaphthene-d10	14.66	164	236622	20.00	ng	-0.01
63) Phenanthrene-d10	17.40	188	791073	20.00	ng	0.00
75) Chrysene-d12	21.54	240	1066506	20.00	ng	0.00
86) Perylene-d12	23.83	264	1234199	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.56	112	709832	132.89	ng	0.00
7) Phenol-d6	7.19	99	732674	103.66	ng	0.00
23) Nitrobenzene-d5	9.20	82	826605	120.84	ng	0.00
41) 2,4,6-Tribromophenol	16.15	330	1290947	195.17	ng	0.00
44) 2-Fluorobiphenyl	13.27	172	2878516	116.93	ng	0.00
78) Terphenyl-d14	19.99	244	7633442	151.49	ng	0.00
Target Compounds						
15) Benzyl Alcohol	8.33	79	19695	3.000	ng	Qvalue # 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082218\
Data File : BM016527.D
Acq On : 22 Aug 2018 20:21
Operator : SJ/JU
Sample : J4545-02
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Aug 23 02:40:12 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM082118.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 21 16:31:22 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.02 min Scan# 805
Delta R.T. 0.00 min
Lab File: BM016527.D
Acq: 22 Aug 2018 20:21

Instrument :
BNA_M
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
152	100		
150	135.2	119.5	179.3
115	59.4	43.0	64.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: Below ng
RT: 5.56 min Scan# 386
Delta R.T. 0.00 min
Lab File: BM016527.D
Acq: 22 Aug 2018 20:21

Tgt Ion	Ratio	Lower	Upper
112	100		
64	52.7	38.6	57.8
63	42.4	19.3	28.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: N.D. ng

RT: 7.19 min Scan# 664

Delta R.T. -0.01 min

Lab File: BM016527.D

Acq: 22 Aug 2018 20:21

Instrument :

BNA_M

ClientSampleId :


Tot Ion: 99 Resp: 732674

Ion Ratio Lower Upper

99 100

42 23.0 11.0 16.4#

71 67.9 23.4 35.2#






Abundance Ion 99.00 (98.70 to 99.70): BM016484.D (-657) (-)

Ion 42.00 (41.70 to 42.70): BM016484.D (-657) (-)

Ion 71.00 (70.70 to 71.70): BM016484.D (-657) (-)

Time--> 7.10 7.15 7.20 7.25 7.30



#15

Benzyl Alcohol

Concen: 3.000 ng

RT: 8.33 min Scan# 858

Delta R.T. 0.05 min

Lab File: BM016527.D

Acq: 22 Aug 2018 20:21


Tgt Ion: 79 Resp: 19695

Ion Ratio Lower Upper

79 100

108 105.2 65.0 97.4#

77 237.4 53.0 79.6#






Abundance Ion 79.00 (78.70 to 79.70): BM016484.D (-843) (-)

Ion 108.00 (107.70 to 108.70): BM016484.D (-843) (-)

Ion 77.00 (76.70 to 77.70): BM016484.D (-843) (-)

Time--> 8.30 8.35









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.83 min Scan# 1282
Delta R.T. 0.00 min
Lab File: BM016527.D
Acq: 22 Aug 2018 20:21




Instrument :
BNA_M
ClientSampled :


Tot Ion:	136	Resp:	312335
Ion	Ratio	Lower	Upper
136	100		
137	10.7	8.7	13.1
54	8.9	4.6	6.8#
68	3.1	3.7	5.5#



#23
Nitrobenzene-d5
Concen: N.D. ng
RT: 9.20 min Scan# 1006
Delta R.T. -0.01 min
Lab File: BM016527.D
Acq: 22 Aug 2018 20:21

Tgt Ion:	82	Resp:	826605
Ion	Ratio	Lower	Upper
82	100		
128	34.0	32.8	49.2
54	38.3	40.6	60.8#









#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.66 min Scan# 1933
Delta R.T. -0.01 min
Lab File: BM016527.D
Acq: 22 Aug 2018 20:21




Instrument :
BNA_M
ClientSampleId :


Tot Ion	Ratio	Lower	Upper
164	100		
162	108.8	82.4	123.6
160	46.7	35.8	53.6



#41
2,4,6-Tribromophenol
Concen: N.D. ng
RT: 16.15 min Scan# 2187
Delta R.T. -0.01 min
Lab File: BM016527.D
Acq: 22 Aug 2018 20:21

Tgt Ion	Ratio	Lower	Upper
330	100		
332	95.5	0.0	0.0#
141	34.2	0.0	0.0#









#44
2-Fluorobiphenyl
Concen: N.D. ng
RT: 13.27 min Scan# 1698
Delta R.T. -0.01 min
Lab File: BM016527.D
Acq: 22 Aug 2018 20:21




Instrument :
BNA_M
ClientSampled :


Tot Ion:172 Resp: 2878516
Ion Ratio Lower Upper
172 100
171 35.8 28.5 42.7
170 23.8 18.8 28.2



#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.40 min Scan# 2400
Delta R.T. 0.00 min
Lab File: BM016527.D
Acq: 22 Aug 2018 20:21

Tgt Ion:188 Resp: 791073
Ion Ratio Lower Upper
188 100
94 2.6 8.7 13.1#
80 3.6 9.3 13.9#





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.54 min Scan# 3104

Delta R.T. 0.00 min

Lab File: BM016527.D

Acq: 22 Aug 2018 20:21


Instrument :

BNA_M

ClientSampleId :

Tot Ion:240 Resp: 1066506

Ion	Ratio	Lower	Upper
240	100		
120	2.7	8.2	12.2#
236	27.1	20.0	30.0






Abundance

Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: Below ng

RT: 19.99 min Scan# 2840


Delta R.T. -0.01 min

Lab File: BM016527.D

Acq: 22 Aug 2018 20:21

Tgt Ion:244 Resp: 7633442

Ion	Ratio	Lower	Upper
244	100		
212	9.1	4.9	7.3#
122	3.3	6.2	9.4#






Abundance

Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 23.83 min Scan# 3493
 Delta R.T. -0.01 min
 Lab File: BM016527.D
 Acq: 22 Aug 2018 20:21

Instrument :
 BNA_M
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	25.9	18.6	27.8
265	22.6	17.3	25.9

