

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082218\
 Data File : BM016529.D
 Acq On : 22 Aug 2018 21:34
 Operator : SJ/JU
 Sample : J4573-08
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 T26-COMP

Quant Time: Aug 23 03:47:01 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM082118.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 21 16:31:22 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.02	152	101844	20.00	ng	0.00
21) Naphthalene-d8	10.83	136	327501	20.00	ng	0.00
38) Acenaphthene-d10	14.66	164	242703	20.00	ng	-0.01
63) Phenanthrene-d10	17.40	188	840082	20.00	ng	0.00
75) Chrysene-d12	21.54	240	1112203	20.00	ng	0.00
86) Perylene-d12	23.83	264	1277738	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.56	112	742354	142.84	ng	0.00
7) Phenol-d6	7.19	99	789736	114.83	ng	0.00
23) Nitrobenzene-d5	9.20	82	842804	117.50	ng	0.00
41) 2,4,6-Tribromophenol	16.15	330	1542063	227.29	ng	0.00
44) 2-Fluorobiphenyl	13.27	172	2957499	117.13	ng	0.00
78) Terphenyl-d14	19.99	244	9163599	174.39	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM082218\
Data File : BM016529.D
Acq On : 22 Aug 2018 21:34
Operator : SJ/JU
Sample : J4573-08
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
T26-COMP

Quant Time: Aug 23 03:47:01 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM082118.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 21 16:31:22 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.02 min Scan# 804
Delta R.T. -0.01 min
Lab File: BM016529.D
Acq: 22 Aug 2018 21:34

Instrument :
BNA_M
ClientSampleId :
T26-COMP

Tot Ion	Ratio	Lower	Upper
152	100		
150	148.8	119.5	179.3
115	53.8	43.0	64.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 142.837 ng
RT: 5.56 min Scan# 386
Delta R.T. 0.00 min
Lab File: BM016529.D
Acq: 22 Aug 2018 21:34

Tgt Ion	Ratio	Lower	Upper
112	100		
64	55.8	38.6	57.8
63	43.0	19.3	28.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 114.831 ng

RT: 7.19 min Scan# 664

Delta R.T. -0.01 min

Lab File: BM016529.D

Acq: 22 Aug 2018 21:34

Instrument :

BNA_M

ClientSampleId :

T26-COMP


Tot Ion: 99 Resp: 789736

Ion Ratio Lower Upper

99 100

42 25.7 11.0 16.4#




71 68.4 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM016529.D (-648) (-)

Ion 42.00 (41.70 to 42.70): BM016529.D (-648) (-)

Ion 71.00 (70.70 to 71.70): BM016529.D (-648) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.83 min Scan# 1282

Delta R.T. 0.00 min

Lab File: BM016529.D

Acq: 22 Aug 2018 21:34

Tgt Ion: 136 Resp: 327501


Ion Ratio Lower Upper

136 100

137 11.2 8.7 13.1

54 6.7 4.6 6.8

68 2.9 3.7 5.5#






Abundance Ion 136.00 (135.70 to 136.70): BM016529.D (-1265) (-)

Ion 137.00 (136.70 to 137.70): BM016529.D (-1265) (-)

Ion 54.00 (53.70 to 54.70): BM016529.D (-1265) (-)

Ion 68.00 (67.70 to 68.70): BM016529.D (-1265) (-)








#23
Nitrobenzene-d5
Concen: 117.501 ng
RT: 9.20 min Scan# 1006
Delta R.T. -0.01 min
Lab File: BM016529.D
Acq: 22 Aug 2018 21:34




Instrument :
BNA_M
ClientSampleId :
T26-COMP

Tot Ion	82	Resp	842804
Ion Ratio	Lower	Upper	
82	100		
128	31.8	32.8	49.2#
54	40.1	40.6	60.8#



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.66 min Scan# 1933
Delta R.T. -0.01 min
Lab File: BM016529.D
Acq: 22 Aug 2018 21:34

Tgt Ion	164	Resp	242703
Ion Ratio	Lower	Upper	
164	100		
162	103.6	82.4	123.6
160	46.3	35.8	53.6








#41
2,4,6-Tribromophenol
Concen: 227.289 ng
RT: 16.15 min Scan# 2187
Delta R.T. -0.01 min
Lab File: BM016529.D
Acq: 22 Aug 2018 21:34

Instrument :
BNA_M
ClientSampleId :
T26-COMP

Tot Ion:330 Resp: 1542063
Ion Ratio Lower Upper
330 100
332 96.7 0.0 0.0#
141 33.4 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E






#44
2-Fluorobiphenyl
Concen: 117.132 ng
RT: 13.27 min Scan# 1698
Delta R.T. -0.01 min
Lab File: BM016529.D
Acq: 22 Aug 2018 21:34

Tgt Ion:172 Resp: 2957499
Ion Ratio Lower Upper
172 100
171 35.4 28.5 42.7
170 23.5 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.40 min Scan# 2399

Delta R.T. -0.01 min

Lab File: BM016529.D

Acq: 22 Aug 2018 21:34

Instrument :

BNA_M

ClientSampleId :

T26-COMP


Tot Ion:188 Resp: 840082

Ion Ratio Lower Upper

188 100

94 3.1 8.7 13.1#




80 3.2 9.3 13.9#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM

Ion 80.00 (79.70 to 80.70): BM



#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.54 min Scan# 3104

Delta R.T. 0.00 min

Lab File: BM016529.D

Acq: 22 Aug 2018 21:34


Tgt Ion:240 Resp: 1112203

Ion Ratio Lower Upper

240 100

120 2.5 8.2 12.2#



236 28.9 20.0 30.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 174.387 ng

RT: 19.99 min Scan# 2840

Delta R.T. -0.01 min

Lab File: BM016529.D

Acq: 22 Aug 2018 21:34

Instrument :


BNA_M

ClientSampleId :

T26-COMP

Tot Ion:244 Resp: 9163599




Ion	Ratio	Lower	Upper
244	100		
212	9.8	4.9	7.3#
122	3.3	6.2	9.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.83 min Scan# 3493


Delta R.T. -0.01 min

Lab File: BM016529.D

Acq: 22 Aug 2018 21:34

Tgt Ion:264 Resp: 1277738

Ion	Ratio	Lower	Upper
264	100		
260	24.7	18.6	27.8
265	20.7	17.3	25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

