

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM090220\
 Data File : BM027307.D
 Acq On : 02 Sep 2020 17:13
 Operator : JU/CG
 Sample : PB131374BL
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB131374BL

Quant Time: Sep 02 17:51:12 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM090220.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 02 16:21:29 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.57	152	142890	20.00	ng	0.00
21) Naphthalene-d8	10.35	136	522824	20.00	ng	0.00
39) Acenaphthene-d10	14.22	164	364477	20.00	ng	0.00
64) Phenanthrene-d10	16.96	188	827573	20.00	ng	0.00
76) Chrysene-d12	21.16	240	878465	20.00	ng	0.00
86) Perylene-d12	23.34	264	893314	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.20	112	1307604	152.35	ng	0.00
7) Phenol-d6	6.77	99	1673014	144.45	ng	0.00
23) Nitrobenzene-d5	8.72	82	1317354	107.64	ng	0.00
42) 2,4,6-Tribromophenol	15.72	330	936411	146.53	ng	0.00
45) 2-Fluorobiphenyl	12.84	172	2873339	104.84	ng	0.00
79) Terphenyl-d14	19.62	244	5657457	112.09	ng	0.00
Target Compounds						
80) Butylbenzylphthalate	20.33	149	698	3.931	ng	# 61
82) 3,3'-Dichlorobenzidine	21.08	252	407	3.400	ng	# 25


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM090220\
Data File : BM027307.D
Acq On : 02 Sep 2020 17:13
Operator : JU/CG
Sample : PB131374BL
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB131374BL

Quant Time: Sep 02 17:51:12 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM090220.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 02 16:21:29 2020
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 7.57 min Scan# 780

Delta R.T. 0.00 min

Lab File: BM027307.D

Acq: 02 Sep 2020 17:13

Instrument :

BNA_M

ClientSampleId :

PB131374BL


Tot Ion:152 Resp: 142890

Ion Ratio Lower Upper

152 100

150 154.7 120.6 181.0




115 61.9 47.2 70.8



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 152.354 ng

RT: 5.20 min Scan# 377

Delta R.T. 0.01 min

Lab File: BM027307.D

Acq: 02 Sep 2020 17:13


Tgt Ion:112 Resp: 1307604

Ion Ratio Lower Upper

112 100

64 61.2 50.6 76.0



63 35.5 31.0 46.6




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 144.450 ng

RT: 6.77 min Scan# 643

Delta R.T. 0.00 min

Lab File: BM027307.D

Acq: 02 Sep 2020 17:13

Instrument :

BNA_M

ClientSampleId :

PB131374BL


Tot Ion: 99 Resp: 1673014

Ion Ratio Lower Upper

99 100

42 16.1 13.5 20.3

71 46.8 39.4 59.0



Abundance Ion 99.00 (98.70 to 99.70): BM027307.D (-592) (-)

Ion 42.00 (41.70 to 42.70): BM027307.D (-592) (-)

Ion 71.00 (70.70 to 71.70): BM027307.D (-592) (-)

1500000



1000000

500000

0

6.70 6.75 6.80 6.85

Time-->



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.35 min Scan# 1251

Delta R.T. -0.01 min

Lab File: BM027307.D

Acq: 02 Sep 2020 17:13

Tgt Ion: 136 Resp: 522824


Ion Ratio Lower Upper

136 100

137 10.5 8.6 12.8

54 5.8 4.6 7.0

68 5.3 4.1 6.1



Abundance Ion 136.00 (135.70 to 136.70): BM027307.D (-1201) (-)

Ion 137.00 (136.70 to 137.70): BM027307.D (-1201) (-)

Ion 54.00 (53.70 to 54.70): BM027307.D (-1201) (-)

Ion 68.00 (67.70 to 68.70): BM027307.D (-1201) (-)

500000

400000

300000


200000


100000

0

10.30 10.35 10.40 10.50

Time-->









#23
 Nitrobenzene-d5
 Concen: 107.644 ng
 RT: 8.72 min Scan# 975
 Delta R.T. 0.00 min
 Lab File: BM027307.D
 Acq: 02 Sep 2020 17:13

Instrument :
 BNA_M
 ClientSampleID :
 PB131374BL

Tot Ion: 82 Resp: 1317354




Ion	Ratio	Lower	Upper
82	100		
128	34.4	27.4	41.0
54	38.6	31.4	47.0




#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.22 min Scan# 1909
 Delta R.T. -0.01 min
 Lab File: BM027307.D
 Acq: 02 Sep 2020 17:13

Tgt Ion: 164 Resp: 364477

Ion	Ratio	Lower	Upper
164	100		
162	102.1	80.4	120.6
160	44.9	35.9	53.9









#42
 2,4,6-Tribromophenol
 Concen: 146.528 ng
 RT: 15.72 min Scan# 2164
 Delta R.T. 0.00 min
 Lab File: BM027307.D
 Acq: 02 Sep 2020 17:13

Instrument :
 BNA_M
 ClientSampleId :
 PB131374BL

Tot Ion:330 Resp: 936411
 Ion Ratio Lower Upper
 330 100
 332 97.1 77.8 116.8
 141 34.9 28.4 42.6




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 104.841 ng
 RT: 12.84 min Scan# 1675
 Delta R.T. 0.00 min
 Lab File: BM027307.D
 Acq: 02 Sep 2020 17:13

Tgt Ion:172 Resp: 2873339
 Ion Ratio Lower Upper
 172 100
 171 35.1 27.8 41.8
 170 22.5 18.6 27.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.96 min Scan# 2376
Delta R.T. 0.00 min
Lab File: BM027307.D
Acq: 02 Sep 2020 17:13




Instrument :
BNA_M
ClientSampleId :
PB131374BL


Tot Ion	Ratio	Lower	Upper
188	100		
94	6.6	6.2	9.4
80	8.5	7.5	11.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.16 min Scan# 3090
Delta R.T. -0.01 min
Lab File: BM027307.D
Acq: 02 Sep 2020 17:13

Tgt Ion	Ratio	Lower	Upper
240	100		
120	7.1	6.4	9.6
236	25.4	20.1	30.1





#79

Terphenyl-d14

Concen: 112.088 ng

RT: 19.62 min Scan# 2827

Delta R.T. 0.01 min

Lab File: BM027307.D

Acq: 02 Sep 2020 17:13

Instrument :

BNA_M

ClientSampleId :

PB131374BL


Tot Ion:244 Resp: 5657457

Ion Ratio Lower Upper

244 100

212 7.4 5.8 8.8




122 6.8 6.5 9.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#80

Butylbenzylphthalate

Concen: 3.931 ng

RT: 20.33 min Scan# 2948

Delta R.T. 0.01 min

Lab File: BM027307.D

Acq: 02 Sep 2020 17:13


Tgt Ion:149 Resp: 698

Ion Ratio Lower Upper

149 100

91 42.9 58.1 87.1#



206 0.0 18.7 28.1#




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 91.00 (90.70 to 91.70): BM0

Ion 206.00 (205.70 to 206.70): E





#82

3,3'-Dichlorobenzidine

Concen: 3.400 ng

RT: 21.08 min Scan# 3076

Delta R.T. -0.01 min

Lab File: BM027307.D

Acq: 02 Sep 2020 17:13

Instrument :

BNA_M

ClientSampleId :

PB131374BL


Tot Ion:252 Resp: 407

Ion Ratio Lower Upper

252 100

254 0.0 51.4 77.0#




126 0.0 6.8 10.2#



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 254.00 (253.70 to 254.70): E

Ion 126.00 (125.70 to 126.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.34 min Scan# 3460

Delta R.T. 0.00 min

Lab File: BM027307.D

Acq: 02 Sep 2020 17:13


Tgt Ion:264 Resp: 893314

Ion Ratio Lower Upper

264 100

260 23.3 19.0 28.4

265 21.6 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

