

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM112621\
 Data File : BM033269.D
 Acq On : 26 Nov 2021 17:41
 Operator : CG/JU
 Sample : M4815-03
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 MW-6

Quant Time: Nov 26 23:24:09 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM112421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 24 15:16:33 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.937	152	109727	20.000	ng	0.00
21) Naphthalene-d8	10.730	136	440260	20.000	ng	# 0.00
39) Acenaphthene-d10	14.560	164	289240	20.000	ng	0.00
64) Phenanthrene-d10	17.295	188	582301	20.000	ng	# 0.00
76) Chrysene-d12	21.453	240	591154	20.000	ng	0.00
86) Perylene-d12	23.788	264	578477	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.507	112	428191	64.442	ng	0.00
7) Phenol-d6	7.095	99	334572	37.597	ng	0.00
23) Nitrobenzene-d5	9.095	82	993249	104.733	ng	0.00
42) 2,4,6-Tribromophenol	16.042	330	452544	143.529	ng	0.00
45) 2-Fluorobiphenyl	13.183	172	2042641	99.597	ng	0.00
79) Terphenyl-d14	19.901	244	2776534	92.874	ng	0.00
Target Compounds						
						Qvalue
31) Naphthalene	10.783	128	265722	11.442	ng	# 93
37) 2-Methylnaphthalene	12.389	142	1618855	102.389	ng	96
38) 1-Methylnaphthalene	12.607	142	1086701	70.449	ng	99
46) 1,1'-Biphenyl	13.395	154	75495	3.471	ng	96
52) Acenaphthene	14.618	154	95607	5.995	ng	95
55) Dibenzofuran	14.954	168	113106	4.265	ng	# 1
58) Fluorene	15.601	166	170111	8.193	ng	# 96
71) Phenanthrene	17.336	178	455571	14.233	ng	# 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM112621\
Data File : BM033269.D
Acq On : 26 Nov 2021 17:41
Operator : CG/JU
Sample : M4815-03
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
MW-6

Quant Time: Nov 26 23:24:09 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM112421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 24 15:16:33 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.937 min Scan# 782
Delta R.T. -0.000 min
Lab File: BM033269.D
Acq: 26 Nov 2021 17:41




Instrument :
BNA_M
ClientSampleId :
MW-6


Tgt Ion:152 Resp: 109727
Ion Ratio Lower Upper
152 100
150 159.8 122.4 183.6
115 61.6 53.8 80.8



#5
2-Fluorophenol
Concen: 64.442 ng
RT: 5.507 min Scan# 369
Delta R.T. -0.000 min
Lab File: BM033269.D
Acq: 26 Nov 2021 17:41

Tgt Ion:112 Resp: 428191
Ion Ratio Lower Upper
112 100
64 69.2 53.7 80.5
63 37.0 33.9 50.9









#7
Phenol-d6
Concen: 37.597 ng
RT: 7.095 min Scan# 61
Delta R.T. -0.000 min
Lab File: BM033269.D
Acq: 26 Nov 2021 17:41




Instrument :
BNA_M
ClientSampleId :
MW-6


Tgt Ion: 99 Resp: 334572
Ion Ratio Lower Upper
99 100
42 22.8 23.0 34.6#
71 41.5 37.8 56.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.730 min Scan# 1257
Delta R.T. -0.007 min
Lab File: BM033269.D
Acq: 26 Nov 2021 17:41

Tgt Ion: 136 Resp: 440260
Ion Ratio Lower Upper
136 100
137 10.6 8.7 13.1
54 11.4 7.4 11.0#
68 8.1 3.8 5.8#





#23

Nitrobenzene-d5

Concen: 104.733 ng

RT: 9.095 min Scan# 91

Delta R.T. -0.006 min

Lab File: BM033269.D

Acq: 26 Nov 2021 17:41

Instrument :

BNA_M

ClientSampleId :

MW-6





Tgt Ion: 82 Resp: 993249

Ion Ratio Lower Upper

82 100

128 37.4 29.0 43.6

54 54.7 45.8 68.8



#31

Naphthalene

Concen: 11.442 ng

RT: 10.783 min Scan# 1266

Delta R.T. -0.000 min

Lab File: BM033269.D

Acq: 26 Nov 2021 17:41




Tgt Ion: 128 Resp: 265722


Ion Ratio Lower Upper

128 100

129 15.0 8.6 13.0#

127 14.4 10.4 15.6





#37

2-Methylnaphthalene

Concen: 102.389 ng

RT: 12.389 min Scan# 1539

Delta R.T. -0.000 min

Lab File: BM033269.D

Acq: 26 Nov 2021 17:41

Instrument :

BNA_M

ClientSampleId :

MW-6





Tgt Ion:142 Resp: 1618855

Ion Ratio Lower Upper

142 100

141 88.4 71.8 107.6

115 38.5 36.3 54.5



#38

1-Methylnaphthalene

Concen: 70.449 ng

RT: 12.607 min Scan# 1576

Delta R.T. -0.000 min

Lab File: BM033269.D

Acq: 26 Nov 2021 17:41




Tgt Ion:142 Resp: 1086701


Ion Ratio Lower Upper

142 100

141 93.5 75.6 113.4

116 4.4 4.0 6.0









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.560 min Scan# 1908
Delta R.T. -0.000 min
Lab File: BM033269.D
Acq: 26 Nov 2021 17:41




Instrument :
BNA_M
ClientSampleId :
MW-6


Tgt Ion:164 Resp: 289240
Ion Ratio Lower Upper
164 100
162 98.8 80.6 121.0
160 46.4 35.1 52.7



#42
2,4,6-Tribromophenol
Concen: 143.529 ng
RT: 16.042 min Scan# 2160
Delta R.T. -0.000 min
Lab File: BM033269.D
Acq: 26 Nov 2021 17:41

Tgt Ion:330 Resp: 452544
Ion Ratio Lower Upper
330 100
332 96.0 75.7 113.5
141 45.7 50.7 76.1#









#45
2-Fluorobiphenyl
Concen: 99.597 ng
RT: 13.183 min Scan# 1
Delta R.T. -0.000 min
Lab File: BM033269.D
Acq: 26 Nov 2021 17:41




Instrument :
BNA_M
ClientSampleId :
MW-6


Tgt Ion:172 Resp: 2042641
Ion Ratio Lower Upper
172 100
171 35.2 28.1 42.1
170 23.2 18.6 27.8



#46
1,1'-Biphenyl
Concen: 3.471 ng
RT: 13.395 min Scan# 1710
Delta R.T. -0.000 min
Lab File: BM033269.D
Acq: 26 Nov 2021 17:41

Tgt Ion:154 Resp: 75495
Ion Ratio Lower Upper
154 100
153 42.2 20.3 60.3
76 15.7 0.0 33.5









#52
Acenaphthene
Concen: 5.995 ng
RT: 14.618 min Scan# 1918
Delta R.T. -0.006 min
Lab File: BM033269.D
Acq: 26 Nov 2021 17:41




Instrument :
BNA_M
ClientSampleId :
MW-6


Tgt Ion:154 Resp: 95607
Ion Ratio Lower Upper
154 100
153 119.1 92.4 138.6
152 60.2 43.7 65.5



#55
Dibenzofuran
Concen: 4.265 ng
RT: 14.954 min Scan# 1975
Delta R.T. -0.006 min
Lab File: BM033269.D
Acq: 26 Nov 2021 17:41

Tgt Ion:168 Resp: 113106
Ion Ratio Lower Upper
168 100
139 77.7 35.0 52.4#
169 138.8 10.8 16.2#









#58
Fluorene
Concen: 8.193 ng
RT: 15.601 min Scan# 2086
Delta R.T. -0.006 min
Lab File: BM033269.D
Acq: 26 Nov 2021 17:41




Instrument :
BNA_M
ClientSampleId :
MW-6


Tgt Ion:166 Resp: 170111
Ion Ratio Lower Upper
166 100
165 101.0 79.3 118.9
167 21.3 10.6 16.0#



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.295 min Scan# 2373
Delta R.T. -0.000 min
Lab File: BM033269.D
Acq: 26 Nov 2021 17:41

Tgt Ion:188 Resp: 582301
Ion Ratio Lower Upper
188 100
94 10.4 6.3 9.5#
80 11.6 7.3 10.9#









#71
Phenanthrene
Concen: 14.233 ng
RT: 17.336 min Scan# 21
Delta R.T. -0.006 min
Lab File: BM033269.D
Acq: 26 Nov 2021 17:41




Instrument :
BNA_M
ClientSampleId :
MW-6


Tgt Ion:178 Resp: 455571
Ion Ratio Lower Upper
178 100
176 18.6 15.6 23.4
179 18.7 12.4 18.6#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.453 min Scan# 3080
Delta R.T. -0.000 min
Lab File: BM033269.D
Acq: 26 Nov 2021 17:41

Tgt Ion:240 Resp: 591154
Ion Ratio Lower Upper
240 100
120 10.9 7.8 11.6
236 25.2 20.9 31.3









#79
 Terphenyl-d14
 Concen: 92.874 ng
 RT: 19.901 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BM033269.D
 Acq: 26 Nov 2021 17:41

Instrument :
 BNA_M
 ClientSampleId :
 MW-6

Tgt Ion:244 Resp: 2776534
 Ion Ratio Lower Upper
 244 100
 212 7.4 6.5 9.7
 122 11.5 8.7 13.1



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.788 min Scan# 3477
 Delta R.T. -0.000 min
 Lab File: BM033269.D
 Acq: 26 Nov 2021 17:41

Tgt Ion:264 Resp: 578477
 Ion Ratio Lower Upper
 264 100
 260 23.2 19.3 28.9
 265 20.8 18.3 27.5

