

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM120522\
 Data File : BM037845.D
 Acq On : 05 Dec 2022 15:40
 Operator : CG/JU
 Sample : N5738-01
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 GBNH2

Quant Time: Dec 05 23:25:49 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM120122.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Dec 02 01:14:59 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.093	152	312037	20.000	ng/u1	0.00
20) Naphthalene-d8	10.916	136	1303584	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.721	164	725112	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.462	188	1290030	20.000	ng/u1	0.00
79) Chrysene-d12	21.633	240	901123	20.000	ng/u1	0.00
88) Perylene-d12	24.121	264	1010990	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.428	96	30945	4.653	ng/uL	0.00
4) Pyridine-d5	3.869	84	222783	10.357	ng/u1	0.00
7) Phenol-d5	7.245	99	681557	24.244	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.416	67	417725	25.469	ng/u1	0.00
11) 2-Chlorophenol-d4	7.616	132	563266	26.500	ng/u1	0.00
15) 4-Methylphenol-d8	8.798	113	417385	18.669	ng/u1	0.00
21) Nitrobenzene-d5	9.263	128	291767	28.176	ng/u1	0.00
24) 2-Nitrophenol-d4	9.992	143	304410	28.409	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.528	165	510613	25.695	ng/u1	0.00
31) 4-Chloroaniline-d4	11.051	131	99602	3.268	ng/u1	0.00
46) Dimethylphthalate-d6	14.127	166	1420798	28.535	ng/u1	0.00
49) Acenaphthylene-d8	14.416	160	1723817	28.466	ng/u1	0.00
54) 4-Nitrophenol-d4	14.910	143	190169	18.401	ng/u1	0.00
60) Fluorene-d10	15.710	176	1260395	27.902	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.821	200	154047	22.669	ng/u1	0.00
73) Anthracene-d10	17.557	188	1551133	26.146	ng/u1	0.00
81) Pyrene-d10	19.845	212	1555971	33.335	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.962	264	1315773	25.979	ng/u1	0.00
Target Compounds						
					Qvalue	
16) Acetophenone	8.922	105	125116	3.548	ng/u1	97
58) 2,3,4,6-Tetrachlorophenol	15.339	232	45882	3.613	ng/u1#	95
71) Pentachlorophenol	17.115	266	2156214	226.779	ng/u1	99
82) Pyrene	19.874	202	112821	1.916	ng/u1#	95
86) Bis(2-ethylhexyl)phtha...	21.521	149	70124	1.808	ng/u1#	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM120522\
Data File : BM037845.D
Acq On : 05 Dec 2022 15:40
Operator : CG/JU
Sample : N5738-01
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
GBNH2

Quant Time: Dec 05 23:25:49 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM120122.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Dec 02 01:14:59 2022
Response via : Initial Calibration









#16
Acetophenone
Concen: 3.548 ng/ul
RT: 8.922 min Scan# 941
Delta R.T. -0.006 min
Lab File: BM037845.D
Acq: 05 Dec 2022 15:40




Instrument :
BNA_M
ClientSampleId :
GBNH2


Tgt Ion:105 Resp: 125116
Ion Ratio Lower Upper
105 100
77 76.2 59.0 88.4
51 29.4 24.4 36.6



#58
2,3,4,6-Tetrachlorophenol
Concen: 3.613 ng/ul
RT: 15.339 min Scan# 2032
Delta R.T. -0.006 min
Lab File: BM037845.D
Acq: 05 Dec 2022 15:40

Tgt Ion:232 Resp: 45882
Ion Ratio Lower Upper
232 100
131 44.0 32.7 49.1
130 3.1 1.8 2.6#
166 30.7 22.2 33.4





#71

Pentachlorophenol

Concen: 226.779 ng/ul

RT: 17.115 min Scan# 2333

Delta R.T. 0.006 min

Lab File: BM037845.D

Acq: 05 Dec 2022 15:40

Instrument :

BNA_M

ClientSampleId :

GBNH2





Tgt Ion:266 Resp: 2156214

Ion Ratio Lower Upper

266 100

264 62.1 50.3 75.5

268 64.0 52.2 78.2



#82

Pyrene

Concen: 1.916 ng/ul

RT: 19.874 min Scan# 2803

Delta R.T. -0.000 min

Lab File: BM037845.D

Acq: 05 Dec 2022 15:40




Tgt Ion:202 Resp: 112821


Ion Ratio Lower Upper

202 100

101 16.4 11.0 16.4#

100 12.5 9.0 13.6





#86
 Bis(2-ethylhexyl)phthalate
 Concen: 1.808 ng/ul
 RT: 21.521 min Scan# 30
 Delta R.T. -0.006 min
 Lab File: BM037845.D
 Acq: 05 Dec 2022 15:40

Instrument :
 BNA_M
 ClientSampleId :
 GBNH2

Tgt Ion:149 Resp: 70124
 Ion Ratio Lower Upper
 149 100
 167 32.0 23.3 34.9
 279 6.2 3.6 5.4#

