

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM060519\
 Data File : BM020743.D
 Acq On : 05 Jun 2019 19:10
 Operator : HP/JU
 Sample : PB120342BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB120342BL

Quant Time: Jun 06 03:30:34 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM053119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 31 15:48:49 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.82	152	278416	20.00	ng	-0.01
21) Naphthalene-d8	10.61	136	1074069	20.00	ng	-0.02
39) Acenaphthene-d10	14.46	164	575169	20.00	ng	-0.02
64) Phenanthrene-d10	17.20	188	1193387	20.00	ng	-0.02
76) Chrysene-d12	21.38	240	1043767	20.00	ng	-0.02
87) Perylene-d12	23.67	264	1224315	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.40	112	1967686	124.32	ng	-0.01
7) Phenol-d6	6.99	99	2653226	113.85	ng	0.00
23) Nitrobenzene-d5	8.98	82	1608044	77.57	ng	-0.02
42) 2,4,6-Tribromophenol	15.95	330	874709	122.74	ng	-0.02
45) 2-Fluorobiphenyl	13.07	172	3673793	84.92	ng	-0.02
79) Terphenyl-d14	19.83	244	4526766	72.54	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM060519\
Data File : BM020743.D
Acq On : 05 Jun 2019 19:10
Operator : HP/JU
Sample : PB120342BL
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB120342BL

Quant Time: Jun 06 03:30:34 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM053119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 31 15:48:49 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.82 min Scan# 822
Delta R.T. -0.01 min
Lab File: BM020743.D
Acq: 05 Jun 2019 19:10

Instrument :
BNA_M
ClientSampleId :
PB120342BL

Tot Ion:152 Resp: 278416
Ion Ratio Lower Upper
152 100
150 150.7 126.0 189.0
115 58.0 49.6 74.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 124.321 ng
RT: 5.40 min Scan# 411
Delta R.T. -0.01 min
Lab File: BM020743.D
Acq: 05 Jun 2019 19:10

Tgt Ion:112 Resp: 1967686
Ion Ratio Lower Upper
112 100
64 61.4 49.7 74.5
63 31.8 26.4 39.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 113.846 ng

RT: 6.99 min Scan# 680

Delta R.T. -0.01 min

Lab File: BM020743.D

Acq: 05 Jun 2019 19:10

Instrument :

BNA_M

ClientSampleId :

PB120342BL


Tot Ion: 99 Resp: 2653226

Ion Ratio Lower Upper




99 100

42 18.2 16.5 24.7

71 37.0 30.7 46.1



Abundance Ion 99.00 (98.70 to 99.70): BM020743.D (-664) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.61 min Scan# 1296

Delta R.T. -0.02 min

Lab File: BM020743.D

Acq: 05 Jun 2019 19:10

Tgt Ion: 136 Resp: 1074069


Ion Ratio Lower Upper

136 100



137 10.7 8.8 13.2


54 7.6 6.6 10.0

68 5.9 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BM020743.D (-1282) (-)









#23
 Nitrobenzene-d5
 Concen: 77.570 ng
 RT: 8.98 min Scan# 1019
 Delta R.T. -0.02 min
 Lab File: BM020743.D
 Acq: 05 Jun 2019 19:10

Instrument :
 BNA_M
 ClientSampleId :
 PB120342BL

Tot Ion: 82 Resp: 1608044
 Ion Ratio Lower Upper
 82 100
 128 41.2 31.5 47.3
 54 46.5 39.4 59.0




Abundance Ion 82.00 (81.70 to 82.70): BM0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BM0






#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.46 min Scan# 1950
 Delta R.T. -0.02 min
 Lab File: BM020743.D
 Acq: 05 Jun 2019 19:10

Tgt Ion:164 Resp: 575169
 Ion Ratio Lower Upper
 164 100
 162 104.6 83.2 124.8
 160 46.8 37.5 56.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 122.744 ng
 RT: 15.95 min Scan# 2203
 Delta R.T. -0.02 min
 Lab File: BM020743.D
 Acq: 05 Jun 2019 19:10

Instrument :
 BNA_M
 ClientSampleId :
 PB120342BL

Tot Ion:330 Resp: 874709
 Ion Ratio Lower Upper
 330 100
 332 96.4 77.4 116.0
 141 33.9 30.4 45.6




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 84.916 ng
 RT: 13.07 min Scan# 1715
 Delta R.T. -0.02 min
 Lab File: BM020743.D
 Acq: 05 Jun 2019 19:10

Tgt Ion:172 Resp: 3673793
 Ion Ratio Lower Upper
 172 100
 171 35.8 28.6 43.0
 170 23.1 18.9 28.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.20 min Scan# 2416
Delta R.T. -0.02 min
Lab File: BM020743.D
Acq: 05 Jun 2019 19:10




Instrument :
BNA_M
ClientSampleId :
PB120342BL


Tot Ion:188 Resp: 1193387
Ion Ratio Lower Upper
188 100
94 9.1 7.8 11.8
80 10.5 9.0 13.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.38 min Scan# 3127
Delta R.T. -0.02 min
Lab File: BM020743.D
Acq: 05 Jun 2019 19:10

Tgt Ion:240 Resp: 1043767
Ion Ratio Lower Upper
240 100
120 10.3 8.2 12.2
236 26.1 21.2 31.8









#79
 Terphenyl-d14
 Concen: 72.542 ng
 RT: 19.83 min Scan# 2863
 Delta R.T. -0.02 min
 Lab File: BM020743.D
 Acq: 05 Jun 2019 19:10

Instrument :
 BNA_M
 ClientSampleId :
 PB120342BL

Tot Ion:244 Resp: 4526766
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.7 8.5
 122 9.2 7.2 10.8



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.67 min Scan# 3516
 Delta R.T. -0.02 min
 Lab File: BM020743.D
 Acq: 05 Jun 2019 19:10

Tgt Ion:264 Resp: 1224315
 Ion Ratio Lower Upper
 264 100
 260 23.3 19.2 28.8
 265 21.6 17.6 26.4

