

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM060519\
 Data File : BM020744.D
 Acq On : 05 Jun 2019 19:47
 Operator : HP/JU
 Sample : PB120342TB
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB120342TB

Quant Time: Jun 06 03:31:01 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM053119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 31 15:48:49 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.82	152	297799	20.00	ng	-0.01
21) Naphthalene-d8	10.61	136	1138742	20.00	ng	-0.02
39) Acenaphthene-d10	14.46	164	606465	20.00	ng	-0.02
64) Phenanthrene-d10	17.20	188	1251462	20.00	ng	-0.02
76) Chrysene-d12	21.38	240	1105039	20.00	ng	-0.02
87) Perylene-d12	23.67	264	1318952	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.40	112	2186109	129.13	ng	-0.01
7) Phenol-d6	6.99	99	2947114	118.23	ng	0.00
23) Nitrobenzene-d5	8.98	82	1782162	81.09	ng	-0.02
42) 2,4,6-Tribromophenol	15.94	330	950449	126.49	ng	-0.02
45) 2-Fluorobiphenyl	13.08	172	3997544	87.63	ng	-0.01
79) Terphenyl-d14	19.83	244	4998150	75.65	ng	-0.02


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM060519\
Data File : BM020744.D
Acq On : 05 Jun 2019 19:47
Operator : HP/JU
Sample : PB120342TB
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB120342TB

Quant Time: Jun 06 03:31:01 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM053119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 31 15:48:49 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.82 min Scan# 822
Delta R.T. -0.01 min
Lab File: BM020744.D
Acq: 05 Jun 2019 19:47

Instrument :
BNA_M
ClientSampleId :
PB120342TB

Tot Ion	152	Resp	297799
Ion Ratio	Lower	Upper	
152	100		
150	157.0	126.0	189.0
115	60.7	49.6	74.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 129.131 ng
RT: 5.40 min Scan# 411
Delta R.T. -0.01 min
Lab File: BM020744.D
Acq: 05 Jun 2019 19:47

Tgt Ion	112	Resp	2186109
Ion Ratio	Lower	Upper	
112	100		
64	61.1	49.7	74.5
63	31.6	26.4	39.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 118.226 ng

RT: 6.99 min Scan# 680

Delta R.T. -0.01 min

Lab File: BM020744.D

Acq: 05 Jun 2019 19:47

Instrument :

BNA_M

ClientSampleId :

PB120342TB


Tot Ion: 99 Resp: 2947114

Ion Ratio Lower Upper

99 100

42 18.3 16.5 24.7




71 36.9 30.7 46.1



Abundance Ion 99.00 (98.70 to 99.70): BM020744.D (-664) (-)

Ion 42.00 (41.70 to 42.70): BM020744.D (-664) (-)

Ion 71.00 (70.70 to 71.70): BM020744.D (-664) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.61 min Scan# 1296

Delta R.T. -0.02 min

Lab File: BM020744.D

Acq: 05 Jun 2019 19:47

Tgt Ion: 136 Resp: 1138742


Ion Ratio Lower Upper

136 100

137 11.3 8.8 13.2

54 7.4 6.6 10.0

68 6.0 5.1 7.7






Abundance Ion 136.00 (135.70 to 136.70): BM020744.D (-1282) (-)

Ion 137.00 (136.70 to 137.70): BM020744.D (-1282) (-)

Ion 54.00 (53.70 to 54.70): BM020744.D (-1282) (-)

Ion 68.00 (67.70 to 68.70): BM020744.D (-1282) (-)









#23
Nitrobenzene-d5
Concen: 81.087 ng
RT: 8.98 min Scan# 1019
Delta R.T. -0.02 min
Lab File: BM020744.D
Acq: 05 Jun 2019 19:47

Instrument :
BNA_M
ClientSampleId :
PB120342TB

Tot Ion: 82 Resp: 1782162
Ion Ratio Lower Upper
82 100
128 41.6 31.5 47.3
54 48.3 39.4 59.0




Abundance Ion 82.00 (81.70 to 82.70): BM020627.D (-1014) (-)
Ion 128.00 (127.70 to 128.70): BM020627.D (-1014) (-)
Ion 54.00 (53.70 to 54.70): BM020627.D (-1014) (-)






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.46 min Scan# 1950
Delta R.T. -0.02 min
Lab File: BM020744.D
Acq: 05 Jun 2019 19:47

Tgt Ion:164 Resp: 606465
Ion Ratio Lower Upper
164 100
162 105.8 83.2 124.8
160 47.6 37.5 56.3



Abundance Ion 164.00 (163.70 to 164.70): BM020627.D (-1945) (-)
Ion 162.00 (161.70 to 162.70): BM020627.D (-1945) (-)
Ion 160.00 (159.70 to 160.70): BM020627.D (-1945) (-)









#42
 2,4,6-Tribromophenol
 Concen: 126.490 ng
 RT: 15.94 min Scan# 2203
 Delta R.T. -0.02 min
 Lab File: BM020744.D
 Acq: 05 Jun 2019 19:47

Instrument :
 BNA_M
 ClientSampleId :
 PB120342TB

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.5	77.4	116.0
141	34.4	30.4	45.6




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 87.631 ng
 RT: 13.08 min Scan# 1716
 Delta R.T. -0.01 min
 Lab File: BM020744.D
 Acq: 05 Jun 2019 19:47

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.9	28.6	43.0
170	23.5	18.9	28.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.20 min Scan# 2416

Delta R.T. -0.02 min

Lab File: BM020744.D

Acq: 05 Jun 2019 19:47

Instrument :

BNA_M

ClientSampleId :

PB120342TB


Tot Ion:188 Resp: 1251462

Ion Ratio Lower Upper

188 100

94 8.6 7.8 11.8




80 10.3 9.0 13.6



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.38 min Scan# 3127

Delta R.T. -0.02 min

Lab File: BM020744.D

Acq: 05 Jun 2019 19:47


Tgt Ion:240 Resp: 1105039

Ion Ratio Lower Upper

240 100

120 10.1 8.2 12.2



236 26.1 21.2 31.8




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 75.655 ng

RT: 19.83 min Scan# 2863

Delta R.T. -0.02 min

Lab File: BM020744.D

Acq: 05 Jun 2019 19:47

Instrument :

BNA_M

ClientSampled :

PB120342TB


Tot Ion:244 Resp: 4998150

Ion Ratio Lower Upper

244 100

212 7.0 5.7 8.5




122 9.2 7.2 10.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.67 min Scan# 3516

Delta R.T. -0.02 min

Lab File: BM020744.D

Acq: 05 Jun 2019 19:47


Tgt Ion:264 Resp: 1318952

Ion Ratio Lower Upper

264 100

260 24.0 19.2 28.8

265 22.2 17.6 26.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

