

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM080824\
 Data File : BM047081.D
 Acq On : 08 Aug 2024 10:23
 Operator : RC/JU
 Sample : P3401-11
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 E1GF7

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 08/08/2024
 Supervised By :mohammad ahmed 08/09/2024

Quant Time: Aug 08 10:57:08 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM080724.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 08 05:48:16 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.393	152	5912	0.400	ng/ul	0.00
4) Naphthalene-d8	10.146	136	19859	0.400	ng/ul	0.00
9) Acenaphthene-d10	14.045	164	11378	0.400	ng/ul	0.00
13) Phenanthrene-d10	16.805	188	25301m	0.400	ng/ul	0.00
17) Chrysene-d12	21.027	240	18053	0.400	ng/ul	0.00
23) Perylene-d12	23.128	264	15548m	0.400	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.022	96	30686	5.148	ng/ul	0.00
6) 2-Methylnaphthalene-d10	11.751	152	12008	0.405	ng/ul	0.00
18) Fluoranthene-d10	18.850	212	23883	0.458	ng/ul	0.00
Target Compounds						
					Qvalue	
5) Naphthalene	10.195	128	4268	0.082	ng/ul#	94
14) Pentachlorophenol	16.467	266	326	0.040	ng/ul	96
22) Chrysene	21.062	228	1546	0.022	ng/ul#	88
24) Benzo(b)fluoranthene	22.508	252	1857	0.030	ng/ul#	1
25) Benzo(k)fluoranthene	22.549	252	1487	0.023	ng/ul#	1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM080824\
Data File : BM047081.D
Acq On : 08 Aug 2024 10:23
Operator : RC/JU
Sample : P3401-11
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
E1GF7

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/08/2024
Supervised By :mohammad ahmed 08/09/2024

Quant Time: Aug 08 10:57:08 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM080724.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 08 05:48:16 2024
Response via : Initial Calibration

