

Data Path : Z:\HPCHEM1\BNA_M\Data\BM010715\
 Data File : BM000142.D
 Acq On : 08 Jan 2015 00:07
 Operator : TP/IZ
 Sample : MDL-07-S
 Misc : MDL-SOIL-0.07PPM-SIM
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 MDL-07-S

Quant Time: Jan 08 04:11:18 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-SIM-BM010715.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jan 08 02:20:43 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.84	152	2943	0.40	ng/ul	0.00
2) Naphthalene-d8	10.64	136	9369	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.47	164	5293	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.23	188	10276	0.40	ng/ul	0.02
16) Chrysene-d12	21.41	240	8777	0.40	ng/ul	0.00
20) Perylene-d12	23.70	264	7931	0.40	ng/ul	0.00

System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.22	152	4436	0.36	ng/ul	0.00
14) Fluoranthene-d10	19.25	212	7825	0.35	ng/ul	0.00


Target Compounds				Qvalue		
3) Naphthalene	10.68	128	1383	0.06	ng/ul#	88
5) 2-Methylnaphthalene	12.29	142	881	0.05	ng/ul	98
7) Acenaphthylene	12.22	152	4436	0.38	ng/ul	100
8) Acenaphthene	14.54	153	920	0.06	ng/ul	97
9) Fluorene	15.52	166	1074	0.06	ng/ul#	92
11) Pentachlorophenol	16.92	266	6	0.00	ng/ul#	30
12) Phenanthrene	17.26	178	1717	0.05	ng/ul#	85
13) Anthracene	17.35	178	1602	0.05	ng/ul#	82
15) Fluoranthene	19.27	202	2031	0.06	ng/ul	91
17) Pyrene	19.63	202	2065	0.06	ng/ul#	91
18) Benzo(a)anthracene	21.39	228	1651	0.06	ng/ul#	93
19) Chrysene	21.44	228	1703	0.05	ng/ul	94
21) Benzo(b)fluoranthene	23.00	252	1524	0.05	ng/ul#	63
22) Benzo(k)fluoranthene	23.05	252	1898	0.06	ng/ul#	65
23) Benzo(a)pyrene	23.60	252	1696	0.06	ng/ul#	55
24) Indeno(1,2,3-cd)pyrene	26.05	276	1746	0.05	ng/ul	97
25) Dibenzo(a,h)anthracene	26.07	278	1354	0.05	ng/ul#	59
26) Benzo(g,h,i)perylene	26.74	276	1616	0.06	ng/ul#	78

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\Data\BM010715\
Data File : BM000142.D
Acq On : 08 Jan 2015 00:07
Operator : TP/IZ
Sample : MDL-07-S
Misc : MDL-SOIL-0.07PPM-SIM
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
MDL-07-S

Quant Time: Jan 08 04:11:18 2015
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-SIM-BM010715.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jan 08 02:20:43 2015
Response via : Initial Calibration





#3

Naphthalene

Concen: 0.06 ng/ul

RT: 10.68 min Scan# 1353

Delta R.T. -0.00 min

Lab File: BM000142.D

Acq: 08 Jan 2015 00:07

Instrument :

BNA_M

ClientSampleId :

MDL-07-S


Tgt Ion:128 Resp: 1383

Ion Ratio Lower Upper

128 100

129 17.1 9.5 14.3#




127 17.0 10.4 15.6#



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#5

2-Methylnaphthalene

Concen: 0.05 ng/ul

RT: 12.29 min Scan# 1500

Delta R.T. -0.00 min

Lab File: BM000142.D


Acq: 08 Jan 2015 00:07

Tgt Ion:142 Resp: 881

Ion Ratio Lower Upper



142 100


141 84.4 68.9 103.3



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E





#7

Acenaphthylene

Concen: 0.38 ng/ul

RT: 12.22 min Scan# 1493

Delta R.T. -0.00 min

Lab File: BM000142.D

Acq: 08 Jan 2015 00:07

Instrument :

BNA_M

ClientSampleId :

MDL-07-S


Tgt Ion:152 Resp: 4436

Ion Ratio Lower Upper

152 100

151 19.0 15.4 23.2




153 13.6 11.0 16.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E

Ion 153.00 (152.70 to 153.70): E



#8

Acenaphthene

Concen: 0.06 ng/ul

RT: 14.54 min Scan# 1708

Delta R.T. -0.00 min

Lab File: BM000142.D

Acq: 08 Jan 2015 00:07


Tgt Ion:153 Resp: 920

Ion Ratio Lower Upper

153 100

152 51.6 35.8 53.6



154 99.6 79.9 119.9



Abundance Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E

Ion 154.00 (153.70 to 154.70): E





#9

Fluorene

Concen: 0.06 ng/ul

RT: 15.52 min Scan# 1772

Delta R.T. -0.00 min

Lab File: BM000142.D

Acq: 08 Jan 2015 00:07

Instrument :

BNA_M

ClientSampleId :

MDL-07-S


Tgt Ion:166 Resp: 1074

Ion Ratio Lower Upper

166 100

165 102.6 77.0 115.4




167 21.8 11.0 16.6#



Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E



#11

Pentachlorophenol

Concen: 0.00 ng/ul

RT: 16.92 min Scan# 1862

Delta R.T. 0.03 min

Lab File: BM000142.D

Acq: 08 Jan 2015 00:07


Tgt Ion:266 Resp: 6

Ion Ratio Lower Upper

266 100

264 116.7 53.9 80.9#



268 0.0 49.2 73.8#




Abundance Ion 266.00 (265.70 to 266.70): E

Ion 264.00 (263.70 to 264.70): E

Ion 268.00 (267.70 to 268.70): E





#12

Phenanthrene

Concen: 0.05 ng/ul

RT: 17.26 min Scan# 1884

Delta R.T. -0.00 min

Lab File: BM000142.D

Acq: 08 Jan 2015 00:07

Instrument :

BNA_M

ClientSampleId :

MDL-07-S


Tgt Ion:178 Resp: 1717

Ion Ratio Lower Upper

178 100

176 25.2 15.1 22.7#




179 23.0 13.0 19.4#



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



#13

Anthracene

Concen: 0.05 ng/ul

RT: 17.35 min Scan# 1890

Delta R.T. -0.00 min

Lab File: BM000142.D

Acq: 08 Jan 2015 00:07


Tgt Ion:178 Resp: 1602

Ion Ratio Lower Upper

178 100

176 25.9 14.6 21.8#



179 24.1 13.1 19.7#




Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E





#15

Fluoranthene

Concen: 0.06 ng/u1

RT: 19.27 min Scan# 2028

Delta R.T. -0.00 min

Lab File: BM000142.D

Acq: 08 Jan 2015 00:07

Instrument :

BNA_M

ClientSampleId :

MDL-07-S


Tgt Ion:202 Resp: 2031

Ion Ratio Lower Upper

202 100

101 15.1 0.0 30.5




203 19.9 0.0 36.6



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E



#17

Pyrene

Concen: 0.06 ng/u1

RT: 19.63 min Scan# 2058

Delta R.T. -0.00 min

Lab File: BM000142.D

Acq: 08 Jan 2015 00:07


Tgt Ion:202 Resp: 2065

Ion Ratio Lower Upper

202 100

200 25.7 17.9 26.9



203 21.0 12.8 19.2#



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E





#18

Benzo(a)anthracene

Concen: 0.06 ng/ul

RT: 21.39 min Scan# 2221

Delta R.T. -0.00 min

Lab File: BM000142.D

Acq: 08 Jan 2015 00:07

Instrument :

BNA_M

ClientSampleId :

MDL-07-S





Tgt Ion:228 Resp: 1651

Ion Ratio Lower Upper

228 100

226 28.9 20.8 31.2

229 23.9 15.5 23.3#



#19

Chrysene

Concen: 0.05 ng/ul

RT: 21.44 min Scan# 2226

Delta R.T. -0.00 min

Lab File: BM000142.D

Acq: 08 Jan 2015 00:07




Tgt Ion:228 Resp: 1703

Ion Ratio Lower Upper

228 100

226 32.7 23.8 35.6

229 22.9 15.8 23.8





#21

Benzo(b)fluoranthene

Concen: 0.05 ng/u1

RT: 23.00 min Scan# 2376

Delta R.T. -0.00 min

Lab File: BM000142.D

Acq: 08 Jan 2015 00:07

Instrument :

BNA_M

ClientSampleId :

MDL-07-S





Tgt Ion:252 Resp: 1524

Ion Ratio Lower Upper

252 100

253 43.1 0.0 48.2

125 23.5 0.0 21.6#



#22

Benzo(k)fluoranthene

Concen: 0.06 ng/u1

RT: 23.05 min Scan# 2381

Delta R.T. -0.00 min

Lab File: BM000142.D

Acq: 08 Jan 2015 00:07




Tgt Ion:252 Resp: 1898

Ion Ratio Lower Upper

252 100

253 43.5 20.5 30.7#

125 22.7 7.8 11.8#





#23

Benzo(a)pyrene

Concen: 0.06 ng/ul

RT: 23.60 min Scan# 2433

Delta R.T. -0.00 min

Lab File: BM000142.D

Acq: 08 Jan 2015 00:07

Instrument :

BNA_M

ClientSampleId :

MDL-07-S


Tgt Ion:252 Resp: 1696

Ion Ratio Lower Upper

252 100

253 49.4 19.8 29.6#


125 25.3 9.2 13.8#





Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



Time-->



#24

Indeno(1,2,3-cd)pyrene

Concen: 0.05 ng/ul

RT: 26.05 min Scan# 2668

Delta R.T. 0.01 min

Lab File: BM000142.D

Acq: 08 Jan 2015 00:07


Tgt Ion:276 Resp: 1746

Ion Ratio Lower Upper

276 100

138 22.2 17.6 26.4


277 27.1 19.9 29.9




Abundance Ion 276.00 (275.70 to 276.70): E


Ion 138.00 (137.70 to 138.70): E

Ion 277.00 (276.70 to 277.70): E



Time-->









#25
Dibenzo(a,h)anthracene
Concen: 0.05 ng/ul
RT: 26.07 min Scan# 2670
Delta R.T. 0.01 min
Lab File: BM000142.D
Acq: 08 Jan 2015 00:07

Instrument :
BNA_M
ClientSampleId :
MDL-07-S

Tgt Ion: 278 Resp: 1354
Ion Ratio Lower Upper
278 100
139 30.4 12.6 18.8#
279 48.1 20.6 30.8#



#26
Benzo(g,h,i)perylene
Concen: 0.06 ng/ul
RT: 26.74 min Scan# 2735
Delta R.T. -0.00 min
Lab File: BM000142.D
Acq: 08 Jan 2015 00:07

Tgt Ion: 276 Resp: 1616
Ion Ratio Lower Upper
276 100
277 34.8 20.0 30.0#
138 31.6 15.7 23.5#

