

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM010821\
 Data File : BM028351.D
 Acq On : 08 Jan 2021 16:13
 Operator : CG/JU
 Sample : M1028-07
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BFXQ8

Quant Time: Jan 08 16:50:35 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM010821MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jan 08 14:03:26 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.13	152	29369	20.00	ng/ul	0.00
18) Naphthalene-d8	10.95	136	122796	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.76	164	71554	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.48	188	150877	20.00	ng/ul	0.00
78) Chrysene-d12	21.60	240	143937	20.00	ng/ul	0.00
86) Perylene-d12	23.93	264	123515	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.36	96	3792	5.32	ng/uL	0.00
5) Phenol-d5	7.27	99	19002	7.37	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.45	67	50174	32.08	ng/ul	0.00
9) 2-Chlorophenol-d4	7.65	132	57165	26.58	ng/ul	0.00
13) 4-Methylphenol-d8	8.83	113	35922	16.86	ng/ul	0.00
19) Nitrobenzene-d5	9.30	128	33435	33.06	ng/ul	0.00
22) 2-Nitrophenol-d4	10.03	143	36152	33.90	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.56	165	61377	30.17	ng/ul	0.00
29) 4-Chloroaniline-d4	11.08	131	4309	1.71	ng/ul	0.00
44) Dimethylphthalate-d6	14.16	166	200124	35.49	ng/ul	0.00
47) Acenaphthylene-d8	14.46	160	254628	35.73	ng/ul	0.00
52) 4-Nitrophenol-d4	14.93	143	7179	6.67	ng/ul	0.00
58) Fluorene-d10	15.75	176	176327	35.12	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.86	200	32388	32.52	ng/ul	0.00
71) Anthracene-d10	17.58	188	293520	38.24	ng/ul	0.00
79) Pyrene-d10	19.84	212	322879	37.93	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.79	264	285665	41.15	ng/ul	0.00


Target Compounds					Ovalue	
6) Phenol	7.30	94	3091	1.198	ng/ul	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM010821\
Data File : BM028351.D
Acq On : 08 Jan 2021 16:13
Operator : CG/JU
Sample : M1028-07
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BFXQ8

Quant Time: Jan 08 16:50:35 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM010821MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Jan 08 14:03:26 2021
Response via : Initial Calibration





#6

Phenol

Concen: 1.198 ng/ul

RT: 7.30 min Scan# 699

Delta R.T. 0.00 min

Lab File: BM028351.D

Acq: 08 Jan 2021 16:13

Instrument :

BNA_M

ClientSampleId :

BFXQ8

Tot Ion: 94 Resp: 3091

Ion Ratio Lower Upper

94 100

65 26.2 25.7 38.5

66 38.8 31.8 47.8

