

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM011316\
 Data File : BM003964.D
 Acq On : 12 Jan 2016 20:43
 Operator : SJ/UM
 Sample : H1095-09
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BC9B7

Quant Time: Jan 13 06:13:57 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM010116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jan 13 06:08:50 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.67	152	36252	20.00	ng/ul	0.00
18) Naphthalene-d8	10.45	136	174689	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.32	164	105745	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.07	188	242899	20.00	ng/ul	0.00
78) Chrysene-d12	21.27	240	266731	20.00	ng/ul	0.00
86) Perylene-d12	23.51	264	231144	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.13	96	5970	7.37	ng/uL	0.00
5) Phenol-d5	6.85	99	133874	44.48	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.00	67	82785	48.66	ng/ul	0.00
9) 2-Chlorophenol-d4	7.20	132	111940	45.25	ng/ul	0.00
13) 4-Methylphenol-d8	8.38	113	114885	47.10	ng/ul	0.00
19) Nitrobenzene-d5	8.82	128	56118	42.65	ng/ul	0.00
22) 2-Nitrophenol-d4	9.55	143	61168	42.41	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.08	165	105269	41.08	ng/ul	0.00
29) 4-Chloroaniline-d4	10.60	131	157926	46.68	ng/ul	0.00
44) Dimethylphthalate-d6	13.73	166	380322	45.81	ng/ul	0.00
47) Acenaphthylene-d8	14.02	160	457822	45.27	ng/ul	0.00
52) 4-Nitrophenol-d4	14.54	143	61207	41.05	ng/ul	0.00
58) Fluorene-d10	15.32	176	331422	47.07	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.45	200	49353	36.03	ng/ul	0.00
71) Anthracene-d10	17.17	188	521310	46.40	ng/ul	0.00
79) Pyrene-d10	19.47	212	589801	42.70	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.37	264	557756	48.32	ng/ul	0.00


Target Compounds						Qvalue
15) N-Nitroso-di-n-propylamine	8.38	70	2486	1.30	ng/ul#	1
45) Dimethylphthalate	13.78	163	107663	12.72	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM011316\
Data File : BM003964.D
Acq On : 12 Jan 2016 20:43
Operator : SJ/UM
Sample : H1095-09
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BC9B7

Quant Time: Jan 13 06:13:57 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM010116.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Jan 13 06:08:50 2016
Response via : Initial Calibration





#15

N-Nitroso-di-n-propylamine

Concen: 1.30 ng/ul

RT: 8.38 min Scan# 900

Delta R.T. -0.09 min

Lab File: BM003964.D

Acq: 12 Jan 2016 20:43

Instrument :

BNA_M

ClientSampleId :

BC9B7

Tgt Ion: 70 Resp: 2486


Ion Ratio Lower Upper

70 100

42 309.8 35.4 53.0#

101 0.0 8.4 12.6#

130 0.0 18.2 27.4#






Abundance Ion 70.00 (69.70 to 70.70): BM003959.D (-910) (-)

Ion 42.00 (41.70 to 42.70): BM003959.D (-910) (-)

Ion 101.00 (100.70 to 101.70): BM003959.D (-910) (-)

Ion 130.00 (129.70 to 130.70): BM003959.D (-910) (-)



#45

Dimethylphthalate

Concen: 12.72 ng/ul

RT: 13.78 min Scan# 1818

Delta R.T. -0.00 min

Lab File: BM003964.D

Acq: 12 Jan 2016 20:43


Tgt Ion:163 Resp: 107663

Ion Ratio Lower Upper

163 100

194 3.8 3.2 4.8

164 10.3 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): BM003959.D (-1812) (-)

Ion 194.00 (193.70 to 194.70): BM003959.D (-1812) (-)

Ion 164.00 (163.70 to 164.70): BM003959.D (-1812) (-)

