

Data Path : Z:\HPCHEM1\BNA M\DATA\BM011316\
 Data File : BM003965.D
 Acq On : 12 Jan 2016 21:19
 Operator : SJ/UM
 Sample : H1095-10
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BC9B8

Quant Time: Jan 13 06:29:48 2016
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM010116.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jan 13 06:08:50 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.67	152	37843	20.00	ng/ul	0.00
18) Naphthalene-d8	10.45	136	183399	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.32	164	111532	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.07	188	255318	20.00	ng/ul	0.00
78) Chrysene-d12	21.27	240	284570	20.00	ng/ul	0.00
86) Perylene-d12	23.51	264	248654	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.13	96	5315	6.28	ng/uL	0.00
5) Phenol-d5	6.85	99	122061	38.85	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.00	67	75946	42.76	ng/ul	0.00
9) 2-Chlorophenol-d4	7.20	132	101685	39.38	ng/ul	0.00
13) 4-Methylphenol-d8	8.38	113	106721	41.92	ng/ul	0.00
19) Nitrobenzene-d5	8.82	128	51646	37.38	ng/ul	0.00
22) 2-Nitrophenol-d4	9.55	143	56287	37.17	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.08	165	97439	36.21	ng/ul	0.00
29) 4-Chloroaniline-d4	10.60	131	141842	39.93	ng/ul	0.00
44) Dimethylphthalate-d6	13.73	166	356393	40.70	ng/ul	0.00
47) Acenaphthylene-d8	14.02	160	428205	40.14	ng/ul	0.00
52) 4-Nitrophenol-d4	14.54	143	58448	37.17	ng/ul	0.00
58) Fluorene-d10	15.32	176	314300	42.32	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.45	200	46251	32.12	ng/ul	0.00
71) Anthracene-d10	17.17	188	490276	41.52	ng/ul	0.00
79) Pyrene-d10	19.47	212	556692	37.77	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.37	264	534198	43.02	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
45) Dimethylphthalate	13.78	163	96728	10.84	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM011316\
Data File : BM003965.D
Acq On : 12 Jan 2016 21:19
Operator : SJ/UM
Sample : H1095-10
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BC9B8

Quant Time: Jan 13 06:29:48 2016
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM010116.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Jan 13 06:08:50 2016
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 10.84 ng/ul

RT: 13.78 min Scan# 1818

Delta R.T. -0.00 min

Lab File: BM003965.D

Acq: 12 Jan 2016 21:19

Instrument :

BNA_M

ClientSampleId :

BC9B8


Tot Ion:163 Resp: 96728

Ion Ratio Lower Upper

163 100

194 3.7 3.2 4.8

164 10.0 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

