

Data Path : Z:\HPCHEM1\BNA\_M\DATA\BM011615\  
 Data File : BM000251.D  
 Acq On : 17 Jan 2015 02:17  
 Operator : TP/IZ  
 Sample : G1065-17  
 Misc :  
 ALS Vial : 22 Sample Multiplier: 1

Instrument :  
 ClientSampleId :  
 C0AG6

Quant Time: Jan 17 03:06:12 2015  
 Quant Method : Z:\HPCHEM1\BNA\_M\METHODS\SOM01.2-EPA-BM122914.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Sat Jan 17 02:31:22 2015  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|---------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 7.82  | 152  | 110566   | 20.00 | ng/ul | 0.00     |
| 18) Naphthalene-d8        | 10.62 | 136  | 469445   | 20.00 | ng/ul | 0.00     |
| 35) Acenaphthene-d10      | 14.46 | 164  | 343332   | 20.00 | ng/ul | 0.00     |
| 61) Phenanthrene-d10      | 17.20 | 188  | 695505   | 20.00 | ng/ul | 0.00     |
| 75) Chrysene-d12          | 21.39 | 240  | 747065   | 20.00 | ng/ul | 0.00     |
| 83) Perylene-d12          | 23.68 | 264  | 712867   | 20.00 | ng/ul | 0.00     |

| System Monitoring Compounds    | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|--------------------------------|-------|------|----------|-------|-------|----------|
| 3) 1,4-Dioxane-d8              | 3.32  | 96   | 9462     | 4.96  | ng/uL | 0.00     |
| 5) Phenol-d5                   | 6.99  | 99   | 222391   | 23.91 | ng/ul | 0.00     |
| 7) Bis-(2-Chloroethyl)ether-d  | 7.16  | 67   | 148241   | 25.21 | ng/ul | 0.00     |
| 9) 2-Chlorophenol-d4           | 7.36  | 132  | 168070   | 24.64 | ng/ul | 0.00     |
| 13) 4-Methylphenol-d8          | 8.52  | 113  | 168467   | 22.77 | ng/ul | 0.00     |
| 19) Nitrobenzene-d5            | 8.98  | 128  | 78399    | 24.15 | ng/ul | 0.00     |
| 22) 2-Nitrophenol-d4           | 9.70  | 143  | 89743    | 27.08 | ng/ul | 0.00     |
| 26) 2,4-Dichlorophenol-d3      | 10.23 | 165  | 169112   | 23.10 | ng/ul | 0.00     |
| 29) 4-Chloroaniline-d4         | 10.75 | 131  | 186141   | 22.41 | ng/ul | 0.00     |
| 43) Dimethylphthalate-d6       | 13.87 | 166  | 576500   | 22.77 | ng/ul | 0.00     |
| 46) Acenaphthylene-d8          | 14.15 | 160  | 667362   | 22.00 | ng/ul | 0.00     |
| 51) 4-Nitrophenol-d4           | 14.64 | 143  | 73588    | 17.86 | ng/ul | 0.00     |
| 57) Fluorene-d10               | 15.45 | 176  | 496851   | 22.85 | ng/ul | 0.00     |
| 62) 4,6-Dinitro-2-methylphenol | 15.56 | 200  | 64320    | 19.51 | ng/ul | 0.00     |
| 70) Anthracene-d10             | 17.30 | 188  | 768088   | 23.88 | ng/ul | 0.00     |
| 76) Pyrene-d10                 | 19.60 | 212  | 853141   | 24.76 | ng/ul | 0.00     |
| 87) Benzo(a)pyrene-d12         | 23.53 | 264  | 820025   | 25.34 | ng/ul | 0.00     |


| Target Compounds      | R.T.  | QIon | Response | Conc | Units | Qvalue |
|-----------------------|-------|------|----------|------|-------|--------|
| 6) Phenol             | 7.01  | 94   | 19044    | 1.94 | ng/ul | 95     |
| 44) Dimethylphthalate | 13.91 | 163  | 67782    | 2.69 | ng/ul | 97     |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA\_M\DATA\BM011615\  
Data File : BM000251.D  
Acq On : 17 Jan 2015 02:17  
Operator : TP/IZ  
Sample : G1065-17  
Misc :  
ALS Vial : 22 Sample Multiplier: 1

Instrument :  
ClientSampled :  
C0AG6

Quant Time: Jan 17 03:06:12 2015  
Quant Method : Z:\HPCHEM1\BNA\_M\METHODS\SOM01.2-EPA-BM122914.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Sat Jan 17 02:31:22 2015  
Response via : Initial Calibration





#6

Phenol

Concen: 1.94 ng/ul

RT: 7.01 min Scan# 735

Delta R.T. 0.00 min

Lab File: BM000251.D

Acq: 17 Jan 2015 02:17

Instrument :

ClientSampled :

C0AG6


Tgt Ion: 94 Resp: 19044

Ion Ratio Lower Upper

94 100

65 40.2 27.4 41.0




66 54.0 42.5 63.7



Abundance Ion 94.00 (93.70 to 94.70): BM000240.D (-729) (-)

Ion 65.00 (64.70 to 65.70): BM000240.D (-729) (-)

Ion 66.00 (65.70 to 66.70): BM000240.D (-729) (-)



#44

Dimethylphthalate

Concen: 2.69 ng/ul

RT: 13.91 min Scan# 1908

Delta R.T. -0.01 min

Lab File: BM000251.D

Acq: 17 Jan 2015 02:17


Tgt Ion: 163 Resp: 67782

Ion Ratio Lower Upper

163 100

194 3.2 3.0 4.4

164 9.1 8.5 12.7



Abundance Ion 163.00 (162.70 to 163.70): BM000240.D (-1903) (-)

Ion 194.00 (193.70 to 194.70): BM000240.D (-1903) (-)

Ion 164.00 (163.70 to 164.70): BM000240.D (-1903) (-)

