

Data Path : Z:\HPCHEM1\BNA M\DATA\BM012018\
 Data File : BM013682.D
 Acq On : 20 Jan 2018 15:18
 Operator : SJ/JU
 Sample : J1097-22RX
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Jan 22 02:15:01 2018
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM011018.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jan 22 02:14:14 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.61	152	152981	20.00	ng/ul	0.00
18) Naphthalene-d8	10.39	136	625921	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.26	164	345265	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.02	188	748227	20.00	ng/ul	0.00
75) Chrysene-d12	21.22	240	845400	20.00	ng/ul	0.00
83) Perylene-d12	23.41	264	841314	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.16	96	15256	3.94	ng/uL	0.00
5) Phenol-d5	6.79	99	353431	30.10	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.96	67	199277	28.00	ng/ul	0.00
9) 2-Chlorophenol-d4	7.15	132	291519	30.46	ng/ul	0.00
13) 4-Methylphenol-d8	8.32	113	281514	31.18	ng/ul	0.00
19) Nitrobenzene-d5	8.77	128	145477	29.95	ng/ul	0.00
22) 2-Nitrophenol-d4	9.48	143	163999	31.96	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.02	165	301171	30.38	ng/ul	0.00
29) 4-Chloroaniline-d4	10.53	131	356696	41.47	ng/ul	0.00
43) Dimethylphthalate-d6	13.68	166	922287	32.41	ng/ul	0.00
46) Acenaphthylene-d8	13.95	160	1169849	32.24	ng/ul	0.00
51) 4-Nitrophenol-d4	14.49	143	116911	25.28	ng/ul	0.00
57) Fluorene-d10	15.26	176	786514	31.43	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.40	200	120985	26.86	ng/ul	0.00
70) Anthracene-d10	17.12	188	1201419	32.97	ng/ul	0.00
76) Pyrene-d10	19.42	212	1341937	34.09	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.27	264	1342582	34.72	ng/ul	0.00

Target Compounds


					Ovalue	
6) Phenol	6.82	94	48206	4.092	ng/ul#	82
15) N-Nitroso-di-n-propylamine	8.33	70	7832	1.075	ng/ul#	1
44) Dimethylphthalate	13.73	163	264667	9.460	ng/ul	99
68) Pentachlorophenol	16.67	266	80824	15.989	ng/ul	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM012018\
Data File : BM013682.D
Acq On : 20 Jan 2018 15:18
Operator : SJ/JU
Sample : J1097-22RX
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Jan 22 02:15:01 2018
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM011018.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jan 22 02:14:14 2018
Response via : Initial Calibration





#6

Phenol

Concen: 4.092 ng/ul

RT: 6.82 min Scan# 652

Delta R.T. 0.00 min

Lab File: BM013682.D

Acq: 20 Jan 2018 15:18

Instrument :

BNA_M

ClientSampleId :





Tot Ion: 94 Resp: 48206

Ion Ratio Lower Upper

94 100

65 28.4 28.2 42.4

66 43.3 47.2 70.8#



#15

N-Nitroso-di-n-propylamine

Concen: 1.075 ng/ul

RT: 8.33 min Scan# 908

Delta R.T. -0.09 min

Lab File: BM013682.D

Acq: 20 Jan 2018 15:18

Tgt Ion: 70 Resp: 7832




Ion Ratio Lower Upper


70 100

42 281.8 76.0 114.0#

101 0.0 6.7 10.1#

130 0.0 14.6 22.0#







#44
Dimethylphthalate
Concen: 9.460 ng/ul
RT: 13.73 min Scan# 1826
Delta R.T. 0.00 min
Lab File: BM013682.D
Acq: 20 Jan 2018 15:18

Instrument :
BNA_M
ClientSampleID :



Tot Ion:163 Resp: 264667
Ion Ratio Lower Upper
163 100
194 4.2 3.5 5.3
164 10.7 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E




Time-->




#68
Pentachlorophenol
Concen: 15.989 ng/ul
RT: 16.67 min Scan# 2327
Delta R.T. 0.01 min
Lab File: BM013682.D
Acq: 20 Jan 2018 15:18

Tgt Ion:266 Resp: 80824
Ion Ratio Lower Upper
266 100
264 66.5 49.3 73.9
268 63.9 52.6 78.8



Abundance Ion 265.70 (265.40 to 266.40): E
Ion 264.00 (263.70 to 264.70): E
Ion 268.00 (267.70 to 268.70): E



Time-->

