

Data Path : U:\HPCHEM1\BNA M\DATA\BM012018\
 Data File : BM013675.D
 Acq On : 20 Jan 2018 11:07
 Operator : SJ/JU
 Sample : J1216-03
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 B0AE6

Quant Time: Jan 22 01:00:55 2018
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM011018.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jan 22 00:40:08 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.61	152	136741	20.00	ng/ul	0.00
18) Naphthalene-d8	10.39	136	554073	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.26	164	309926	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.02	188	703406	20.00	ng/ul	0.00
75) Chrysene-d12	21.21	240	773866	20.00	ng/ul	0.00
83) Perylene-d12	23.41	264	764880	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.16	96	13694	3.96	ng/uL	0.00
5) Phenol-d5	6.79	99	284220	27.08	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.96	67	175025	27.52	ng/ul	0.00
9) 2-Chlorophenol-d4	7.15	132	237785	27.80	ng/ul	0.00
13) 4-Methylphenol-d8	8.32	113	232640	28.83	ng/ul	0.00
19) Nitrobenzene-d5	8.77	128	125136	29.11	ng/ul	0.00
22) 2-Nitrophenol-d4	9.48	143	135673	29.86	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.02	165	240594	27.41	ng/ul	0.00
29) 4-Chloroaniline-d4	10.53	131	300953	39.52	ng/ul	0.00
43) Dimethylphthalate-d6	13.68	166	784257	30.70	ng/ul	0.00
46) Acenaphthylene-d8	13.95	160	987275	30.31	ng/ul	0.00
51) 4-Nitrophenol-d4	14.49	143	73240	17.64	ng/ul	0.00
57) Fluorene-d10	15.26	176	655260	29.17	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.40	200	84086	19.86	ng/ul	0.00
70) Anthracene-d10	17.12	188	1025169	29.92	ng/ul	0.00
76) Pyrene-d10	19.42	212	1141881	31.69	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.27	264	1135142	32.29	ng/ul	0.00

Target Compounds

				Ovalue	
6) Phenol	6.82	94	38852	3.690	ng/ul# 86
44) Dimethylphthalate	13.73	163	309086	12.307	ng/ul# 98
69) Phenanthrene	17.06	178	126310	3.230	ng/ul 97
74) Fluoranthene	19.08	202	177454	3.802	ng/ul# 95
77) Pyrene	19.44	202	178185	3.787	ng/ul# 93
80) Benzo(a)anthracene	21.20	228	73014	1.561	ng/ul 97
82) Chrysene	21.25	228	76929	1.793	ng/ul 96
85) Benzo(b)fluoranthene	22.76	252	75096	1.599	ng/ul# 90
88) Benzo(a)pyrene	23.32	252	62963	1.419	ng/ul# 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : U:\HPCHEM1\BNA M\DATA\BM012018\
Data File : BM013675.D
Acq On : 20 Jan 2018 11:07
Operator : SJ/JU
Sample : J1216-03
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
B0AE6

Quant Time: Jan 22 01:00:55 2018
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM011018.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jan 22 00:40:08 2018
Response via : Initial Calibration

