

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM012117\
 Data File : BM008788.D
 Acq On : 22 Jan 2017 01:39
 Operator : UM/SJ
 Sample : I1323-23
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DA9S3

Quant Time: Jan 23 05:50:57 2017
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM010617.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jan 23 04:58:16 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.95	152	89168	20.00	ng/ul	0.00
18) Naphthalene-d8	10.76	136	366551	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.58	164	278602	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.32	188	618734	20.00	ng/ul	0.00
75) Chrysene-d12	21.49	240	831958	20.00	ng/ul	0.00
83) Perylene-d12	23.85	264	762533	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.40	96	2538	1.31	ng/uL	0.00
5) Phenol-d5	7.10	99	45468	6.21	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.28	67	188299	37.88	ng/ul	0.00
9) 2-Chlorophenol-d4	7.48	132	131228	25.72	ng/ul	0.00
13) 4-Methylphenol-d8	8.64	113	86639	15.25	ng/ul	0.00
19) Nitrobenzene-d5	9.12	128	87485	38.68	ng/ul	0.00
22) 2-Nitrophenol-d4	9.83	143	99447	40.45	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.36	165	172971	30.56	ng/ul	0.00
29) 4-Chloroaniline-d4	10.89	131	5581	0.89	ng/ul	0.00
43) Dimethylphthalate-d6	13.99	166	663249	36.08	ng/ul	0.00
46) Acenaphthylene-d8	14.27	160	754044	34.79	ng/ul	0.00
51) 4-Nitrophenol-d4	14.76	143	17470	5.81	ng/ul	0.00
57) Fluorene-d10	15.57	176	581856	34.33	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.68	200	150039	47.04	ng/ul	0.00
70) Anthracene-d10	17.42	188	1011259	37.94	ng/ul	0.00
76) Pyrene-d10	19.71	212	1243980	33.93	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.70	264	1157075	37.20	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
28) Naphthalene	10.80	128	20953	1.25	ng/ul#	94
63) 4,6-Dinitro-2-methylphenol	15.69	198	65827	19.52	ng/ul#	88
68) Pentachlorophenol	16.97	266	6028	1.34	ng/ul#	86


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM012117\
Data File : BM008788.D
Acq On : 22 Jan 2017 01:39
Operator : UM/SJ
Sample : I1323-23
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DA9S3

Quant Time: Jan 23 05:50:57 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM010617.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jan 23 04:58:16 2017
Response via : Initial Calibration





#28

Naphthalene

Concen: 1.25 ng/ul

RT: 10.80 min Scan# 1397

Delta R.T. 0.00 min

Lab File: BM008788.D

Acq: 22 Jan 2017 01:39

Instrument :

BNA_M

ClientSampleId :

DA9S3


Tgt Ion:128 Resp: 20953

Ion Ratio Lower Upper

128 100

129 14.7 8.3 12.5#




127 14.0 10.6 16.0



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#63

4,6-Dinitro-2-methylphenol

Concen: 19.52 ng/ul

RT: 15.69 min Scan# 2227

Delta R.T. -0.01 min

Lab File: BM008788.D

Acq: 22 Jan 2017 01:39


Tgt Ion:198 Resp: 65827

Ion Ratio Lower Upper

198 100

182 2.3 4.4 6.6#



77 19.1 20.5 30.7#




Abundance Ion 198.00 (197.70 to 198.70): E

Ion 182.00 (181.70 to 182.70): E

Ion 77.00 (76.70 to 77.70): BM





#68

Pentachlorophenol

Concen: 1.34 ng/ul

RT: 16.97 min Scan# 2445

Delta R.T. 0.00 min

Lab File: BM008788.D

Acq: 22 Jan 2017 01:39

Instrument :

BNA_M

ClientSampleId :

DA9S3


Tgt Ion: 266 Resp: 6028

Ion Ratio Lower Upper

266 100

264 45.0 50.6 75.8#

268 58.5 49.1 73.7



Abundance Ion 265.70 (265.40 to 266.40): E

Ion 264.00 (263.70 to 264.70): E

Ion 268.00 (267.70 to 268.70): E

