

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012121\
 Data File : BM028480.D
 Acq On : 21 Jan 2021 09:30
 Operator : CG/JU
 Sample : PB134193BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB134193BL

Quant Time: Jan 21 10:39:55 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM012021.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 20 14:45:01 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.028	152	39958	20.00	ng	0.00
21) Naphthalene-d8	10.845	136	163342	20.00	ng	# 0.00
39) Acenaphthene-d10	14.669	164	95924	20.00	ng	0.00
64) Phenanthrene-d10	17.398	188	199856	20.00	ng	# 0.00
76) Chrysene-d12	21.527	240	155371	20.00	ng	# 0.00
86) Perylene-d12	23.815	264	125841	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.551	112	340580	134.64	ng	0.00
7) Phenol-d6	7.193	99	439301	127.55	ng	0.00
23) Nitrobenzene-d5	9.204	82	273405	79.39	ng	0.00
42) 2,4,6-Tribromophenol	16.151	330	163052	128.29	ng	0.00
45) 2-Fluorobiphenyl	13.298	172	610232	79.81	ng	0.00
79) Terphenyl-d14	19.992	244	727124	84.51	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012121\
Data File : BM028480.D
Acq On : 21 Jan 2021 09:30
Operator : CG/JU
Sample : PB134193BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB134193BL

Quant Time: Jan 21 10:39:55 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM012021.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 20 14:45:01 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.028 min Scan# 823
Delta R.T. -0.006 min
Lab File: BM028480.D
Acq: 21 Jan 2021 09:30




Instrument :
BNA_M
ClientSampleId :
PB134193BL


Tgt Ion:152 Resp: 39958
Ion Ratio Lower Upper
152 100
150 158.6 120.6 181.0
115 59.3 47.2 70.8



#5
2-Fluorophenol
Concen: 134.64 ng
RT: 5.551 min Scan# 402
Delta R.T. 0.000 min
Lab File: BM028480.D
Acq: 21 Jan 2021 09:30


Tgt Ion:112 Resp: 340580
Ion Ratio Lower Upper
112 100
64 62.5 50.6 76.0
63 33.4 31.0 46.6








#7
Phenol-d6
Concen: 127.55 ng
RT: 7.193 min Scan# 681
Delta R.T. 0.006 min
Lab File: BM028480.D
Acq: 21 Jan 2021 09:30

Instrument :
BNA_M
ClientSampleId :
PB134193BL







Tgt Ion: 99 Resp: 439301
Ion Ratio Lower Upper
99 100
42 22.1 13.5 20.3#
71 35.1 39.4 59.0#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.845 min Scan# 1302
Delta R.T. -0.006 min
Lab File: BM028480.D
Acq: 21 Jan 2021 09:30

Tgt Ion: 136 Resp: 163342
Ion Ratio Lower Upper
136 100
137 10.9 8.6 12.8
54 9.6 4.6 7.0#
68 5.8 4.1 6.1









#23
Nitrobenzene-d5
Concen: 79.39 ng
RT: 9.204 min Scan# 1023
Delta R.T. -0.006 min
Lab File: BM028480.D
Acq: 21 Jan 2021 09:30




Instrument :
BNA_M
ClientSampleId :
PB134193BL


Tgt Ion: 82 Resp: 273405
Ion Ratio Lower Upper
82 100
128 43.2 27.4 41.0#
54 57.8 31.4 47.0#



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.669 min Scan# 1952
Delta R.T. -0.006 min
Lab File: BM028480.D
Acq: 21 Jan 2021 09:30

Tgt Ion:164 Resp: 95924
Ion Ratio Lower Upper
164 100
162 102.6 80.4 120.6
160 44.5 35.9 53.9









#42
2,4,6-Tribromophenol
Concen: 128.29 ng
RT: 16.151 min Scan# 2204
Delta R.T. -0.006 min
Lab File: BM028480.D
Acq: 21 Jan 2021 09:30




Instrument :
BNA_M
ClientSampleId :
PB134193BL


Tgt Ion:330 Resp: 163052
Ion Ratio Lower Upper
330 100
332 96.8 77.8 116.8
141 37.6 28.4 42.6



#45
2-Fluorobiphenyl
Concen: 79.81 ng
RT: 13.298 min Scan# 1719
Delta R.T. 0.000 min
Lab File: BM028480.D
Acq: 21 Jan 2021 09:30

Tgt Ion:172 Resp: 610232
Ion Ratio Lower Upper
172 100
171 35.2 27.8 41.8
170 22.5 18.6 27.8





#64

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.398 min Scan# 2416

Delta R.T. -0.006 min

Lab File: BM028480.D

Acq: 21 Jan 2021 09:30





Tgt Ion:188 Resp: 199856

Ion Ratio Lower Upper

188 100

94 9.4 6.2 9.4#

80 10.8 7.5 11.3



#76

Chrysene-d12

Concen: 20.00 ng

RT: 21.527 min Scan# 3118

Delta R.T. -0.006 min

Lab File: BM028480.D

Acq: 21 Jan 2021 09:30




Tgt Ion:240 Resp: 155371


Ion Ratio Lower Upper

240 100

120 11.3 6.4 9.6#

236 25.0 20.1 30.1









#79
 Terphenyl-d14
 Concen: 84.51 ng
 RT: 19.992 min Scan# 2857
 Delta R.T. 0.000 min
 Lab File: BM028480.D
 Acq: 21 Jan 2021 09:30

Instrument :
 BNA_M
 ClientSampleId :
 PB134193BL

Tgt Ion:244 Resp: 727124
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.8 8.8
 122 11.8 6.5 9.7#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 23.815 min Scan# 3507
 Delta R.T. 0.000 min
 Lab File: BM028480.D
 Acq: 21 Jan 2021 09:30

Tgt Ion:264 Resp: 125841
 Ion Ratio Lower Upper
 264 100
 260 22.4 19.0 28.4
 265 22.6 17.7 26.5

