




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012225\
Data File : BM049405.D
Acq On : 23 Jan 2025 05:48
Operator : RC/JU
Sample : Q1139-07
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DCZH4

Manual IntegrationsAPPROVED

Quant Time: Jan 23 06:21:38 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM011325.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jan 13 16:56:06 2025
Response via : Initial Calibration

Reviewed By :Yogesh Patel 01/24/2025
Supervised By :mohammad ahmed 01/24/2025



TIC: BM049405.D\data.ms

(30) Naphthalene

10.333min (-10.333) 0.00 ng/u1

response 0

Ion	Exp%	Act%
128.00	100.00	0.00
129.00	10.60	0.00#
127.00	12.70	0.00#
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012225\
Data File : BM049405.D
Acq On : 23 Jan 2025 05:48
Operator : RC/JU
Sample : Q1139-07
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DCZH4

Manual IntegrationsAPPROVED

Quant Time: Jan 23 06:21:38 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM011325.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jan 13 16:56:06 2025
Response via : Initial Calibration

Reviewed By :Yogesh Patel 01/24/2025
Supervised By :mohammad ahmed 01/24/2025



TIC: BM049405.D\data.ms

(30) Naphthalene

10.340min (+ 0.006) 415.71 ng/ul m

response 40488304

Ion	Exp%	Act%
128.00	100.00	100.00
129.00	10.60	14.71#
127.00	12.70	16.38#
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012225\
Data File : BM049405.D
Acq On : 23 Jan 2025 05:48
Operator : RC/JU
Sample : Q1139-07
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DCZH4

Manual IntegrationsAPPROVED

Quant Time: Jan 23 06:21:38 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM011325.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jan 13 16:56:06 2025
Response via : Initial Calibration

Reviewed By :Yogesh Patel 01/24/2025
Supervised By :mohammad ahmed 01/24/2025



TIC: BM049405.D\data.ms

(31) 4-Chloroaniline-d4 (S)

10.428min (+ 0.000) 7.24 ng/u1

response 304153

Ion	Exp%	Act%
131.00	100.00	100.00
133.00	32.10	29.15
69.00	19.00	16.58
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012225\
Data File : BM049405.D
Acq On : 23 Jan 2025 05:48
Operator : RC/JU
Sample : Q1139-07
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DCZH4

Manual IntegrationsAPPROVED

Quant Time: Jan 23 06:21:38 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM011325.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jan 13 16:56:06 2025
Response via : Initial Calibration

Reviewed By :Yogesh Patel 01/24/2025
Supervised By :mohammad ahmed 01/24/2025



TIC: BM049405.D\data.ms

(31) 4-Chloroaniline-d4 (S)

10.428min (+ 0.000) 8.82 ng/ul m

response 370522

Ion	Exp%	Act%
131.00	100.00	100.00
133.00	32.10	29.15
69.00	19.00	16.58
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012225\
Data File : BM049405.D
Acq On : 23 Jan 2025 05:48
Operator : RC/JU
Sample : Q1139-07
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DCZH4

Manual IntegrationsAPPROVED

Quant Time: Jan 23 06:21:38 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM011325.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jan 13 16:56:06 2025
Response via : Initial Calibration

Reviewed By :Yogesh Patel 01/24/2025
Supervised By :mohammad ahmed 01/24/2025



TIC: BM049405.D\data.ms

(61) Fluorene

15.157min (-0.064) 1.35 ng/u1

response 119094

Ion	Exp%	Act%
166.00	100.00	100.00
165.00	97.10	188.95#
167.00	13.40	167.87#
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012225\
Data File : BM049405.D
Acq On : 23 Jan 2025 05:48
Operator : RC/JU
Sample : Q1139-07
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DCZH4

Manual IntegrationsAPPROVED

Quant Time: Jan 23 06:21:38 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM011325.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jan 13 16:56:06 2025
Response via : Initial Calibration

Reviewed By :Yogesh Patel 01/24/2025
Supervised By :mohammad ahmed 01/24/2025



TIC: BM049405.D\data.ms

(65) 4,6-Dinitro-2-methylphenol-d2 (S)

15.298min (+ 0.006) 0.02 ng/u1

response 225

Ion	Exp%	Act%
200.00	100.00	100.00
170.00	19.60	493.62#
52.00	39.00	113.31#
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012225\
Data File : BM049405.D
Acq On : 23 Jan 2025 05:48
Operator : RC/JU
Sample : Q1139-07
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DCZH4

Manual IntegrationsAPPROVED

Quant Time: Jan 23 06:21:38 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM011325.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jan 13 16:56:06 2025
Response via : Initial Calibration

Reviewed By :Yogesh Patel 01/24/2025
Supervised By :mohammad ahmed 01/24/2025



TIC: BM049405.D\data.ms

(65) 4,6-Dinitro-2-methylphenol-d2 (S)

15.339min (+ 0.047) 2.67 ng/ul m

response 30264

Ion	Exp%	Act%
200.00	100.00	100.00
170.00	19.60	73.26#
52.00	39.00	45.52
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012225\
Data File : BM049405.D
Acq On : 23 Jan 2025 05:48
Operator : RC/JU
Sample : Q1139-07
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DCZH4

Manual IntegrationsAPPROVED

Quant Time: Jan 23 06:21:38 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM011325.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jan 13 16:56:06 2025
Response via : Initial Calibration

Reviewed By :Yogesh Patel 01/24/2025
Supervised By :mohammad ahmed 01/24/2025



TIC: BM049405.D\data.ms

(72) Phenanthrene

17.074min (+ 0.118) 30.75 ng/u1

response 3034964

Ion	Exp%	Act%
178.00	100.00	100.00
179.00	15.80	20.19#
176.00	19.30	23.49#
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012225\
Data File : BM049405.D
Acq On : 23 Jan 2025 05:48
Operator : RC/JU
Sample : Q1139-07
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DCZH4

Manual IntegrationsAPPROVED

Quant Time: Jan 23 06:21:38 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM011325.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jan 13 16:56:06 2025
Response via : Initial Calibration

Reviewed By :Yogesh Patel 01/24/2025
Supervised By :mohammad ahmed 01/24/2025



TIC: BM049405.D\data.ms

(72) Phenanthrene

16.963min (+ 0.006) 466.34 ng/u1 m

response 46033515

Ion	Exp%	Act%
178.00	100.00	100.00
179.00	15.80	21.43#
176.00	19.30	26.23#
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012225\
Data File : BM049405.D
Acq On : 23 Jan 2025 05:48
Operator : RC/JU
Sample : Q1139-07
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DCZH4

Manual IntegrationsAPPROVED

Quant Time: Jan 23 06:21:38 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM011325.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jan 13 16:56:06 2025
Response via : Initial Calibration

Reviewed By :Yogesh Patel 01/24/2025
Supervised By :mohammad ahmed 01/24/2025



TIC: BM049405.D\data.ms

(74) Anthracene

17.074min (+ 0.024) 197.48 ng/u1 m

response 19565994

Ion	Exp%	Act%
178.00	100.00	100.00
179.00	15.60	20.19#
176.00	18.90	23.49#
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012225\
Data File : BM049405.D
Acq On : 23 Jan 2025 05:48
Operator : RC/JU
Sample : Q1139-07
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DCZH4

Manual IntegrationsAPPROVED

Quant Time: Jan 23 06:24:13 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM011325.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jan 13 16:56:06 2025
Response via : Initial Calibration

Reviewed By :Yogesh Patel 01/24/2025
Supervised By :mohammad ahmed 01/24/2025



TIC: BM049405.D\data.ms

(80) Fluoranthene

18.927min (-0.059) 0.87 ng/u1

response 93055

Ion	Exp%	Act%
202.00	100.00	100.00
101.00	8.70	31.26#
100.00	6.30	11.63#
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012225\
Data File : BM049405.D
Acq On : 23 Jan 2025 05:48
Operator : RC/JU
Sample : Q1139-07
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DCZH4

Manual IntegrationsAPPROVED

Quant Time: Jan 23 06:24:13 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM011325.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jan 13 16:56:06 2025
Response via : Initial Calibration

Reviewed By :Yogesh Patel 01/24/2025
Supervised By :mohammad ahmed 01/24/2025



TIC: BM049405.D\data.ms

(80) Fluoranthene

18.986min (+ 0.000) 299.47 ng/u1 m

response 32139987

Ion	Exp%	Act%
202.00	100.00	100.00
101.00	8.70	9.66
100.00	6.30	6.99
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012225\
Data File : BM049405.D
Acq On : 23 Jan 2025 05:48
Operator : RC/JU
Sample : Q1139-07
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DCZH4

Manual IntegrationsAPPROVED

Quant Time: Jan 23 06:24:13 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM011325.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jan 13 16:56:06 2025
Response via : Initial Calibration

Reviewed By :Yogesh Patel 01/24/2025
Supervised By :mohammad ahmed 01/24/2025



TIC: BM049405.D\data.ms

(82) Pyrene

19.421min (+ 0.071) 1.08 ng/u1

response 123890

Ion	Exp%	Act%
202.00	100.00	100.00
101.00	9.80	24.51#
100.00	8.30	10.64#
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012225\
Data File : BM049405.D
Acq On : 23 Jan 2025 05:48
Operator : RC/JU
Sample : Q1139-07
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DCZH4

Manual IntegrationsAPPROVED

Quant Time: Jan 23 06:24:13 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM011325.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jan 13 16:56:06 2025
Response via : Initial Calibration

Reviewed By :Yogesh Patel 01/24/2025
Supervised By :mohammad ahmed 01/24/2025



TIC: BM049405.D\data.ms

(82) Pyrene

19.357min (+ 0.006) 212.50 ng/u1 m

response 24277047

Ion	Exp%	Act%
202.00	100.00	100.00
101.00	9.80	13.17#
100.00	8.30	8.76
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012225\
Data File : BM049405.D
Acq On : 23 Jan 2025 05:48
Operator : RC/JU
Sample : Q1139-07
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DCZH4

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 01/24/2025
Supervised By :mohammad ahmed 01/24/2025

Quant Time: Jan 23 06:24:13 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM011325.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jan 13 16:56:06 2025
Response via : Initial Calibration



TIC: BM049405.D\data.ms

(91) Benzo(k)fluoranthene

23.109min (-0.006) 19.25 ng/u1

response 2149924

Ion	Exp%	Act%
252.00	100.00	100.00
253.00	22.00	23.01
125.00	8.10	8.13
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012225\
 Data File : BM049405.D
 Acq On : 23 Jan 2025 05:48
 Operator : RC/JU
 Sample : Q1139-07
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DCZH4

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 01/24/2025
 Supervised By :mohammad ahmed 01/24/2025

Quant Time: Jan 23 06:24:13 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM011325.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jan 13 16:56:06 2025
 Response via : Initial Calibration



TIC: BM049405.D\data.ms

(91) Benzo(k)fluoranthene

23.109min (-0.006) 23.27 ng/ul m

response 2599150

Ion	Exp%	Act%
252.00	100.00	100.00
253.00	22.00	23.01
125.00	8.10	8.13
0.00	0.00	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012225\
 Data File : BM049405.D
 Acq On : 23 Jan 2025 05:48
 Operator : RC/JU
 Sample : Q1139-07
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DCZH4

Manual IntegrationsAPPROVED

Quant Time: Jan 23 06:25:07 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM011325.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jan 13 16:56:06 2025
 Response via : Initial Calibration

Reviewed By :Yogesh Patel 01/24/2025
 Supervised By :mohammad ahmed 01/24/2025

Compound	R.T.	Q	Ion	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Dichlorobenzene-d4	7.516	152		490958	20.000	ng/ul	0.00
20) Naphthalene-d8	10.293	136		1835203	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.163	164		1222469	20.000	ng/ul	0.00
64) Phenanthrene-d10	16.933	188		1775579	20.000	ng/ul	0.02
79) Chrysene-d12	21.151	240		1534703	20.000	ng/ul	0.00
88) Perylene-d12	23.921	264		1673625	20.000	ng/ul	-0.01
System Monitoring Compounds							
3) 1,4-Dioxane-d8	3.122	96		33699	2.840	ng/uL	0.00
4) Pyridine-d5	3.516	84		156925	4.154	ng/ul	0.00
7) Phenol-d5	6.710	99		678099	16.453	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	6.869	67		453234	16.516	ng/ul	0.00
11) 2-Chlorophenol-d4	7.057	132		545702	17.309	ng/ul	0.00
15) 4-Methylphenol-d8	8.234	113		525300	16.437	ng/ul	0.00
21) Nitrobenzene-d5	8.663	128		275483	19.685	ng/ul	0.00
24) 2-Nitrophenol-d4	9.381	143		305652	19.537	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	9.922	165		581473	18.214	ng/ul	0.00
31) 4-Chloroaniline-d4	10.428	131		370522m	8.820	ng/ul	0.00
46) Dimethylphthalate-d6	13.586	166		1558596	17.130	ng/ul	0.00
49) Acenaphthylene-d8	13.851	160		1820936	17.531	ng/ul	0.00
54) 4-Nitrophenol-d4	14.392	143		194710	12.923	ng/ul	0.00
60) Fluorene-d10	15.163	176		1362071	17.329	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.339	200		30264m	2.674	ng/ul	0.05
73) Anthracene-d10	17.051	188		1739753	19.821	ng/ul	0.04
81) Pyrene-d10	19.327	212		1501190	16.073	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.733	264		908945	10.117	ng/ul	-0.01
Target Compounds							
						Qvalue	
30) Naphthalene	10.340	128		40488304m	415.712	ng/ul	
36) 2-Methylnaphthalene	11.981	142		21213784	304.383	ng/ul	100
37) 1-Methylnaphthalene	12.192	142		11894248	171.523	ng/ul	99
50) Acenaphthylene	13.881	152		964047	9.053	ng/ul#	86
52) Acenaphthene	14.251	153		19179688	252.091	ng/ul	98
61) Fluorene	15.233	166		21897254m	248.060	ng/ul	
71) Pentachlorophenol	16.604	266		18826	1.210	ng/ul	98
72) Phenanthrene	16.963	178		46033515m	466.344	ng/ul	
74) Anthracene	17.074	178		19565994m	197.476	ng/ul	
80) Fluoranthene	18.986	202		32139987m	299.466	ng/ul	
82) Pyrene	19.357	202		24277047m	212.501	ng/ul	
85) Benzo(a)anthracene	21.133	228		13494871	126.177	ng/ul	96
87) Chrysene	21.192	228		11422953	116.992	ng/ul	96
90) Benzo(b)fluoranthene	23.062	252		6811435	60.805	ng/ul	99
91) Benzo(k)fluoranthene	23.109	252		2599150m	23.271	ng/ul	
93) Benzo(a)pyrene	23.792	252		1707841	16.879	ng/ul	99
94) Indeno(1,2,3-cd)pyrene	27.003	276		765763	6.597	ng/ul	98
95) Dibenzo(a,h)anthracene	27.033	278		347115	3.672	ng/ul	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012225\
Data File : BM049405.D
Acq On : 23 Jan 2025 05:48
Operator : RC/JU
Sample : Q1139-07
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DCZH4

Manual IntegrationsAPPROVED

Quant Time: Jan 23 06:25:07 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM011325.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jan 13 16:56:06 2025
Response via : Initial Calibration

Reviewed By :Yogesh Patel 01/24/2025
Supervised By :mohammad ahmed 01/24/2025

