

Data Path : Z:\HPCHEM1\BNA M\DATA\BM012315\
 Data File : BM000311.D
 Acq On : 24 Jan 2015 00:53
 Operator : TP/IZ
 Sample : G1102-08
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0AG0

Quant Time: Jan 24 04:41:30 2015
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM01.2-EPA-BM012315.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Jan 24 04:15:00 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.82	152	154500	20.00	ng/ul	0.00
18) Naphthalene-d8	10.60	136	676288	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.45	164	511917	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.19	188	1119394	20.00	ng/ul	0.00
75) Chrysene-d12	21.38	240	1416519	20.00	ng/ul	0.00
83) Perylene-d12	23.66	264	1470774	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.30	96	21987	6.24	ng/uL	0.00
5) Phenol-d5	6.97	99	444917	34.00	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.15	67	322105	35.65	ng/ul	0.00
9) 2-Chlorophenol-d4	7.35	132	329097	35.27	ng/ul	0.00
13) 4-Methylphenol-d8	8.51	113	369388	36.62	ng/ul	0.00
19) Nitrobenzene-d5	8.97	128	188674	36.91	ng/ul	0.00
22) 2-Nitrophenol-d4	9.69	143	186369	39.40	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.22	165	362417	35.25	ng/ul	0.00
29) 4-Chloroaniline-d4	10.74	131	466667	37.08	ng/ul	0.00
43) Dimethylphthalate-d6	13.86	166	1427038	38.82	ng/ul	0.00
46) Acenaphthylene-d8	14.15	160	1676949	37.37	ng/ul	0.00
51) 4-Nitrophenol-d4	14.64	143	213116	35.04	ng/ul	0.00
57) Fluorene-d10	15.44	176	1222654	37.08	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.56	200	176226	29.85	ng/ul	0.00
70) Anthracene-d10	17.29	188	1992863	37.49	ng/ul	0.00
76) Pyrene-d10	19.59	212	2345594	37.31	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.52	264	2514854	37.59	ng/ul	0.00


Target Compounds						Ovalue
6) Phenol	7.00	94	30565	2.22	ng/ul	95
44) Dimethylphthalate	13.90	163	365733	9.70	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM012315\
Data File : BM000311.D
Acq On : 24 Jan 2015 00:53
Operator : TP/IZ
Sample : G1102-08
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0AG0

Quant Time: Jan 24 04:41:30 2015
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM01.2-EPA-BM012315.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Jan 24 04:15:00 2015
Response via : Initial Calibration





#6

Phenol

Concen: 2.22 ng/ul

RT: 7.00 min Scan# 734

Delta R.T. 0.00 min

Lab File: BM000311.D

Acq: 24 Jan 2015 00:53

Instrument :

BNA_M

ClientSampleId :

C0AG0





Tot Ion: 94 Resp: 30565

Ion Ratio Lower Upper

94 100

65 44.9 30.2 45.2

66 63.3 50.3 75.5



#44

Dimethylphthalate

Concen: 9.70 ng/ul

RT: 13.90 min Scan# 1907

Delta R.T. 0.00 min

Lab File: BM000311.D

Acq: 24 Jan 2015 00:53

Tgt Ion: 163 Resp: 365733

Ion Ratio Lower Upper

163 100

194 3.9 3.1 4.7

164 10.6 8.1 12.1

