

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA_M\DATA\BM012318\
 Data File : BM013744.D
 Acq On : 23 Jan 2018 23:10
 Operator : SJ/JU
 Sample : J1220-02
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 F6A04

Quant Time: Jan 24 03:46:25 2018
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM011018.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jan 24 03:42:30 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.60	152	152382	20.00	ng/ul	0.00
18) Naphthalene-d8	10.38	136	614607	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.26	164	338204	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.01	188	765921	20.00	ng/ul	0.00
75) Chrysene-d12	21.21	240	805634	20.00	ng/ul	0.00
83) Perylene-d12	23.41	264	821785	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.16	96	10769	2.79	ng/uL	0.00
5) Phenol-d5	6.79	99	216674	18.52	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.95	67	131530	18.56	ng/ul	0.00
9) 2-Chlorophenol-d4	7.15	132	184626	19.37	ng/ul	0.00
13) 4-Methylphenol-d8	8.32	113	172224	19.15	ng/ul	0.00
19) Nitrobenzene-d5	8.76	128	92517	19.40	ng/ul	0.00
22) 2-Nitrophenol-d4	9.48	143	98715	19.59	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.02	165	181389	18.63	ng/ul	0.00
29) 4-Chloroaniline-d4	10.53	131	196554	23.27	ng/ul	0.00
43) Dimethylphthalate-d6	13.67	166	563287	20.21	ng/ul	0.00
46) Acenaphthylene-d8	13.95	160	725210	20.40	ng/ul	0.00
51) 4-Nitrophenol-d4	14.49	143	65367	14.43	ng/ul	0.00
57) Fluorene-d10	15.26	176	486589	19.85	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.40	200	62150	13.48	ng/ul	0.00
70) Anthracene-d10	17.11	188	749636	20.09	ng/ul	0.00
76) Pyrene-d10	19.42	212	820411	21.87	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.27	264	803413	21.27	ng/ul	0.00
Target Compounds						
6) Phenol	6.82	94	33442	2.850	ng/ul	92
44) Dimethylphthalate	13.72	163	219276	8.001	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SVOASRV\HPCHEM1\BNA_M\DATA\BM012318\
Data File : BM013744.D
Acq On : 23 Jan 2018 23:10
Operator : SJ/JU
Sample : J1220-02
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
F6A04

Quant Time: Jan 24 03:46:25 2018
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM011018.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Jan 24 03:42:30 2018
Response via : Initial Calibration





#6

Phenol

Concen: 2.850 ng/ul

RT: 6.82 min Scan# 651

Delta R.T. -0.01 min

Lab File: BM013744.D

Acq: 23 Jan 2018 23:10

Instrument :

BNA_M

ClientSampleId :

F6A04


Tgt Ion: 94 Resp: 33442

Ion Ratio Lower Upper

94 100

65 34.6 28.2 42.4




66 49.6 47.2 70.8



Abundance Ion 94.00 (93.70 to 94.70): BM013733.D (-645) (-)

Ion 65.00 (64.70 to 65.70): BM013733.D (-645) (-)

Ion 66.00 (65.70 to 66.70): BM013733.D (-645) (-)



#44

Dimethylphthalate

Concen: 8.001 ng/ul

RT: 13.72 min Scan# 1825

Delta R.T. -0.01 min

Lab File: BM013744.D

Acq: 23 Jan 2018 23:10


Tgt Ion: 163 Resp: 219276

Ion Ratio Lower Upper

163 100

194 4.5 3.5 5.3

164 10.5 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): BM013733.D (-1820) (-)

Ion 194.00 (193.70 to 194.70): BM013733.D (-1820) (-)

Ion 164.00 (163.70 to 164.70): BM013733.D (-1820) (-)

