

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM012320\
 Data File : BM024610.D
 Acq On : 23 Jan 2020 16:33
 Operator : CG/JU
 Sample : PB125838BL
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Jan 23 17:12:48 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM012320.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jan 23 14:57:07 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.45	152	208164	20.00	ng	0.00
21) Naphthalene-d8	10.20	136	807689	20.00	ng	0.00
39) Acenaphthene-d10	14.09	164	562350	20.00	ng	0.00
64) Phenanthrene-d10	16.84	188	1309820	20.00	ng	0.00
76) Chrysene-d12	21.05	240	1345847	20.00	ng	0.00
87) Perylene-d12	23.16	264	1458521	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.09	112	1577589	144.13	ng	0.00
7) Phenol-d6	6.65	99	2048152	135.83	ng	0.00
23) Nitrobenzene-d5	8.58	82	1402942	85.18	ng	0.00
42) 2,4,6-Tribromophenol	15.59	330	1211850	132.48	ng	0.00
45) 2-Fluorobiphenyl	12.71	172	3576606	86.47	ng	0.00
79) Terphenyl-d14	19.50	244	7388817	102.49	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM012320\
Data File : BM024610.D
Acq On : 23 Jan 2020 16:33
Operator : CG/JU
Sample : PB125838BL
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Jan 23 17:12:48 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM012320.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jan 23 14:57:07 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.45 min Scan# 775
Delta R.T. 0.00 min
Lab File: BM024610.D
Acq: 23 Jan 2020 16:33

Instrument :
BNA_M
ClientSampleId :

Tot Ion:152 Resp: 208164
Ion Ratio Lower Upper
152 100
150 152.2 124.2 186.4
115 58.7 48.6 72.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 144.126 ng
RT: 5.09 min Scan# 374
Delta R.T. 0.01 min
Lab File: BM024610.D
Acq: 23 Jan 2020 16:33

Tgt Ion:112 Resp: 1577589
Ion Ratio Lower Upper
112 100
64 55.2 44.2 66.4
63 31.9 25.9 38.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 135.831 ng

RT: 6.65 min Scan# 639

Delta R.T. 0.00 min

Lab File: BM024610.D

Acq: 23 Jan 2020 16:33


Instrument :

BNA_M

ClientSampleId :

Tot Ion: 99 Resp: 2048152




Ion	Ratio	Lower	Upper
99	100		
42	17.5	14.1	21.1
71	42.9	33.0	49.6



Abundance Ion 99.00 (98.70 to 99.70): BM024610.D (-622) (-)

Ion 42.00 (41.70 to 42.70): BM024610.D (-622) (-)

Ion 71.00 (70.70 to 71.70): BM024610.D (-622) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.20 min Scan# 1244


Delta R.T. 0.00 min

Lab File: BM024610.D

Acq: 23 Jan 2020 16:33

Tgt Ion: 136 Resp: 807689

Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.6	13.0
54	5.2	4.5	6.7
68	4.3	3.4	5.0






Abundance Ion 136.00 (135.70 to 136.70): BM024610.D (-1227) (-)

Ion 137.00 (136.70 to 137.70): BM024610.D (-1227) (-)

Ion 54.00 (53.70 to 54.70): BM024610.D (-1227) (-)

Ion 68.00 (67.70 to 68.70): BM024610.D (-1227) (-)






#23
 Nitrobenzene-d5
 Concen: 85.184 ng
 RT: 8.58 min Scan# 968
 Delta R.T. -0.01 min
 Lab File: BM024610.D
 Acq: 23 Jan 2020 16:33




Instrument :
 BNA_M
 ClientSampled :

Tot Ion: 82 Resp: 1402942

Ion	Ratio	Lower	Upper
82	100		
128	40.8	32.6	48.8
54	43.5	34.8	52.2




Abundance Ion 82.00 (81.70 to 82.70): BM024610.D (-952) (-)
 Ion 128.00 (127.70 to 128.70): BM024610.D (-952) (-)
 Ion 54.00 (53.70 to 54.70): BM024610.D (-952) (-)





#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.09 min Scan# 1905
 Delta R.T. 0.00 min
 Lab File: BM024610.D
 Acq: 23 Jan 2020 16:33


Tgt Ion:164 Resp: 562350

Ion	Ratio	Lower	Upper
164	100		
162	101.3	82.9	124.3
160	43.4	35.5	53.3



Abundance Ion 164.00 (163.70 to 164.70): BM024610.D (-1888) (-)
 Ion 162.00 (161.70 to 162.70): BM024610.D (-1888) (-)
 Ion 160.00 (159.70 to 160.70): BM024610.D (-1888) (-)









#42
 2,4,6-Tribromophenol
 Concen: 132.480 ng
 RT: 15.59 min Scan# 2160
 Delta R.T. 0.00 min
 Lab File: BM024610.D
 Acq: 23 Jan 2020 16:33

Instrument :
 BNA_M
 ClientSampleId :

Tot Ion:330 Resp: 1211850
 Ion Ratio Lower Upper
 330 100
 332 96.9 77.2 115.8
 141 33.3 26.9 40.3




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 86.466 ng
 RT: 12.71 min Scan# 1670
 Delta R.T. 0.00 min
 Lab File: BM024610.D
 Acq: 23 Jan 2020 16:33

Tgt Ion:172 Resp: 3576606
 Ion Ratio Lower Upper
 172 100
 171 35.2 28.3 42.5
 170 22.8 17.9 26.9



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.84 min Scan# 2372
Delta R.T. -0.01 min
Lab File: BM024610.D
Acq: 23 Jan 2020 16:33




Instrument :
BNA_M
ClientSampleId :


Tot Ion:188 Resp: 1309820
Ion Ratio Lower Upper
188 100
94 6.0 5.0 7.6
80 6.9 5.8 8.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.05 min Scan# 3088
Delta R.T. -0.01 min
Lab File: BM024610.D
Acq: 23 Jan 2020 16:33

Tgt Ion:240 Resp: 1345847
Ion Ratio Lower Upper
240 100
120 6.4 5.3 7.9
236 25.0 20.6 31.0





#79

Terphenyl-d14

Concen: 102.495 ng

RT: 19.50 min Scan# 2825

Delta R.T. 0.00 min

Lab File: BM024610.D

Acq: 23 Jan 2020 16:33


Instrument :

BNA_M

ClientSampleId :

Tot Ion:244 Resp: 7388817




Ion	Ratio	Lower	Upper
244	100		
212	6.8	5.4	8.2
122	7.2	6.2	9.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.16 min Scan# 3447


Delta R.T. 0.00 min

Lab File: BM024610.D

Acq: 23 Jan 2020 16:33

Tgt Ion:264 Resp: 1458521

Ion	Ratio	Lower	Upper
264	100		
260	23.1	17.9	26.9
265	21.2	17.3	25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

