

Data Path : Z:\HPCHEM1\BNA M\DATA\BM012418\
 Data File : BM013775.D
 Acq On : 24 Jan 2018 19:26
 Operator : SJ/JU
 Sample : J1223-08
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Jan 25 00:33:21 2018
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM011018.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Jan 25 00:32:09 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.60	152	137499	20.00	ng/ul	0.00
18) Naphthalene-d8	10.37	136	554717	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.25	164	317705	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.00	188	736301	20.00	ng/ul	0.00
75) Chrysene-d12	21.20	240	775422	20.00	ng/ul	0.00
83) Perylene-d12	23.40	264	779289	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.15	96	9929	2.85	ng/uL	0.00
5) Phenol-d5	6.78	99	223828	21.21	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.94	67	131903	20.62	ng/ul	0.00
9) 2-Chlorophenol-d4	7.13	132	194873	22.66	ng/ul	0.00
13) 4-Methylphenol-d8	8.31	113	178396	21.98	ng/ul	0.00
19) Nitrobenzene-d5	8.75	128	95263	22.13	ng/ul	0.00
22) 2-Nitrophenol-d4	9.47	143	107721	23.68	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.00	165	189279	21.54	ng/ul	0.00
29) 4-Chloroaniline-d4	10.52	131	240493	31.55	ng/ul	0.00
43) Dimethylphthalate-d6	13.67	166	628155	23.99	ng/ul	0.00
46) Acenaphthylene-d8	13.94	160	771944	23.12	ng/ul	0.00
51) 4-Nitrophenol-d4	14.48	143	72732	17.09	ng/ul	0.00
57) Fluorene-d10	15.24	176	532612	23.13	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.39	200	75962	17.14	ng/ul	0.00
70) Anthracene-d10	17.10	188	831970	23.20	ng/ul	0.00
76) Pyrene-d10	19.40	212	982516	27.21	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.26	264	927466	25.89	ng/ul	0.00

Target Compounds


				Ovalue	
6) Phenol	6.81	94	27788	2.625	ng/ul# 85
28) Naphthalene	10.42	128	82072	2.974	ng/ul 96
30) 4-Chloroaniline	10.42	127	10219	1.352	ng/ul# 1
44) Dimethylphthalate	13.72	163	159869	6.210	ng/ul 97
68) Pentachlorophenol	16.66	266	43414	8.728	ng/ul 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM012418\
Data File : BM013775.D
Acq On : 24 Jan 2018 19:26
Operator : SJ/JU
Sample : J1223-08
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Jan 25 00:33:21 2018
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM011018.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Jan 25 00:32:09 2018
Response via : Initial Calibration





#6

Phenol

Concen: 2.625 ng/ul

RT: 6.81 min Scan# 650

Delta R.T. 0.00 min

Lab File: BM013775.D

Acq: 24 Jan 2018 19:26

Instrument :

BNA_M

ClientSampleId :


Tot Ion: 94 Resp: 27788

Ion Ratio Lower Upper

94 100

65 31.9 28.2 42.4




66 43.9 47.2 70.8#



Abundance Ion 94.00 (93.70 to 94.70): BM013767.D (-643) (-)

Ion 65.00 (64.70 to 65.70): BM013767.D (-643) (-)

Ion 66.00 (65.70 to 66.70): BM013767.D (-643) (-)



#28

Naphthalene

Concen: 2.974 ng/ul

RT: 10.42 min Scan# 1264

Delta R.T. 0.00 min

Lab File: BM013775.D

Acq: 24 Jan 2018 19:26


Tgt Ion: 128 Resp: 82072

Ion Ratio Lower Upper

128 100

129 12.6 8.8 13.2



127 11.8 10.6 16.0




Abundance Ion 128.00 (127.70 to 128.70): BM013767.D (-1257) (-)

Ion 129.00 (128.70 to 129.70): BM013767.D (-1257) (-)

Ion 127.00 (126.70 to 127.70): BM013767.D (-1257) (-)









#30
4-Chloroaniline
Concen: 1.352 ng/ul
RT: 10.42 min Scan# 1263
Delta R.T. -0.13 min
Lab File: BM013775.D
Acq: 24 Jan 2018 19:26




Instrument :
BNA_M
ClientSampleId :


Tot Ion:127 Resp: 10219
Ion Ratio Lower Upper
127 100
129 102.9 28.4 42.6#



#44
Dimethylphthalate
Concen: 6.210 ng/ul
RT: 13.72 min Scan# 1824
Delta R.T. 0.00 min
Lab File: BM013775.D
Acq: 24 Jan 2018 19:26

Tgt Ion:163 Resp: 159869
Ion Ratio Lower Upper
163 100
194 4.5 3.5 5.3
164 8.8 8.2 12.4






#68
 Pentachlorophenol
 Concen: 8.728 ng/ul
 RT: 16.66 min Scan# 2325
 Delta R.T. 0.01 min
 Lab File: BM013775.D
 Acq: 24 Jan 2018 19:26

Instrument :
 BNA_M
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
266	100		
264	63.4	49.3	73.9
268	67.0	52.6	78.8



Abundance Ion 265.70 (265.40 to 266.40): E
 Ion 264.00 (263.70 to 264.70): E
 Ion 268.00 (267.70 to 268.70): E

