

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012423\
 Data File : BM038522.D
 Acq On : 24 Jan 2023 12:30
 Operator : CG/JU
 Sample : N4955-02
 Misc : LOQ-SOIL-10ppm
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 LOQ-SOIL-02-QT4-2022

Manual Integrations
 APPROVED

Reviewed By :Christian
 Giraldo

Quant Time: Jan 25 03:13:59 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM012023.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Jan 21 01:21:49 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.963	152	69318	20.000	ng	0.00
21) Naphthalene-d8	10.775	136	237568	20.000	ng	0.00
39) Acenaphthene-d10	14.598	164	151092	20.000	ng	0.00
64) Phenanthrene-d10	17.339	188	351254	20.000	ng	0.00
76) Chrysene-d12	21.515	240	394864	20.000	ng	0.00
86) Perylene-d12	23.927	264	474905	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.511	112	330015	78.704	ng	0.00
7) Phenol-d6	7.128	99	534847	99.972	ng	0.00
23) Nitrobenzene-d5	9.140	82	361024	65.992	ng	0.00
42) 2,4,6-Tribromophenol	16.086	330	240107	110.355	ng	0.00
45) 2-Fluorobiphenyl	13.228	172	816062	66.532	ng	0.00
79) Terphenyl-d14	19.957	244	1332284	65.777	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.370	88	16548	8.414	ng	95
3) Pyridine	3.799	79	37811m	7.320	ng	
4) n-Nitrosodimethylamine	3.705	42	21128	8.616	ng	93
6) Aniline	7.293	93	58772	8.850	ng	100
8) 2-Chlorophenol	7.522	128	41365	9.657	ng	96
9) Benzaldehyde	7.105	77	34613m	10.907	ng	
10) Phenol	7.152	94	51039	9.547	ng	96
11) bis(2-Chloroethyl)ether	7.387	93	38904	9.223	ng	96
12) 1,3-Dichlorobenzene	7.852	146	48867	10.035	ng	98
13) 1,4-Dichlorobenzene	7.999	146	48463	9.849	ng	98
14) 1,2-Dichlorobenzene	8.316	146	46838	9.827	ng	96
15) Benzyl Alcohol	8.210	79	35877	8.969	ng	98
16) 2,2'-oxybis(1-Chloropr...	8.493	45	40718	9.193	ng	96
17) 2-Methylphenol	8.410	107	30006	7.930	ng	99
18) Hexachloroethane	9.040	117	17451	9.540	ng	96
19) n-Nitroso-di-n-propyla...	8.775	70	32107	8.654	ng	98
20) 3+4-Methylphenols	8.740	107	39602	7.809	ng	96
22) Acetophenone	8.793	105	55263	8.444	ng	# 98
24) Nitrobenzene	9.181	77	52157	9.422	ng	99
25) Isophorone	9.704	82	80091	8.871	ng	99
26) 2-Nitrophenol	9.893	139	19324	8.795	ng	95
27) 2,4-Dimethylphenol	9.946	122	19970	5.461	ng	92
28) bis(2-Chloroethoxy)met...	10.187	93	47420	8.979	ng	99
29) 2,4-Dichlorophenol	10.422	162	37361	8.709	ng	98
30) 1,2,4-Trichlorobenzene	10.634	180	46148	9.406	ng	99
31) Naphthalene	10.828	128	113000	8.756	ng	99
32) Benzoic acid	10.040	122	22537	12.543	ng	94
33) 4-Chloroaniline	10.946	127	43293	8.037	ng	# 92
34) Hexachlorobutadiene	11.098	225	31287	9.695	ng	96
35) Caprolactam	11.722	113	10652	10.242	ng	92
36) 4-Chloro-3-methylphenol	12.063	107	34006	8.717	ng	94
37) 2-Methylnaphthalene	12.428	142	79419	8.563	ng	99
38) 1-Methylnaphthalene	12.651	142	74877	8.560	ng	98
40) 1,2,4,5-Tetrachloroben...	12.798	216	48692	8.567	ng	99
41) Hexachlorocyclopentadiene	12.769	237	30320	9.706	ng	96
43) 2,4,6-Trichlorophenol	13.040	196	32682	8.983	ng	96

01/25/2023
 Supervised By :Jagrut
 padhyay

01/25/2023

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012423\
 Data File : BM038522.D
 Acq On : 24 Jan 2023 12:30
 Operator : CG/JU
 Sample : N4955-02
 Misc : LOQ-SOIL-10ppm
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 LOQ-SOIL-02-QT4-2022


Quant Time: Jan 25 03:13:59 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM012023.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Jan 21 01:21:49 2023
 Response via : Initial Calibration

Manual Integrations
 APPROVED

Reviewed By :Christian
 Giraldo


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)	
44) 2,4,5-Trichlorophenol	13.110	196	35403	8.308	ng	98	01/25/2023
46) 1,1'-Biphenyl	13.434	154	97791	8.082	ng	98	Supervised By :Jagrut Upadhyay
47) 2-Chloronaphthalene	13.481	162	87801	9.295	ng	99	
48) 2-Nitroaniline	13.692	65	21725	7.832	ng	96	
49) Acenaphthylene	14.322	152	127186	8.606	ng	98	
50) Dimethylphthalate	14.057	163	102381	8.803	ng	100	
51) 2,6-Dinitrotoluene	14.187	165	20257	8.276	ng	96	01/25/2023
52) Acenaphthene	14.663	154	79095	8.775	ng	96	
53) 3-Nitroaniline	14.516	138	17846	7.337	ng	98	
54) 2,4-Dinitrophenol	14.728	184	11787	10.644	ng	91	
55) Dibenzofuran	14.998	168	135852	9.015	ng	99	
56) 4-Nitrophenol	14.822	139	16827	8.401	ng	93	
57) 2,4-Dinitrotoluene	14.969	165	27157	8.185	ng	# 84	
58) Fluorene	15.645	166	106835	8.743	ng	99	
59) 2,3,4,6-Tetrachlorophenol	15.222	232	30609	8.788	ng	100	
60) Diethylphthalate	15.410	149	99146	8.705	ng	96	
61) 4-Chlorophenyl-phenyle...	15.633	204	58373	9.099	ng	99	
62) 4-Nitroaniline	15.675	138	18845	9.646	ng	96	
63) Azobenzene	15.928	77	102665	8.507	ng	99	
65) 4,6-Dinitro-2-methylph...	15.733	198	21946	9.625	ng	93	
66) n-Nitrosodiphenylamine	15.851	169	89070	8.447	ng	99	
67) 4-Bromophenyl-phenylether	16.528	248	34018	8.731	ng	94	
68) Hexachlorobenzene	16.645	284	40730	9.688	ng	97	
69) Atrazine	16.798	200	29434	8.367	ng	97	
70) Pentachlorophenol	16.992	266	32842	10.971	ng	97	
71) Phenanthrene	17.380	178	173990	8.870	ng	99	
72) Anthracene	17.475	178	167828	8.408	ng	99	
73) Carbazole	17.745	167	151751	8.633	ng	98	
74) Di-n-butylphthalate	18.298	149	157331	8.147	ng	99	
75) Fluoranthene	19.392	202	213359	9.050	ng	98	
77) Benzidine	19.586	184	67834	7.539	ng	99	
78) Pyrene	19.757	202	229184	8.336	ng	99	
80) Butylbenzylphthalate	20.645	149	70685	7.435	ng	99	
81) Benzo(a)anthracene	21.498	228	250031	8.936	ng	100	
82) 3,3'-Dichlorobenzidine	21.433	252	79552	8.852	ng	98	
83) Chrysene	21.551	228	240358	8.784	ng	99	
84) Bis(2-ethylhexyl)phtha...	21.410	149	102892	7.467	ng	98	
85) Di-n-octyl phthalate	22.339	149	183304	7.482	ng	99	
87) Indeno(1,2,3-cd)pyrene	26.439	276	310976	8.849	ng	98	
88) Benzo(b)fluoranthene	23.186	252	267147	9.325	ng	98	
89) Benzo(k)fluoranthene	23.233	252	274702	9.267	ng	99	
90) Benzo(a)pyrene	23.821	252	242641	8.543	ng	# 98	
91) Dibenzo(a,h)anthracene	26.450	278	270697	9.254	ng	98	
92) Benzo(g,h,i)perylene	27.209	276	277657	9.267	ng	98	

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.963 min Scan# 81
Delta R.T. -0.006 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion:152 Resp: 69318
Ion Ratio Lower Upper
152 100
150 150.9 124.2 186.4
115 57.8 44.8 67.2


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






01/25/2023
Supervised By :Jagrut
Upadhyay


01/25/2023



#2
1,4-Dioxane
Concen: 8.414 ng
RT: 3.370 min Scan# 31
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30


Tgt Ion: 88 Resp: 16548
Ion Ratio Lower Upper
88 100
58 58.4 50.5 75.7
43 29.1 23.9 35.9





#3
Pyridine
Concen: 7.320 ng m
RT: 3.799 min Scan# 103
Delta R.T. 0.006 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion: 79 Resp: 3781
Ion Ratio Lower Upper
79 100
52 57.7 45.0 67.4
51 35.7 27.1 40.7


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






01/25/2023
Supervised By :Jagrut
Upadhyay


01/25/2023



#4
n-Nitrosodimethylamine
Concen: 8.616 ng
RT: 3.705 min Scan# 88
Delta R.T. 0.000 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30

Tgt Ion: 42 Resp: 21128
Ion Ratio Lower Upper
42 100
74 122.7 105.0 157.4
44 6.1 4.1 6.1







#5
2-Fluorophenol
Concen: 78.704 ng
RT: 5.511 min Scan# 396
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30

Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022

Tgt Ion: 112 Resp: 330015
Ion Ratio Lower Upper
112 100
64 53.2 47.3 70.9
63 33.3 28.8 43.2



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






01/25/2023
Supervised By :Jagrut
Upadhyay


01/25/2023



#6
Aniline
Concen: 8.850 ng
RT: 7.293 min Scan# 698
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30


Tgt Ion: 93 Resp: 58772
Ion Ratio Lower Upper
93 100
66 39.9 31.6 47.4
65 20.7 16.6 24.8





#7
Phenol-d6
Concen: 99.972 ng
RT: 7.128 min Scan# 61
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion: 99 Resp: 53484
Ion Ratio Lower Upper
99 100
42 18.8 16.0 24.0
71 42.0 33.8 50.6


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




01/25/2023
Supervised By :Jagrut
Upadhyay



01/25/2023




#8
2-Chlorophenol
Concen: 9.657 ng
RT: 7.522 min Scan# 737
Delta R.T. -0.011 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Tgt Ion:128 Resp: 41365
Ion Ratio Lower Upper
128 100
130 27.5 13.2 53.2
64 47.8 27.7 67.7







#9
Benzaldehyde
Concen: 10.907 ng m
RT: 7.105 min Scan# 667
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30

Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022

Tgt Ion: 77 Resp: 34613
Ion Ratio Lower Upper
77 100
105 86.6 72.9 112.9
106 81.4 63.8 103.8



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






01/25/2023
Supervised By :Jagrut
Upadhyay


01/25/2023



#10
Phenol
Concen: 9.547 ng
RT: 7.152 min Scan# 674
Delta R.T. -0.011 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30

Tgt Ion: 94 Resp: 51039
Ion Ratio Lower Upper
94 100
65 32.2 12.7 52.7
66 49.6 26.0 66.0







#11
bis(2-Chloroethyl)ether
Concen: 9.223 ng
RT: 7.387 min Scan# 716
Delta R.T. -0.011 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30

Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022

Tgt Ion: 93 Resp: 38904
Ion Ratio Lower Upper
93 100
63 79.1 54.4 94.4
95 31.5 11.4 51.4



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






01/25/2023
Supervised By :Jagrut
Upadhyay


01/25/2023



#12
1,3-Dichlorobenzene
Concen: 10.035 ng
RT: 7.852 min Scan# 793
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30

Tgt Ion:146 Resp: 48867
Ion Ratio Lower Upper
146 100
148 63.1 52.1 78.1
75 35.7 28.7 43.1







#13
1,4-Dichlorobenzene
Concen: 9.849 ng
RT: 7.999 min Scan# 819
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30

Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022

Tgt Ion:146 Resp: 48463
Ion Ratio Lower Upper
146 100
148 66.6 51.3 76.9
111 39.0 31.4 47.0



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






01/25/2023
Supervised By :Jagrut
Upadhyay


01/25/2023



#14
1,2-Dichlorobenzene
Concen: 9.827 ng
RT: 8.316 min Scan# 872
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30


Tgt Ion:146 Resp: 46838
Ion Ratio Lower Upper
146 100
148 62.4 52.7 79.1
111 40.2 33.2 49.8





#15
Benzyl Alcohol
Concen: 8.969 ng
RT: 8.210 min Scan# 81
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion: 79 Resp: 3587
Ion Ratio Lower Upper
79 100
108 68.0 55.0 82.6
77 66.0 55.0 82.4


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






01/25/2023
Supervised By :Jagrut
Upadhyay


01/25/2023



#16
2,2'-oxybis(1-Chloropropane)
Concen: 9.193 ng
RT: 8.493 min Scan# 902
Delta R.T. -0.011 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30


Tgt Ion: 45 Resp: 40718
Ion Ratio Lower Upper
45 100
77 21.4 0.0 39.2
79 15.8 0.0 34.9





#17
2-Methylphenol
Concen: 7.930 ng
RT: 8.410 min Scan# 889
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion:	107	Resp:	3000
Ion	Ratio	Lower	Upper
107	100		
108	113.6	90.8	136.2
77	59.7	46.1	69.1
79	53.2	43.0	64.4


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






01/25/2023
Supervised By :Jagrut
Upadhyay


01/25/2023



#18
Hexachloroethane
Concen: 9.540 ng
RT: 9.040 min Scan# 995
Delta R.T. -0.011 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30


Tgt Ion:	117	Resp:	17451
Ion	Ratio	Lower	Upper
117	100		
119	102.4	77.9	116.9
201	129.7	100.6	151.0





#19
n-Nitroso-di-n-propylamine
Concen: 8.654 ng
RT: 8.775 min Scan# 91
Delta R.T. -0.011 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion	Ratio	Lower	Upper
70	100		
42	53.9	41.4	62.2
101	7.8	6.5	9.7
130	17.8	14.3	21.5


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






01/25/2023
Supervised By :Jagrut
Upadhyay


01/25/2023



#20
3+4-Methylphenols
Concen: 7.809 ng
RT: 8.740 min Scan# 944
Delta R.T. -0.011 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30


Tgt Ion	Ratio	Lower	Upper
107	100		
108	86.7	70.7	110.7
77	44.1	22.0	62.0
79	33.9	15.8	55.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.775 min Scan# 1291
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument : BNA_M
ClientSampleId : LOQ-SOIL-02-QT4-2022



Tgt Ion:136 Resp: 237568
Ion Ratio Lower Upper
136 100
137 11.3 8.4 12.6
54 7.4 6.0 9.0
68 4.7 4.5 6.7


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






01/25/2023
Supervised By :Jagrut
Upadhyay


01/25/2023



#22
Acetophenone
Concen: 8.444 ng
RT: 8.793 min Scan# 953
Delta R.T. -0.011 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30

Tgt Ion:105 Resp: 55263
Ion Ratio Lower Upper
105 100
71 1.6 0.9 1.3#
51 26.4 21.8 32.8
120 22.8 17.3 25.9







#23
Nitrobenzene-d5
Concen: 65.992 ng
RT: 9.140 min Scan# 1013
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30

Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022

Tgt Ion: 82 Resp: 361024
Ion Ratio Lower Upper
82 100
128 36.9 29.3 43.9
54 46.5 36.9 55.3



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






01/25/2023
Supervised By :Jagrut
Upadhyay


01/25/2023



#24
Nitrobenzene
Concen: 9.422 ng
RT: 9.181 min Scan# 1019
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30

Tgt Ion: 77 Resp: 52157
Ion Ratio Lower Upper
77 100
123 38.8 31.5 47.3
65 14.9 11.2 16.8





#25

Isophorone

Concen: 8.871 ng

RT: 9.704 min Scan# 1109

Delta R.T. -0.005 min

Lab File: BM038522.D

Acq: 24 Jan 2023 12:30

Instrument :

BNA_M



ClientSampleId :

LOQ-SOIL-02-QT4-2022

Tgt Ion:	82	Resp:	8099
Ion Ratio	Lower	Upper	
82	100		
95	8.3	5.6	8.4
138	16.3	13.2	19.8



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo



01/25/2023
Supervised By :Jagrut
Upadhyay

01/25/2023



#26

2-Nitrophenol

Concen: 8.795 ng




RT: 9.893 min Scan# 1140


Delta R.T. -0.005 min

Lab File: BM038522.D

Acq: 24 Jan 2023 12:30

Tgt Ion:	139	Resp:	19324
Ion Ratio	Lower	Upper	
139	100		
109	41.7	29.3	43.9
65	59.1	48.6	72.8





#27

2,4-Dimethylphenol

Concen: 5.461 ng

RT: 9.946 min Scan# 1151

Delta R.T. -0.011 min

Lab File: BM038522.D


Acq: 24 Jan 2023 12:30

Instrument :

BNA_M

ClientSampleId :



LOQ-SOIL-02-QT4-2022



Tgt Ion:	122	Resp:	19970
Ion Ratio	Lower	Upper	
122	100		
107	135.0	98.2	147.2
121	59.6	47.1	70.7


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo



01/25/2023
Supervised By :Jagrut
Upadhyay

01/25/2023



#28

bis(2-Chloroethoxy)methane

Concen: 8.979 ng




RT: 10.187 min Scan# 1190


Delta R.T. -0.005 min

Lab File: BM038522.D

Acq: 24 Jan 2023 12:30


Tgt Ion:	93	Resp:	47420
Ion Ratio	Lower	Upper	
93	100		
95	31.1	25.3	37.9
123	11.9	8.8	13.2





#29
2,4-Dichlorophenol
Concen: 8.709 ng
RT: 10.422 min Scan# 1231
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion:162 Resp: 3736
Ion Ratio Lower Upper
162 100
164 65.3 43.7 83.7
98 32.4 12.9 52.9


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






01/25/2023
Supervised By :Jagrut
Upadhyay


01/25/2023



#30
1,2,4-Trichlorobenzene
Concen: 9.406 ng
RT: 10.634 min Scan# 1266
Delta R.T. -0.011 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30


Tgt Ion:180 Resp: 46148
Ion Ratio Lower Upper
180 100
182 99.2 78.3 117.5
145 25.8 21.0 31.6





#31
Naphthalene
Concen: 8.756 ng
RT: 10.828 min Scan# 1165
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion:128 Resp: 113000
Ion Ratio Lower Upper
128 100
129 11.7 8.8 13.2
127 13.3 10.3 15.5


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






01/25/2023
Supervised By :Jagrut
Upadhyay


01/25/2023



#32
Benzoic acid
Concen: 12.543 ng
RT: 10.040 min Scan# 1165
Delta R.T. -0.052 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30


Tgt Ion:122 Resp: 22537
Ion Ratio Lower Upper
122 100
105 129.4 107.9 147.9
77 120.1 88.6 128.6





#33
4-Chloroaniline
Concen: 8.037 ng
RT: 10.946 min Scan# 1319
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument : BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion	Ratio	Lower	Upper
127	100		
129	39.2	25.8	38.6
65	39.9	28.2	42.2
92	19.2	16.6	24.8


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




01/25/2023
Supervised By :Jagrut
Upadhyay



01/25/2023




#34
Hexachlorobutadiene
Concen: 9.695 ng
RT: 11.098 min Scan# 1345
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30




Tgt Ion	Ratio	Lower	Upper
225	100		
223	62.0	48.8	73.2
227	66.2	49.4	74.0





#35
Caprolactam
Concen: 10.242 ng
RT: 11.722 min Scan# 1455
Delta R.T. -0.023 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion:113 Resp: 10652
Ion Ratio Lower Upper
113 100
55 173.4 145.0 185.0
56 114.6 105.7 145.7


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






01/25/2023
Supervised By :Jagrut
Upadhyay


01/25/2023



#36
4-Chloro-3-methylphenol
Concen: 8.717 ng
RT: 12.063 min Scan# 1509
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30

Tgt Ion:107 Resp: 34006
Ion Ratio Lower Upper
107 100
144 24.5 22.0 33.0
142 79.2 67.5 101.3







#37
2-Methylnaphthalene
Concen: 8.563 ng
RT: 12.428 min Scan# 11
Delta R.T. -0.011 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30

Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022

Tgt Ion:142 Resp: 79419
Ion Ratio Lower Upper
142 100
141 87.8 70.7 106.1
115 38.6 30.4 45.6



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






01/25/2023
Supervised By :Jagrut
Upadhyay


01/25/2023



#38
1-Methylnaphthalene
Concen: 8.560 ng
RT: 12.651 min Scan# 1609
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30

Tgt Ion:142 Resp: 74877
Ion Ratio Lower Upper
142 100
141 93.7 73.4 110.0
116 4.3 3.3 4.9





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.598 min Scan# 1941

Delta R.T. -0.005 min

Lab File: BM038522.D

Acq: 24 Jan 2023 12:30

Instrument :

BNA_M



ClientSampleId :

LOQ-SOIL-02-QT4-2022

Tgt Ion:164	Resp:	151092
Ion Ratio	Lower	Upper
164	100	
162	100.9	82.0 123.0
160	46.2	35.8 53.6



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo



01/25/2023
Supervised By :Jagrut
Upadhyay

01/25/2023



#40

1,2,4,5-Tetrachlorobenzene

Concen: 8.567 ng




RT: 12.798 min Scan# 1634


Delta R.T. -0.005 min

Lab File: BM038522.D

Acq: 24 Jan 2023 12:30


Tgt Ion:216	Resp:	48692
Ion Ratio	Lower	Upper
216	100	
214	75.9	61.4 92.0
179	18.8	15.7 23.5
108	16.6	14.0 21.0





#41
Hexachlorocyclopentadiene
Concen: 9.706 ng
RT: 12.769 min Scan# 1629
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion: 237 Resp: 30320
Ion Ratio Lower Upper
237 100
235 59.5 42.3 82.3
272 11.3 0.0 32.9


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




01/25/2023
Supervised By :Jagrut
Upadhyay



01/25/2023




#42
2,4,6-Tribromophenol
Concen: 110.355 ng
RT: 16.086 min Scan# 2193
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30




Tgt Ion: 330 Resp: 240107
Ion Ratio Lower Upper
330 100
332 97.2 77.5 116.3
141 35.7 29.0 43.4





#43
2,4,6-Trichlorophenol
Concen: 8.983 ng
RT: 13.040 min Scan# 1676
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument : BNA_M
ClientSampleId : LOQ-SOIL-02-QT4-2022



Tgt Ion:196 Resp: 32682
Ion Ratio Lower Upper
196 100
198 92.7 77.9 116.9
200 32.1 24.5 36.7


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




01/25/2023
Supervised By :Jagrut
Upadhyay



01/25/2023




#44
2,4,5-Trichlorophenol
Concen: 8.308 ng
RT: 13.110 min Scan# 1687
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Tgt Ion:196 Resp: 35403
Ion Ratio Lower Upper
196 100
198 97.2 76.0 114.0
97 44.3 36.9 55.3
132 20.9 17.4 26.2







#45
2-Fluorobiphenyl
Concen: 66.532 ng
RT: 13.228 min Scan# 1707
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30

Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022

Tgt Ion:172 Resp: 816062
Ion Ratio Lower Upper
172 100
171 34.8 28.0 42.0
170 23.6 19.5 29.3



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






01/25/2023
Supervised By :Jagrut
Upadhyay


01/25/2023



#46
1,1'-Biphenyl
Concen: 8.082 ng
RT: 13.434 min Scan# 1742
Delta R.T. -0.011 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30

Tgt Ion:154 Resp: 97791
Ion Ratio Lower Upper
154 100
153 41.8 20.1 60.1
76 11.8 0.0 31.3







#47
2-Chloronaphthalene
Concen: 9.295 ng
RT: 13.481 min Scan# 1750
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30

Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022

Tgt Ion:162 Resp: 8780
Ion Ratio Lower Upper
162 100
127 34.1 27.4 41.2
164 32.3 26.7 40.1



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






01/25/2023
Supervised By :Jagrut
Upadhyay


01/25/2023



#48
2-Nitroaniline
Concen: 7.832 ng
RT: 13.692 min Scan# 1786
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30


Tgt Ion: 65 Resp: 21725
Ion Ratio Lower Upper
65 100
92 68.8 50.0 75.0
138 96.2 78.2 117.2





#49
Acenaphthylene
Concen: 8.606 ng
RT: 14.322 min Scan# 1893
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument : BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion:152 Resp: 127186
Ion Ratio Lower Upper
152 100
151 21.1 16.0 24.0
153 12.5 10.8 16.2


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




01/25/2023
Supervised By :Jagrut
Upadhyay



01/25/2023




#50
Dimethylphthalate
Concen: 8.803 ng
RT: 14.057 min Scan# 1848
Delta R.T. -0.011 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Tgt Ion:163 Resp: 102381
Ion Ratio Lower Upper
163 100
194 4.3 3.3 4.9
164 10.0 8.0 12.0







#51
2,6-Dinitrotoluene
Concen: 8.276 ng
RT: 14.187 min Scan# 1871
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30

Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022

Tgt Ion:165 Resp: 2025
Ion Ratio Lower Upper
165 100
63 62.2 51.0 76.4
89 67.0 50.2 75.4



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






01/25/2023
Supervised By :Jagrut
Upadhyay


01/25/2023



#52
Acenaphthene
Concen: 8.775 ng
RT: 14.663 min Scan# 1951
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30


Tgt Ion:154 Resp: 79095
Ion Ratio Lower Upper
154 100
153 118.6 90.7 136.1
152 57.3 43.8 65.8





#53
3-Nitroaniline
Concen: 7.337 ng
RT: 14.516 min Scan# 1926
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30


Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion:138 Resp: 17846
Ion Ratio Lower Upper
138 100
108 10.3 7.0 10.4
92 121.8 95.7 143.5



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






01/25/2023
Supervised By :Jagrut
Upadhyay


01/25/2023



#54
2,4-Dinitrophenol
Concen: 10.644 ng
RT: 14.728 min Scan# 1962
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30


Tgt Ion:184 Resp: 11787
Ion Ratio Lower Upper
184 100
63 71.5 52.2 78.4
154 69.6 48.9 73.3





#55
Dibenzofuran
Concen: 9.015 ng
RT: 14.998 min Scan# 2009
Delta R.T. -0.006 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument : BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion:168 Resp: 135852
Ion Ratio Lower Upper
168 100
139 35.1 27.9 41.9
169 13.0 11.0 16.6


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




01/25/2023
Supervised By :Jagrut
Upadhyay



01/25/2023




#56
4-Nitrophenol
Concen: 8.401 ng
RT: 14.822 min Scan# 1978
Delta R.T. 0.001 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30




Tgt Ion:139 Resp: 16827
Ion Ratio Lower Upper
139 100
109 102.9 76.8 116.8
65 120.0 91.7 131.7





#57
2,4-Dinitrotoluene
Concen: 8.185 ng
RT: 14.969 min Scan# 2005
Delta R.T. -0.011 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion:165 Resp: 2715
Ion Ratio Lower Upper
165 100
63 56.6 37.8 56.8
89 91.7 60.9 91.3
182 2.7 1.7 2.5#


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






01/25/2023
Supervised By :Jagrut
Upadhyay


01/25/2023



#58
Fluorene
Concen: 8.743 ng
RT: 15.645 min Scan# 2118
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30


Tgt Ion:166 Resp: 106835
Ion Ratio Lower Upper
166 100
165 98.4 79.6 119.4
167 14.0 10.5 15.7





#59
2,3,4,6-Tetrachlorophenol
Concen: 8.788 ng
RT: 15.222 min Scan# 2046
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion:232 Resp: 30609
Ion Ratio Lower Upper
232 100
131 38.7 31.0 46.4
130 2.2 1.8 2.6
166 28.3 22.7 34.1


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




01/25/2023
Supervised By :Jagrut
Upadhyay



01/25/2023




#60
Diethylphthalate
Concen: 8.705 ng
RT: 15.410 min Scan# 2078
Delta R.T. -0.011 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30




Tgt Ion:149 Resp: 99146
Ion Ratio Lower Upper
149 100
177 21.0 18.6 27.8
150 11.3 9.5 14.3





#61
4-Chlorophenyl-phenylether
Concen: 9.099 ng
RT: 15.633 min Scan# 2116
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion:204 Resp: 58373
Ion Ratio Lower Upper
204 100
206 32.7 26.2 39.4
141 53.4 41.5 62.3


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




01/25/2023
Supervised By :Jagrut
Upadhyay



01/25/2023




#62
4-Nitroaniline
Concen: 9.646 ng
RT: 15.675 min Scan# 2123
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Tgt Ion:138 Resp: 18845
Ion Ratio Lower Upper
138 100
92 52.2 35.2 75.2
108 111.1 87.3 127.3





#63

Azobenzene

Concen: 8.507 ng

RT: 15.928 min Scan# 2167

Delta R.T. -0.005 min

Lab File: BM038522.D

Acq: 24 Jan 2023 12:30

Instrument :

BNA_M

ClientSampleId :

LOQ-SOIL-02-QT4-2022

Tgt Ion: 77 Resp: 10266

Ion Ratio Lower Upper

77 100

182 23.7 4.7 44.7



105 16.3 0.0 36.7

51 29.3 9.4 49.4

Manual Integrations



APPROVED

Reviewed By :Christian
Giraldo



01/25/2023
Supervised By :Jagrut
Upadhyay

01/25/2023



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.339 min Scan# 2406

Delta R.T. -0.005 min

Lab File: BM038522.D

Acq: 24 Jan 2023 12:30




Tgt Ion:188 Resp: 351254


Ion Ratio Lower Upper

188 100

94 6.3 6.0 9.0


80 7.2 6.9 10.3





#65
4,6-Dinitro-2-methylphenol
Concen: 9.625 ng
RT: 15.733 min Scan# 2133
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion:198 Resp: 21946
Ion Ratio Lower Upper
198 100
51 36.9 18.8 58.8
105 33.5 19.7 59.7


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




01/25/2023
Supervised By :Jagrut
Upadhyay



01/25/2023




#66
n-Nitrosodiphenylamine
Concen: 8.447 ng
RT: 15.851 min Scan# 2153
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30




Tgt Ion:169 Resp: 89070
Ion Ratio Lower Upper
169 100
168 71.3 55.8 83.8
167 38.2 30.3 45.5





#67
4-Bromophenyl-phenylether
Concen: 8.731 ng
RT: 16.528 min Scan# 2268
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion:248 Resp: 34018
Ion Ratio Lower Upper
248 100
250 102.7 77.6 116.4
141 61.2 52.5 78.7


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




01/25/2023
Supervised By :Jagrut
Upadhyay



01/25/2023




#68
Hexachlorobenzene
Concen: 9.688 ng
RT: 16.645 min Scan# 2288
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Tgt Ion:284 Resp: 40730
Ion Ratio Lower Upper
284 100
142 29.5 25.2 37.8
249 28.9 24.4 36.6





#69

Atrazine

Concen: 8.367 ng

RT: 16.798 min Scan# 2314

Delta R.T. -0.011 min

Lab File: BM038522.D

Acq: 24 Jan 2023 12:30

Instrument :

BNA_M



ClientSampleId :

LOQ-SOIL-02-QT4-2022

Tgt Ion:200	Resp:	29434
Ion Ratio	Lower	Upper
200	100	
173	24.6	3.5 43.5
215	47.7	30.0 70.0



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo



01/25/2023
Supervised By :Jagrut
Upadhyay

01/25/2023



#70

Pentachlorophenol

Concen: 10.971 ng




RT: 16.992 min Scan# 2347


Delta R.T. -0.005 min

Lab File: BM038522.D

Acq: 24 Jan 2023 12:30


Tgt Ion:266	Resp:	32842
Ion Ratio	Lower	Upper
266	100	
268	66.5	51.7 77.5
264	59.0	49.4 74.0





#71
Phenanthrene
Concen: 8.870 ng
RT: 17.380 min Scan# 2415
Delta R.T. -0.011 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion:178 Resp: 173990
Ion Ratio Lower Upper
178 100
176 19.9 15.4 23.2
179 14.6 12.2 18.4


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




01/25/2023
Supervised By :Jagrut
Upadhyay



01/25/2023




#72
Anthracene
Concen: 8.408 ng
RT: 17.475 min Scan# 2429
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30




Tgt Ion:178 Resp: 167828
Ion Ratio Lower Upper
178 100
176 18.7 15.0 22.6
179 15.9 12.2 18.4





#73
 Carbazole
 Concen: 8.633 ng
 RT: 17.745 min Scan# 2475
 Delta R.T. -0.011 min
 Lab File: BM038522.D
 Acq: 24 Jan 2023 12:30



Instrument : BNA_M
 ClientSampleId :
 LOQ-SOIL-02-QT4-2022



Tgt Ion:167 Resp: 151753
 Ion Ratio Lower Upper
 167 100
 166 21.2 17.7 26.5
 139 11.4 9.4 14.0


Manual Integrations
 APPROVED

Reviewed By :Christian
 Giraldo




01/25/2023
 Supervised By :Jagrut
 Upadhyay



01/25/2023




#74
 Di-n-butylphthalate
 Concen: 8.147 ng
 RT: 18.298 min Scan# 2569
 Delta R.T. -0.005 min
 Lab File: BM038522.D
 Acq: 24 Jan 2023 12:30




Tgt Ion:149 Resp: 157331
 Ion Ratio Lower Upper
 149 100
 150 9.6 7.4 11.0
 104 5.8 4.6 6.8





#75
Fluoranthene
Concen: 9.050 ng
RT: 19.392 min Scan# 21335
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion:202 Resp: 21335
Ion Ratio Lower Upper
202 100
101 6.8 0.0 28.7
203 17.2 0.0 37.6


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






01/25/2023
Supervised By :Jagrut
Upadhyay


01/25/2023



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.515 min Scan# 3116
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30


Tgt Ion:240 Resp: 394864
Ion Ratio Lower Upper
240 100
120 7.2 6.2 9.2
236 26.2 20.2 30.2





#77
Benzidine
Concen: 7.539 ng
RT: 19.586 min Scan# 21
Delta R.T. 0.000 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion:184 Resp: 67834
Ion Ratio Lower Upper
184 100
185 13.9 10.9 16.3
183 10.8 9.3 13.9


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




01/25/2023
Supervised By :Jagrut
Upadhyay



01/25/2023




#78
Pyrene
Concen: 8.336 ng
RT: 19.757 min Scan# 2817
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30




Tgt Ion:202 Resp: 229184
Ion Ratio Lower Upper
202 100
200 21.5 17.0 25.4
203 17.1 14.2 21.2





#79
Terphenyl-d14
Concen: 65.777 ng
RT: 19.957 min Scan# 2851
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion:244 Resp: 1332284
Ion Ratio Lower Upper
244 100
212 7.4 6.0 9.0
122 7.8 6.7 10.1


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




01/25/2023
Supervised By :Jagrut
Upadhyay



01/25/2023




#80
Butylbenzylphthalate
Concen: 7.435 ng
RT: 20.645 min Scan# 2968
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Tgt Ion:149 Resp: 70685
Ion Ratio Lower Upper
149 100
91 71.2 57.5 86.3
206 21.9 18.2 27.2





#81

Benzo(a)anthracene

Concen: 8.936 ng

RT: 21.498 min Scan# 3114

Delta R.T. -0.005 min

Lab File: BM038522.D

Acq: 24 Jan 2023 12:30

Instrument :

BNA_M



ClientSampleId :

LOQ-SOIL-02-QT4-2022

Tgt Ion:228 Resp: 250031
 Ion Ratio Lower Upper
 228 100
 226 27.8 22.2 33.2
 229 19.9 16.0 24.0



Manual Integrations
 APPROVED

Reviewed By :Christian
 Giraldo



01/25/2023
 Supervised By :Jagrut
 Upadhyay

01/25/2023



#82

3,3'-Dichlorobenzidine

Concen: 8.852 ng




RT: 21.433 min Scan# 3102


Delta R.T. -0.005 min

Lab File: BM038522.D

Acq: 24 Jan 2023 12:30

Tgt Ion:252 Resp: 79552
 Ion Ratio Lower Upper
 252 100
 254 65.8 51.9 77.9
 126 8.1 7.7 11.5





#83

Chrysene

Concen: 8.784 ng

RT: 21.551 min Scan# 31

Delta R.T. -0.005 min

Lab File: BM038522.D

Acq: 24 Jan 2023 12:30

Instrument :

BNA_M

ClientSampleId :



LOQ-SOIL-02-QT4-2022

Tgt Ion:228 Resp: 240358

Ion	Ratio	Lower	Upper
228	100		
226	30.7	24.4	36.6
229	19.0	15.7	23.5



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo



01/25/2023
Supervised By :Jagrut
Upadhyay

01/25/2023



#84

Bis(2-ethylhexyl)phthalate

Concen: 7.467 ng

RT: 21.410 min Scan# 3098




Delta R.T. -0.005 min


Lab File: BM038522.D

Acq: 24 Jan 2023 12:30

Tgt Ion:149 Resp: 102892

Ion	Ratio	Lower	Upper
149	100		
167	25.7	21.3	31.9
279	4.0	3.0	4.4







#85
Di-n-octyl phthalate
Concen: 7.482 ng
RT: 22.339 min Scan# 31
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30

Instrument :
BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022

Tgt Ion:149 Resp: 183304
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 9.0 6.7 10.1



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






01/25/2023
Supervised By :Jagrut
Upadhyay


01/25/2023



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.927 min Scan# 3526
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30

Tgt Ion:264 Resp: 474905
Ion Ratio Lower Upper
264 100
260 23.4 18.5 27.7
265 22.0 17.8 26.6





#87

Indeno(1,2,3-cd)pyrene

Concen: 8.849 ng

RT: 26.439 min Scan# 3956

Delta R.T. -0.017 min

Lab File: BM038522.D

Acq: 24 Jan 2023 12:30

Instrument :

BNA_M

ClientSampleId :



LOQ-SOIL-02-QT4-2022

Tgt Ion: 276 Resp: 310976

Ion	Ratio	Lower	Upper
276	100		
138	17.8	15.8	23.8
277	24.9	20.1	30.1



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo



01/25/2023
Supervised By :Jagrut
Upadhyay

01/25/2023



#88

Benzo(b)fluoranthene

Concen: 9.325 ng

RT: 23.186 min Scan# 3400




Delta R.T. -0.011 min


Lab File: BM038522.D

Acq: 24 Jan 2023 12:30

Tgt Ion: 252 Resp: 267147


Ion	Ratio	Lower	Upper
252	100		
253	21.1	17.4	26.0
125	6.7	6.4	9.6





#89
Benzo(k)fluoranthene
Concen: 9.267 ng
RT: 23.233 min Scan# 3410
Delta R.T. -0.011 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30



Instrument : BNA_M
ClientSampleId :
LOQ-SOIL-02-QT4-2022



Tgt Ion:252 Resp: 274702
Ion Ratio Lower Upper
252 100
253 21.9 17.8 26.8
125 7.4 6.8 10.2


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






01/25/2023
Supervised By :Jagrut
Upadhyay


01/25/2023



#90
Benzo(a)pyrene
Concen: 8.543 ng
RT: 23.821 min Scan# 3508
Delta R.T. -0.005 min
Lab File: BM038522.D
Acq: 24 Jan 2023 12:30

Tgt Ion:252 Resp: 242641
Ion Ratio Lower Upper
252 100
253 21.2 17.4 26.0
125 7.1 7.3 10.9#





#91

Dibenzo(a,h)anthracene

Concen: 9.254 ng

RT: 26.450 min Scan# 3955

Delta R.T. -0.017 min

Lab File: BM038522.D

Acq: 24 Jan 2023 12:30

Instrument :

BNA_M



ClientSampleId :

LOQ-SOIL-02-QT4-2022

Tgt Ion:	278	Resp:	27069
Ion Ratio	Lower	Upper	
278	100		
139	11.7	10.3	15.5
279	23.4	19.3	28.9



Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo



01/25/2023
Supervised By :Jagrut
Upadhyay

01/25/2023



#92

Benzo(g,h,i)perylene

Concen: 9.267 ng

RT: 27.209 min Scan# 4084

Delta R.T. -0.023 min

Lab File: BM038522.D

Acq: 24 Jan 2023 12:30

Tgt Ion:	276	Resp:	277657
Ion Ratio	Lower	Upper	
276	100		
277	23.0	18.8	28.2
138	15.6	13.8	20.8

