

Data Path : Z:\HPCHEM1\BNA M\DATA\BM012718\
 Data File : BM013899.D
 Acq On : 28 Jan 2018 00:06
 Operator : SJ/JU
 Sample : J1282-05
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 F6B88

Manual Integrations
 APPROVED

Sohil
 1/29/2018 6:04:11 PM

Quant Time: Jan 28 03:06:05 2018
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM011018.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sun Jan 28 02:49:11 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.58	152	139472	20.00	ng/ul	0.00
18) Naphthalene-d8	10.36	136	558668	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.23	164	351609	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.99	188	852319	20.00	ng/ul	0.00
75) Chrysene-d12	21.19	240	900873	20.00	ng/ul	0.00
83) Perylene-d12	23.38	264	789441	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.14	96	16687m	4.73	ng/uL	0.00
5) Phenol-d5	6.77	99	329761	30.80	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.93	67	201889	31.12	ng/ul	0.00
9) 2-Chlorophenol-d4	7.12	132	274358	31.45	ng/ul	0.00
13) 4-Methylphenol-d8	8.30	113	280640	34.10	ng/ul	0.00
19) Nitrobenzene-d5	8.74	128	142347	32.84	ng/ul	0.00
22) 2-Nitrophenol-d4	9.45	143	155603	33.97	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.99	165	294388	33.27	ng/ul	0.00
29) 4-Chloroaniline-d4	10.51	131	375634	48.93	ng/ul	0.00
43) Dimethylphthalate-d6	13.66	166	1030425	35.56	ng/ul	0.00
46) Acenaphthylene-d8	13.92	160	1259254	34.07	ng/ul	0.00
51) 4-Nitrophenol-d4	14.47	143	118248	25.11	ng/ul	0.00
57) Fluorene-d10	15.23	176	899669	35.30	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.38	200	129869	25.31	ng/ul	0.00
70) Anthracene-d10	17.09	188	1445761	34.83	ng/ul	0.00
76) Pyrene-d10	19.39	212	1644833	39.22	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.24	264	1355567	37.36	ng/ul	0.00

Target Compounds

				Ovalue	
6) Phenol	6.80	94	19441	1.810	ng/ul 96
44) Dimethylphthalate	13.70	163	137307	4.819	ng/ul# 95

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA M\DATA\BM012718\
Data File : BM013899.D
Acq On : 28 Jan 2018 00:06
Operator : SJ/JU
Sample : J1282-05
Misc :
ALS Vial : 23 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
F6B88

Manual Integrations
APPROVED

Sohil
1/29/2018 6:04:11 PM

Quant Time: Jan 28 03:06:05 2018
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM011018.M
Quant Title : SVOA CALIBRATION
QLast Update : Sun Jan 28 02:49:11 2018
Response via : Initial Calibration





#6

Phenol


Concen: 1.810 ng/ul
 RT: 6.80 min Scan# 648
 Delta R.T. -0.00 min
 Lab File: BM013899.D
 Acq: 28 Jan 2018 00:06

Instrument :
 BNA_M
 ClientSampled :
 F6B88

Tot Ion	Ratio	Lower	Upper
94	100		
65	37.2	28.2	42.4
66	56.2	47.2	70.8

Manual Integrations
 APPROVED

Sohil
 1/29/2018 6:04:11 PM






Abundance

Ion 94.00 (93.70 to 94.70): BM013899.D (-641) (-)

Ion 65.00 (64.70 to 65.70): BM013899.D (-641) (-)

Ion 66.00 (65.70 to 66.70): BM013899.D (-641) (-)




#44

Dimethylphthalate

Concen: 4.819 ng/ul
 RT: 13.70 min Scan# 1821
 Delta R.T. -0.01 min
 Lab File: BM013899.D
 Acq: 28 Jan 2018 00:06

Tgt Ion	Ratio	Lower	Upper
163	100		
194	3.4	3.5	5.3#
164	8.2	8.2	12.4#



Abundance

Ion 163.00 (162.70 to 163.70): BM013899.D (-1788) (-)

Ion 194.00 (193.70 to 194.70): BM013899.D (-1788) (-)

Ion 164.00 (163.70 to 164.70): BM013899.D (-1788) (-)

