

Data Path : Z:\HPCHEM1\BNA M\Data\BM012718\
 Data File : BM013912.D
 Acq On : 28 Jan 2018 07:51
 Operator : SJ/JU
 Sample : J1245-17
 Misc :
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 F6B78

Quant Time: Jan 29 03:20:25 2018
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM011018.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jan 29 03:14:13 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.58	152	161051	20.00	ng/ul	0.00
18) Naphthalene-d8	10.35	136	641019	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.23	164	369792	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.99	188	778152	20.00	ng/ul	0.00
75) Chrysene-d12	21.19	240	756272	20.00	ng/ul	0.00
83) Perylene-d12	23.37	264	747555	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.14	96	19009	4.67	ng/uL	0.00
5) Phenol-d5	6.77	99	390704	31.60	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.93	67	244032	32.58	ng/ul	0.00
9) 2-Chlorophenol-d4	7.12	132	333691	33.12	ng/ul	0.00
13) 4-Methylphenol-d8	8.29	113	318233	33.48	ng/ul	0.00
19) Nitrobenzene-d5	8.73	128	167827	33.74	ng/ul	0.00
22) 2-Nitrophenol-d4	9.45	143	189932	36.14	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.99	165	353373	34.80	ng/ul	0.00
29) 4-Chloroaniline-d4	10.50	131	421986	47.90	ng/ul	0.00
43) Dimethylphthalate-d6	13.65	166	1120929	36.78	ng/ul	0.00
46) Acenaphthylene-d8	13.92	160	1398803	35.99	ng/ul	0.00
51) 4-Nitrophenol-d4	14.47	143	101763	20.55	ng/ul	0.00
57) Fluorene-d10	15.23	176	947466	35.35	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.37	200	126618	27.03	ng/ul	0.00
70) Anthracene-d10	17.09	188	1353244	35.70	ng/ul	0.00
76) Pyrene-d10	19.39	212	1372345	38.97	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.23	264	1356395	39.48	ng/ul	0.00

Target Compounds


					Ovalue
6) Phenol	6.79	94	54392	4.386	ng/ul 92
44) Dimethylphthalate	13.70	163	231998	7.742	ng/ul 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\Data\BM012718\
Data File : BM013912.D
Acq On : 28 Jan 2018 07:51
Operator : SJ/JU
Sample : J1245-17
Misc :
ALS Vial : 36 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
F6B78

Quant Time: Jan 29 03:20:25 2018
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM011018.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jan 29 03:14:13 2018
Response via : Initial Calibration





#6

Phenol

Concen: 4.386 ng/ul

RT: 6.79 min Scan# 647

Delta R.T. -0.00 min

Lab File: BM013912.D

Acq: 28 Jan 2018 07:51

Instrument :

BNA_M

ClientSampleId :

F6B78


Tot Ion: 94 Resp: 54392

Ion Ratio Lower Upper

94 100

65 38.0 28.2 42.4




66 51.1 47.2 70.8



Abundance Ion 94.00 (93.70 to 94.70): BM013910.D (-641) (-)

Ion 65.00 (64.70 to 65.70): BM013910.D (-641) (-)

Ion 66.00 (65.70 to 66.70): BM013910.D (-641) (-)



#44

Dimethylphthalate

Concen: 7.742 ng/ul

RT: 13.70 min Scan# 1821

Delta R.T. -0.00 min

Lab File: BM013912.D

Acq: 28 Jan 2018 07:51


Tgt Ion: 163 Resp: 231998

Ion Ratio Lower Upper

163 100

194 5.3 3.5 5.3

164 9.2 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): BM013910.D (-1815) (-)

Ion 194.00 (193.70 to 194.70): BM013910.D (-1815) (-)

Ion 164.00 (163.70 to 164.70): BM013910.D (-1815) (-)

