

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012721\
 Data File : BM028559.D
 Acq On : 27 Jan 2021 02:12
 Operator : CG/JU
 Sample : M1231-01 2X
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 EO-02-012521

Quant Time: Jan 27 03:28:51 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM012021.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 27 03:11:35 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.992	152	41741	20.00	ng	0.00
21) Naphthalene-d8	10.810	136	154945	20.00	ng	# 0.00
39) Acenaphthene-d10	14.639	164	79782	20.00	ng	0.00
64) Phenanthrene-d10	17.368	188	146071	20.00	ng	# 0.00
76) Chrysene-d12	21.497	240	134460	20.00	ng	# 0.00
86) Perylene-d12	23.774	264	138898	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.575	112	78420	29.68	ng	0.06
7) Phenol-d6	7.245	99	98995	27.52	ng	0.09
23) Nitrobenzene-d5	9.169	82	61406	18.80	ng	0.00
42) 2,4,6-Tribromophenol	16.133	330	26633	25.20	ng	0.02
45) 2-Fluorobiphenyl	13.257	172	130819	20.57	ng	0.00
79) Terphenyl-d14	19.956	244	139078	18.68	ng	0.00
Target Compounds						Qvalue
37) 2-Methylnaphthalene	12.463	142	18310	3.03	ng	95
38) 1-Methylnaphthalene	12.686	142	17213	3.01	ng	96
52) Acenaphthene	14.704	154	10452	2.04	ng	98
58) Fluorene	15.680	166	28220	4.37	ng	96
71) Phenanthrene	17.409	178	217270	24.19	ng	100
72) Anthracene	17.498	178	66021	7.61	ng	99
75) Fluoranthene	19.403	202	216864	21.50	ng	95
78) Pyrene	19.768	202	233291	24.20	ng	99
81) Benzo(a)anthracene	21.486	228	112169	12.08	ng	96
83) Chrysene	21.533	228	97903	10.92	ng	97
88) Benzo(b)fluoranthene	23.091	252	154446	16.38	ng	# 91
89) Benzo(k)fluoranthene	23.091	252	154446	16.77	ng	# 91
90) Benzo(a)pyrene	23.674	252	95147	10.89	ng	# 91
92) Benzo(g,h,i)perylene	26.803	276	57282	6.80	ng	# 85

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012721\
Data File : BM028559.D
Acq On : 27 Jan 2021 02:12
Operator : CG/JU
Sample : M1231-01 2X
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
EO-02-012521

Quant Time: Jan 27 03:28:51 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM012021.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 27 03:11:35 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.992 min Scan# 817
Delta R.T. -0.001 min
Lab File: BM028559.D
Acq: 27 Jan 2021 02:12




Instrument :
BNA_M
ClientSampleId :
EO-02-012521


Tgt Ion:152 Resp: 41741
Ion Ratio Lower Upper
152 100
150 154.4 120.6 181.0
115 57.9 47.2 70.8



#5
2-Fluorophenol
Concen: 29.68 ng
RT: 5.575 min Scan# 406
Delta R.T. 0.064 min
Lab File: BM028559.D
Acq: 27 Jan 2021 02:12

Tgt Ion:112 Resp: 78420
Ion Ratio Lower Upper
112 100
64 57.5 50.6 76.0
63 32.0 31.0 46.6









#7
Phenol-d6
Concen: 27.52 ng
RT: 7.245 min Scan# 690
Delta R.T. 0.094 min
Lab File: BM028559.D
Acq: 27 Jan 2021 02:12




Instrument :
BNA_M
ClientSampleId :
EO-02-012521


Tgt Ion:	99	Resp:	98995
Ion	Ratio	Lower	Upper
99	100		
42	19.8	13.5	20.3
71	33.0	39.4	59.0#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.810 min Scan# 1296
Delta R.T. 0.005 min
Lab File: BM028559.D
Acq: 27 Jan 2021 02:12

Tgt Ion:	136	Resp:	154945
Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.6	12.8
54	8.6	4.6	7.0#
68	5.9	4.1	6.1









#23
Nitrobenzene-d5
Concen: 18.80 ng
RT: 9.169 min Scan# 1017
Delta R.T. -0.000 min
Lab File: BM028559.D
Acq: 27 Jan 2021 02:12




Instrument :
BNA_M
ClientSampleId :
EO-02-012521


Tgt Ion: 82 Resp: 61406
Ion Ratio Lower Upper
82 100
128 44.3 27.4 41.0#
54 53.9 31.4 47.0#



#37
2-Methylnaphthalene
Concen: 3.03 ng
RT: 12.463 min Scan# 1577
Delta R.T. -0.000 min
Lab File: BM028559.D
Acq: 27 Jan 2021 02:12

Tgt Ion: 142 Resp: 18310
Ion Ratio Lower Upper
142 100
141 86.0 70.3 105.5
115 33.3 32.2 48.4









#38
1-Methylnaphthalene
Concen: 3.01 ng
RT: 12.686 min Scan# 1615
Delta R.T. 0.005 min
Lab File: BM028559.D
Acq: 27 Jan 2021 02:12




Instrument :
BNA_M
ClientSampleId :
EO-02-012521


Tgt Ion:142 Resp: 17213
Ion Ratio Lower Upper
142 100
141 96.0 73.8 110.6
116 4.0 3.5 5.3



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.639 min Scan# 1947
Delta R.T. 0.005 min
Lab File: BM028559.D
Acq: 27 Jan 2021 02:12

Tgt Ion:164 Resp: 79782
Ion Ratio Lower Upper
164 100
162 101.6 80.4 120.6
160 43.0 35.9 53.9









#42
2,4,6-Tribromophenol
Concen: 25.20 ng
RT: 16.133 min Scan# 2201
Delta R.T. 0.017 min
Lab File: BM028559.D
Acq: 27 Jan 2021 02:12




Instrument :
BNA_M
ClientSampleId :
EO-02-012521


Tgt Ion:330 Resp: 26633
Ion Ratio Lower Upper
330 100
332 94.8 77.8 116.8
141 38.0 28.4 42.6



#45
2-Fluorobiphenyl
Concen: 20.57 ng
RT: 13.257 min Scan# 1712
Delta R.T. -0.000 min
Lab File: BM028559.D
Acq: 27 Jan 2021 02:12

Tgt Ion:172 Resp: 130819
Ion Ratio Lower Upper
172 100
171 34.8 27.8 41.8
170 21.1 18.6 27.8









#52
Acenaphthene
Concen: 2.04 ng
RT: 14.704 min Scan# 1958
Delta R.T. 0.005 min
Lab File: BM028559.D
Acq: 27 Jan 2021 02:12




Instrument :
BNA_M
ClientSampleId :
EO-02-012521


Tgt Ion:154 Resp: 10452
Ion Ratio Lower Upper
154 100
153 111.2 88.3 132.5
152 55.5 41.4 62.2



#58
Fluorene
Concen: 4.37 ng
RT: 15.680 min Scan# 2124
Delta R.T. 0.005 min
Lab File: BM028559.D
Acq: 27 Jan 2021 02:12

Tgt Ion:166 Resp: 28220
Ion Ratio Lower Upper
166 100
165 99.5 76.2 114.2
167 13.3 10.7 16.1









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.368 min Scan# 2411
Delta R.T. 0.005 min
Lab File: BM028559.D
Acq: 27 Jan 2021 02:12




Instrument :
BNA_M
ClientSampleId :
EO-02-012521


Tgt Ion:188 Resp: 146071
Ion Ratio Lower Upper
188 100
94 9.5 6.2 9.4#
80 10.1 7.5 11.3



#71
Phenanthrene
Concen: 24.19 ng
RT: 17.409 min Scan# 2418
Delta R.T. 0.005 min
Lab File: BM028559.D
Acq: 27 Jan 2021 02:12

Tgt Ion:178 Resp: 217270
Ion Ratio Lower Upper
178 100
176 19.1 15.0 22.6
179 15.3 12.2 18.4









#72
 Anthracene
 Concen: 7.61 ng
 RT: 17.498 min Scan# 2433
 Delta R.T. -0.000 min
 Lab File: BM028559.D
 Acq: 27 Jan 2021 02:12




Instrument :
 BNA_M
 ClientSampleId :
 EO-02-012521


Tgt Ion:178 Resp: 66021
 Ion Ratio Lower Upper
 178 100
 176 17.7 15.0 22.4
 179 15.9 12.5 18.7



#75
 Fluoranthene
 Concen: 21.50 ng
 RT: 19.403 min Scan# 2757
 Delta R.T. -0.000 min
 Lab File: BM028559.D
 Acq: 27 Jan 2021 02:12

Tgt Ion:202 Resp: 216864
 Ion Ratio Lower Upper
 202 100
 101 12.2 0.0 28.5
 203 18.0 0.0 37.3









#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.497 min Scan# 3113
Delta R.T. -0.000 min
Lab File: BM028559.D
Acq: 27 Jan 2021 02:12




Instrument :
BNA_M
ClientSampleId :
EO-02-012521


Tgt Ion:240 Resp: 134460
Ion Ratio Lower Upper
240 100
120 12.9 6.4 9.6#
236 24.9 20.1 30.1



#78
Pyrene
Concen: 24.20 ng
RT: 19.768 min Scan# 2819
Delta R.T. 0.005 min
Lab File: BM028559.D
Acq: 27 Jan 2021 02:12

Tgt Ion:202 Resp: 233291
Ion Ratio Lower Upper
202 100
200 20.1 16.6 24.8
203 17.9 13.8 20.6









#79
Terphenyl-d14
Concen: 18.68 ng
RT: 19.956 min Scan# 2851
Delta R.T. -0.000 min
Lab File: BM028559.D
Acq: 27 Jan 2021 02:12




Instrument :
BNA_M
ClientSampleId :
EO-02-012521


Tgt Ion:244 Resp: 139078
Ion Ratio Lower Upper
244 100
212 6.9 5.8 8.8
122 12.5 6.5 9.7#



#81
Benzo(a)anthracene
Concen: 12.08 ng
RT: 21.486 min Scan# 3111
Delta R.T. 0.005 min
Lab File: BM028559.D
Acq: 27 Jan 2021 02:12

Tgt Ion:228 Resp: 112169
Ion Ratio Lower Upper
228 100
226 27.6 21.1 31.7
229 22.8 15.7 23.5









#83
Chrysene
Concen: 10.92 ng
RT: 21.533 min Scan# 3119
Delta R.T. -0.000 min
Lab File: BM028559.D
Acq: 27 Jan 2021 02:12




Instrument :
BNA_M
ClientSampleId :
EO-02-012521


Tgt Ion:228	Resp:	97903
Ion Ratio	Lower	Upper
228	100	
226	29.4	23.4 35.0
229	23.0	15.7 23.5



#86
Perylene-d12
Concen: 20.00 ng
RT: 23.774 min Scan# 3500
Delta R.T. 0.011 min
Lab File: BM028559.D
Acq: 27 Jan 2021 02:12

Tgt Ion:264	Resp:	138898
Ion Ratio	Lower	Upper
264	100	
260	22.9	19.0 28.4
265	23.4	17.7 26.5









#88
Benzo(b)fluoranthene
Concen: 16.38 ng
RT: 23.091 min Scan# 3384
Delta R.T. 0.005 min
Lab File: BM028559.D
Acq: 27 Jan 2021 02:12




Instrument :
BNA_M
ClientSampleId :
EO-02-012521


Tgt Ion:252 Resp: 154446
Ion Ratio Lower Upper
252 100
253 23.8 17.4 26.0
125 15.5 5.7 8.5#



#89
Benzo(k)fluoranthene
Concen: 16.77 ng
RT: 23.091 min Scan# 3384
Delta R.T. -0.036 min
Lab File: BM028559.D
Acq: 27 Jan 2021 02:12

Tgt Ion:252 Resp: 154446
Ion Ratio Lower Upper
252 100
253 23.8 17.4 26.0
125 15.5 5.6 8.4#





#90

Benzo(a)pyrene

Concen: 10.89 ng

RT: 23.674 min Scan# 3483

Delta R.T. 0.005 min

Lab File: BM028559.D

Acq: 27 Jan 2021 02:12





Instrument :

BNA_M

ClientSampleId :

EO-02-012521

Tgt Ion:252	Resp:	95147
Ion Ratio	Lower	Upper
252	100	
253	23.8	17.4 26.2
125	15.4	6.6 9.8#



#92

Benzo(g,h,i)perylene

Concen: 6.80 ng

RT: 26.803 min Scan# 4015

Delta R.T. 0.011 min

Lab File: BM028559.D

Acq: 27 Jan 2021 02:12

Tgt Ion:276	Resp:	57282
Ion Ratio	Lower	Upper
276	100	
277	26.8	18.6 28.0
138	26.4	12.2 18.2#

