

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012721\
 Data File : BM028567.D
 Acq On : 27 Jan 2021 12:41
 Operator : CG/JU
 Sample : PB134539BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB134539BL

Quant Time: Jan 27 13:21:31 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM012021.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 27 13:20:04 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.969	152	29533	20.00	ng	0.00
21) Naphthalene-d8	10.786	136	116692	20.00	ng	# 0.00
39) Acenaphthene-d10	14.616	164	64878	20.00	ng	0.00
64) Phenanthrene-d10	17.345	188	130410	20.00	ng	0.00
76) Chrysene-d12	21.486	240	118675	20.00	ng	# 0.00
86) Perylene-d12	23.750	264	120649	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.528	112	238310	127.47	ng	0.00
7) Phenol-d6	7.181	99	295725	116.17	ng	0.00
23) Nitrobenzene-d5	9.145	82	183668	74.65	ng	0.00
42) 2,4,6-Tribromophenol	16.110	330	106479	123.87	ng	0.00
45) 2-Fluorobiphenyl	13.239	172	399999	77.35	ng	0.00
79) Terphenyl-d14	19.945	244	502070	76.40	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM012721\
Data File : BM028567.D
Acq On : 27 Jan 2021 12:41
Operator : CG/JU
Sample : PB134539BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB134539BL

Quant Time: Jan 27 13:21:31 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM012021.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 27 13:20:04 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.969 min Scan# 813
Delta R.T. -0.000 min
Lab File: BM028567.D
Acq: 27 Jan 2021 12:41




Instrument :
BNA_M
ClientSampleId :
PB134539BL


Tgt Ion:152 Resp: 29533
Ion Ratio Lower Upper
152 100
150 161.2 120.6 181.0
115 61.7 47.2 70.8



#5
2-Fluorophenol
Concen: 127.47 ng
RT: 5.528 min Scan# 398
Delta R.T. -0.006 min
Lab File: BM028567.D
Acq: 27 Jan 2021 12:41

Tgt Ion:112 Resp: 238310
Ion Ratio Lower Upper
112 100
64 59.6 50.6 76.0
63 31.2 31.0 46.6









#7
Phenol-d6
Concen: 116.17 ng
RT: 7.181 min Scan# 679
Delta R.T. -0.006 min
Lab File: BM028567.D
Acq: 27 Jan 2021 12:41




Instrument :
BNA_M
ClientSampleId :
PB134539BL


Tgt Ion: 99 Resp: 295725
Ion Ratio Lower Upper
99 100
42 20.4 13.5 20.3#
71 33.9 39.4 59.0#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.786 min Scan# 1292
Delta R.T. -0.000 min
Lab File: BM028567.D
Acq: 27 Jan 2021 12:41

Tgt Ion: 136 Resp: 116692
Ion Ratio Lower Upper
136 100
137 10.8 8.6 12.8
54 8.1 4.6 7.0#
68 6.2 4.1 6.1#









#23
Nitrobenzene-d5
Concen: 74.65 ng
RT: 9.145 min Scan# 1013
Delta R.T. -0.006 min
Lab File: BM028567.D
Acq: 27 Jan 2021 12:41




Instrument :
BNA_M
ClientSampleId :
PB134539BL


Tgt Ion: 82 Resp: 183668
Ion Ratio Lower Upper
82 100
128 44.9 27.4 41.0#
54 54.2 31.4 47.0#



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.616 min Scan# 1943
Delta R.T. -0.006 min
Lab File: BM028567.D
Acq: 27 Jan 2021 12:41


Tgt Ion: 164 Resp: 64878
Ion Ratio Lower Upper
164 100
162 103.5 80.4 120.6
160 44.1 35.9 53.9








#42
2,4,6-Tribromophenol
Concen: 123.87 ng
RT: 16.110 min Scan# 2197
Delta R.T. -0.000 min
Lab File: BM028567.D
Acq: 27 Jan 2021 12:41


Instrument :
BNA_M
ClientSampleId :
PB134539BL





Tgt Ion:330 Resp: 106479
Ion Ratio Lower Upper
330 100
332 96.7 77.8 116.8
141 35.2 28.4 42.6




#45
2-Fluorobiphenyl
Concen: 77.35 ng
RT: 13.239 min Scan# 1709
Delta R.T. -0.000 min
Lab File: BM028567.D
Acq: 27 Jan 2021 12:41



Tgt Ion:172 Resp: 399999
Ion Ratio Lower Upper
172 100
171 34.9 27.8 41.8
170 22.5 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.345 min Scan# 2407
Delta R.T. -0.006 min
Lab File: BM028567.D
Acq: 27 Jan 2021 12:41




Instrument :
BNA_M
ClientSampleId :
PB134539BL


Tgt Ion:188 Resp: 130410
Ion Ratio Lower Upper
188 100
94 9.3 6.2 9.4
80 11.3 7.5 11.3



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.486 min Scan# 3111
Delta R.T. -0.000 min
Lab File: BM028567.D
Acq: 27 Jan 2021 12:41

Tgt Ion:240 Resp: 118675
Ion Ratio Lower Upper
240 100
120 11.7 6.4 9.6#
236 24.5 20.1 30.1









#79
 Terphenyl-d14
 Concen: 76.40 ng
 RT: 19.945 min Scan# 2849
 Delta R.T. -0.000 min
 Lab File: BM028567.D
 Acq: 27 Jan 2021 12:41

Instrument :
 BNA_M
 ClientSampleId :
 PB134539BL

Tgt Ion:244 Resp: 502070
 Ion Ratio Lower Upper
 244 100
 212 6.9 5.8 8.8
 122 12.2 6.5 9.7#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 23.750 min Scan# 3496
 Delta R.T. -0.000 min
 Lab File: BM028567.D
 Acq: 27 Jan 2021 12:41

Tgt Ion:264 Resp: 120649
 Ion Ratio Lower Upper
 264 100
 260 22.9 19.0 28.4
 265 22.1 17.7 26.5

