

Data Path : U:\HPCHEM1\BNA M\DATA\BM012818\
 Data File : BM013935.D
 Acq On : 28 Jan 2018 22:51
 Operator : SJ/JU
 Sample : J1295-07
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 F6C05

Quant Time: Jan 29 03:20:50 2018
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM011018.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jan 29 02:34:24 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.57	152	107350	20.00	ng/ul	0.00
18) Naphthalene-d8	10.35	136	415772	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.23	164	233162	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.99	188	525660	20.00	ng/ul	0.00
75) Chrysene-d12	21.19	240	601438	20.00	ng/ul	0.00
83) Perylene-d12	23.37	264	629185	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.14	96	15521	5.71	ng/uL	0.00
5) Phenol-d5	6.76	99	279996	33.98	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.92	67	175702	35.19	ng/ul	0.00
9) 2-Chlorophenol-d4	7.12	132	236572	35.23	ng/ul	0.00
13) 4-Methylphenol-d8	8.29	113	239765	37.85	ng/ul	0.00
19) Nitrobenzene-d5	8.73	128	121969	37.81	ng/ul	0.00
22) 2-Nitrophenol-d4	9.45	143	132376	38.83	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.98	165	239393	36.35	ng/ul	0.00
29) 4-Chloroaniline-d4	10.50	131	284533	49.80	ng/ul	0.00
43) Dimethylphthalate-d6	13.65	166	761722	39.64	ng/ul	0.00
46) Acenaphthylene-d8	13.92	160	961151	39.22	ng/ul	0.00
51) 4-Nitrophenol-d4	14.47	143	75365	24.13	ng/ul	0.00
57) Fluorene-d10	15.23	176	661454	39.14	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.37	200	89761	28.37	ng/ul	0.00
70) Anthracene-d10	17.09	188	1015507	39.66	ng/ul	0.00
76) Pyrene-d10	19.39	212	1146534	40.94	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.23	264	1225587	42.38	ng/ul	0.00

Target Compounds


					Ovalue
6) Phenol	6.79	94	27904	3.376	ng/ul 96
44) Dimethylphthalate	13.70	163	177406	9.389	ng/ul 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : U:\HPCHEM1\BNA M\DATA\BM012818\
Data File : BM013935.D
Acq On : 28 Jan 2018 22:51
Operator : SJ/JU
Sample : J1295-07
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
F6C05

Quant Time: Jan 29 03:20:50 2018
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM011018.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jan 29 02:34:24 2018
Response via : Initial Calibration






#6

Phenol




Concen: 3.376 ng/ul
 RT: 6.79 min Scan# 647
 Delta R.T. -0.00 min
 Lab File: BM013935.D
 Acq: 28 Jan 2018 22:51

Instrument :
 BNA_M
 ClientSampleId :
 F6C05

Tot Ion: 94 Resp: 27904
 Ion Ratio Lower Upper
 94 100
 65 39.4 28.2 42.4
 66 57.4 47.2 70.8



Abundance Ion 94.00 (93.70 to 94.70): BM0
 Ion 65.00 (64.70 to 65.70): BM0
 Ion 66.00 (65.70 to 66.70): BM0




#44

Dimethylphthalate

Concen: 9.389 ng/ul
 RT: 13.70 min Scan# 1821
 Delta R.T. -0.00 min
 Lab File: BM013935.D
 Acq: 28 Jan 2018 22:51

Tgt Ion: 163 Resp: 177406
 Ion Ratio Lower Upper
 163 100
 194 4.9 3.5 5.3
 164 9.0 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E

