

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA_M\DATA\BM013018\
 Data File : BM014020.D
 Acq On : 31 Jan 2018 05:09
 Operator : SJ/JU
 Sample : J1314-11
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleID :
 F6C48

Manual Integrations
 APPROVED

Sohil
 1/31/2018 8:36:34 PM

Quant Time: Jan 31 07:25:04 2018
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM011018.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jan 31 07:06:39 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.56	152	99369	20.00	ng/ul	0.00
18) Naphthalene-d8	10.33	136	402544	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.22	164	247845	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.97	188	590012	20.00	ng/ul	0.00
75) Chrysene-d12	21.18	240	698872	20.00	ng/ul	0.00
83) Perylene-d12	23.36	264	727302	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.13	96	10372	4.13	ng/uL	0.00
5) Phenol-d5	6.75	99	201779	26.45	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.91	67	131326	28.41	ng/ul	0.00
9) 2-Chlorophenol-d4	7.10	132	177598	28.57	ng/ul	0.00
13) 4-Methylphenol-d8	8.28	113	172805	29.47	ng/ul	0.00
19) Nitrobenzene-d5	8.72	128	89966	28.80	ng/ul	0.00
22) 2-Nitrophenol-d4	9.44	143	97752	29.62	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.97	165	172262	27.02	ng/ul	0.00
29) 4-Chloroaniline-d4	10.49	131	210395	38.03	ng/ul	0.00
43) Dimethylphthalate-d6	13.64	166	625507	30.62	ng/ul	0.00
46) Acenaphthylene-d8	13.91	160	777889	29.86	ng/ul	0.00
51) 4-Nitrophenol-d4	14.47	143	65345m	19.68	ng/ul	0.01
57) Fluorene-d10	15.22	176	558178	31.07	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.36	200	75535	21.27	ng/ul	0.00
70) Anthracene-d10	17.07	188	874936	30.44	ng/ul	0.00
76) Pyrene-d10	19.37	212	1039104	31.93	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.22	264	1086909	32.51	ng/ul	0.00

Target Compounds					Qvalue	
44) Dimethylphthalate	13.69	163	126219	6.285	ng/ul	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : \\74.0.250.170\SVOASRV\HPCHEM1\BNA_M\DATA\BM013018\
Data File : BM014020.D
Acq On : 31 Jan 2018 05:09
Operator : SJ/JU
Sample : J1314-11
Misc :
ALS Vial : 21 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
F6C48

Manual Integrations
APPROVED

Sohil
1/31/2018 8:36:34 PM

Quant Time: Jan 31 07:25:04 2018
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM011018.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Jan 31 07:06:39 2018
Response via : Initial Calibration





#44
 Dimethylphthalate
 Concen: 6.285 ng/ul
 RT: 13.69 min Scan# 1819
 Delta R.T. 0.00 min
 Lab File: BM014020.D
 Acq: 31 Jan 2018 05:09

Instrument :
 BNA_M
 ClientSampleId :
 F6C48

Tgt Ion:	163	Resp:	126219
Ion Ratio		Lower	Upper
163	100		
194	4.1	3.5	5.3
164	9.9	8.2	12.4

Manual Integrations
 APPROVED

Sohil
 1/31/2018 8:36:34 PM

